

Table Of Contents

| | | | |
|--|-----------|---------------------------------------|-----------|
| Cutterbar Components | 2 | Guide Plates | 28 |
| Cutterbar Components | 4 | Mower Guards | 30 |
| Cutting Discs & Drums | 6 | Headstock | 32 |
| High-Cut Skids | 8 | Flotation Springs | 34 |
| Cutterbar Gearbox | 10 | Hydraulics | 36 |
| Main Gearbox - 1000 RPM..... | 12 | Chains | 38 |
| Main Gearbox - 540 RPM..... | 14 | PTO Shaft | 40 |
| Gearbox | 16 | Walterscheid Clutch | 42 |
| Gearbox Mounting | 18 | Bondioli Friction Clutch | 44 |
| Conditioner Drive | 20 | Conditioner PTO Shaft | 46 |
| Tine Conditioner | 22 | Conditioner PTO Shaft | 48 |
| Conditioner Housing | 24 | Warning Decals | 50 |
| Conditioner Baffle Plate | 26 | General Information Decals .. | 52 |




448 643 4

Cutterbar Components

Cutterbar Components

| Item | Part Number | Description | Serial # Ranges | AFL-283CV | Notes |
|------|-------------|---------------------|-----------------|-----------|---------------------|
| 1 | 930.566.0 | Bearing | | 7 | 6306 2RS |
| 2 | 150.042.0 | Bearing Housing | | 7 | |
| 3 | 936.150.2 | Radial Seal | | 7 | BA 40 X 55 X 7 |
| 4 | 146.390.0 | Spacer Ring | | 7 | |
| 5 | 937.525.0 | O-Ring | | 7 | 30 X 2 |
| 6 | 930.536.1 | Bearing | | 7 | 6206 2RS |
| 7 | 150.017.0 | Pinion | | 7 | Z=16 |
| 8 | 937.553.0 | O-Ring | | 7 | 78.5 X 6.0 |
| 9 | 144.238.4 | Washer | | 13 | 40 X 54 X 4.5 |
| 10 | 909.605.0 | Self-Locking Nut | | 13 | M14 X 1.5 |
| 11 | 145.095.3 | Clamping Piece | | 13 | |
| 12 | 937.511.0 | O-Ring | | 13 | 45 X 4 |
| 13 | 937.523.1 | O-Ring | | 13 | 28 X 3.0 |
| 14 | 139.190.0 | Spur Gear | | 13 | Z=59 |
| 15 | 150.039.0 | Stop Bar | | 6 | X=127mm |
| 16 | 150.047.0 | Skid L/H | | 1 | |
| 17 | 150.123.2 | Flat Round Bolt | | 13 | M14 X 1.5 X 36-10.9 |
| 18 | 150.269.0 | Skid | | 6 | |
| 19 | 909.910.0 | Detent Edged Washer | | X | SKM 12 |
| 20 | 908.758.0 | Hex Nut | | X | M10 |
| 21 | 250.000.0 | Mower Bar | | X | |
| | 926.101.0 | Oil | | X | SAE 90 |
| 22 | 908.701.0 | Hex Nut | | X | M12 |
| 23 | 904.044.2 | Countersunk Screw | | X | M10 X 20-10.9 |
| 24 | 150.028.0 | Skid Holder | | 7 | |
| 25 | 150.215.0 | Stop Bar Left | | 1 | |
| 26 | 937.001.1 | O-Ring | | X | 10.0 X 2.8 |
| 27 | 145.635.1 | Cover | | X | |
| 28 | 937.510.0 | O-Ring | | X | 196.45 X 3.53 |
| 29 | 937.595.0 | O-Ring | | X | 174 X 4 |
| 30 | 937.727.0 | Gasket Ring | | X | A 18 X 24 X 1.5 |
| 31 | 906.010.0 | Screw Plug | | X | M18 X 1.5 |
| 32 | 908.536.0 | Hex Nut | | 7 | M27 X 1.5 |
| 33 | 146.504.0 | End Washer | | 7 | |
| 34 | 910.864.0 | Shim | | 7 | 30 X 42 X 1.0 |
| 35 | 906.439.1 | Stud | | X | M12 X 30 |
| 36 | 915.105.0 | Flat Key | | 7 | B 10 X 8 X 25 |
| 37 | 150.041.0 | Rotor Hub | | 7 | |




448 643 4

Cutterbar Components

Cutterbar Components


| Item | Part Number | Description | Serial # Ranges | AFL- 283CV | Notes |
|------|-------------|--------------------------|-----------------|---------------|---------------|
| 38 | 904.062.0 | Countersunk Screw | | X | M12 X 25 |
| 41 | 150.205.0 | Stop Bar R/H | | 1 | |
| 42 | 906.007.0 | Screw Plug | | X | M16 X 1.5 |
| 43 | 937.721.0 | Gasket Ring | | X | 16 X 22 X 1.5 |
| 45 | 150.043.0 | Bearing Housing Complete | | 7 | |



Cutting Discs & Drums

Cutting Discs & Drums


| Item | Part Number | Description | Serial # Ranges | AFL- 283CV | Notes |
|------|-------------|---------------------|-----------------|---------------|-----------------------|
| 1 | 900.632.0 | Hex Head Bolt | | X | M10 X 16 |
| 2 | 909.909.0 | Detent Edged Washer | | X | SKM 10 |
| 3 | 909.602.1 | Self-Locking Nut | | 14 | |
| 4 | 925.303.1 | Wrench | | X | SW 17/19 |
| 5 | 139.680.0 | Mower Disc | | 4 | L=320mm |
| | 139.730.0 | Mower Disc | | 1 | L=292mm |
| 6 | 139.888.0 | Blade L/H | | 7 | 112mm Long |
| | 139.889.0 | Blade R/H | | 7 | 112mm Long |
| 7 | 141.053.4 | Blade Bolt | | 14 | |
| 8 | 150.034.0 | Mower Drum | | 2 | Includes Items 9 & 10 |
| 9 | 906.948.0 | Self-Tapping Screw | | X | B 6.3 X 13 |
| 10 | 144.943.2 | Cover | | 2 | |
| 11 | 139.800.0 | "Roof Shaped" Blade | | 14 | |



High-Cut Skids

High Cut Skids

| Item | Part Number | Description | Serial # Ranges | AFL- 283CV | Notes |
|------|-------------|------------------------|-----------------|---------------|---------------|
| 1 | 150.310.0 | High Cut Skid | | 2 | |
| 2 | 910.506.0 | Washer | | X | 13 X 24 X 2.5 |
| 3 | 908.701.0 | Hex Nut | | X | M12 |
| 4 | 904.063.1 | Countersunk Screw | | X | M12 X 30-10.9 |
| 5 | 150.269.0 | Skid | | 2 | |
| 7 | 900.655.0 | Hex Head Bolt | | X | M12 X 25 |
| 8 | 150.314.0 | Yoke | | X | |
| 9 | 909.910.0 | Detent Edged Washer | | X | SKM 12 |
| 10 | 150.350.1 | High Cut Skid Complete | | 2 | |



448 446 0


Cutterbar Gearbox

Cutterbar Gearbox

| Item | Part Number | Description | Serial # Ranges | AFL- 283CV | Notes |
|------|-------------|---------------------|-----------------|---------------|---------------|
| 1 | 911.541.0 | Circlip | | X | 35 X 1.5 |
| 2 | 144.339.3 | Spur Gear | | X | Z=59 |
| 3 | 911.673.0 | Circlip | | X | 180 X 2.5 |
| 4 | 910.960.0 | Shim | | X | 63 X 80 X .1 |
| | 910.962.0 | Shim | | X | 63 X 80 X .3 |
| | 910.963.0 | Shim | | X | 63 X 80 X .5 |
| | 910.964.0 | Shim | | X | 63 X 80 X 1.0 |
| 5 | 930.567.0 | Bearing | | X | 6307 2RS |
| 6 | 152.397.0 | Gearbox Housing | | X | |
| 7 | 915.122.0 | Flat Key | | X | A 10 X 8 X 40 |
| 8 | 152.398.0 | Drive Shaft | | X | |
| 9 | 915.780.1 | Pin | | X | 12 M6 X 28 |
| 10 | 909.912.0 | Detent Edged Washer | | X | SKM 16 |
| 11 | 900.674.0 | Hex Head Bolt | | X | M16 X 35 |

Main Gearbox - 1000 RPM

| Item | Part Number | Description | Serial # Ranges | AFL-283CV | Notes |
|------|-------------|------------------------|-----------------|-----------|------------------|
| 1 | 145.395.1 | Main Gearbox | | X | 1000 RPM |
| | 926.101.0 | Oil | | X | 1 Liter SAE 90 |
| 2 | 936.339.0 | Radial Seal | | X | B2 35 X 80 X 13 |
| 3 | 911.673.0 | Circlip | | X | I 80 X 2.5 |
| 4 | 910.741.0 | Washer | | X | S 63 X 80 X 3.0 |
| 5 | 911.022.0 | Shim | | X | 70 X 80 X .1 |
| | 911.023.0 | Shim | | X | 70 X 80 X .3 |
| | 911.024.0 | Shim | | X | 70 X 80 X 1.0 |
| 6 | 932.177.0 | Tapered Roller Bearing | | X | 32010 |
| 7 | 146.985.0 | Bevel Wheel | | X | Z=22 |
| 8 | 145.397.0 | Gearbox Shaft | | X | Rd. 42 X 374 |
| 9 | 915.122.0 | Flat Key | | X | A 10 X 8 X 40 |
| 10 | 145.396.1 | Gearbox Housing | | X | |
| 11 | 906.040.1 | Screw Plug | | X | M18 X 1.5 |
| 12 | 930.167.0 | Bearing | | X | 6307 |
| 14 | 911.541.0 | Circlip | | X | 35 X 1.5 |
| 15 | 911.132.0 | Shim | | X | 35 X 45 X .3 |
| | 911.133.0 | Shim | | X | 35 X 45 X .5 |
| | 911.134.0 | Shim | | X | 35 X 45 X 1.0 |
| 16 | 146.984.0 | Pinion | | X | Z=16 |
| 17 | 145.215.3 | Gearbox Shaft | | X | 42 X 193 |
| 18 | 910.900.0 | Shim | | X | 50 X 62 X .1 |
| | 910.902.0 | Shim | | X | 50 X 62 X .3 |
| | 910.903.0 | Shim | | X | 50 X 62 X .5 |
| | 910.904.0 | Shim | | X | 50 X 62 X 1.0 |
| 19 | 932.155.0 | Tapered Roller Bearing | | X | 32210 A |
| 20 | 145.212.0 | Gearbox Seal | | X | |
| 21 | 146.976.2 | Gearbox Cover | | X | |
| 22 | 930.137.0 | Bearing | | X | 6207 |
| 23 | 910.727.0 | Washer | | X | S 35 X 45 X 2.5 |
| 24 | 936.337.0 | Radial Seal | | X | B 2 35 X 72 X 12 |
| 25 | 900.655.0 | Hex Head Bolt | | X | M12 X 25 |
| 26 | 910.035.0 | Spring Washer | | X | B 12 |
| 27 | 925.010.0 | Plastic Guard | | X | |
| 28 | 490.161.1 | Oil Level Dipstick | | X | |




449 622 0

Main Gearbox - 540 RPM

Main Gearbox - 540 RPM

| Item | Part Number | Description | Serial # Ranges | AFL- 283CV | Notes |
|------|-------------|------------------------|-----------------|---------------|------------------|
| 1 | 145.391.1 | Main Gearbox | | X | 540 RPM |
| | 926.101.0 | Oil | | X | 1 Liter SAE 90 |
| 2 | 936.339.0 | Radial Seal | | X | B2 35 X 80 X 13 |
| 3 | 911.673.0 | Circlip | | X | I 80 X 2.5 |
| 4 | 910.741.0 | Washer | | X | S 63 X 80 X 3.0 |
| 5 | 911.022.0 | Shim | | X | 70 X 80 X .1 |
| | 911.023.0 | Shim | | X | 70 X 80 X .3 |
| | 911.024.0 | Shim | | X | 70 X 80 X 1.0 |
| 6 | 932.177.0 | Tapered Roller Bearing | | X | 32010 |
| 7 | 146.985.0 | Bevel Wheel | | X | Z=22 |
| 8 | 145.397.0 | Gearbox Shaft | | X | Rd. 42 X 374 |
| 9 | 915.122.0 | Flat Key | | X | A 10 X 8 X 40 |
| 10 | 145.396.1 | Gearbox Housing | | X | |
| 11 | 906.040.1 | Screw Plug | | X | M18 X 1.5 |
| 12 | 930.167.0 | Bearing | | X | 6307 |
| 14 | 911.541.0 | Circlip | | X | 35 X 1.5 |
| 15 | 911.132.0 | Shim | | X | 35 X 45 X .3 |
| | 911.133.0 | Shim | | X | 35 X 45 X .5 |
| | 911.134.0 | Shim | | X | 35 X 45 X 1.0 |
| 16 | 146.984.0 | Pinion | | X | Z=16 |
| 17 | 145.215.3 | Gearbox Shaft | | X | 42 X 193 |
| 18 | 910.900.0 | Shim | | X | 50 X 62 X .1 |
| | 910.902.0 | Shim | | X | 50 X 62 X .3 |
| | 910.903.0 | Shim | | X | 50 X 62 X .5 |
| | 910.904.0 | Shim | | X | 50 X 62 X 1.0 |
| 19 | 932.155.0 | Tapered Roller Bearing | | X | 32210 A |
| 20 | 145.212.0 | Gearbox Seal | | X | |
| 21 | 146.976.2 | Gearbox Cover | | X | |
| 22 | 930.137.0 | Bearing | | X | 6207 |
| 23 | 910.727.0 | Washer | | X | S 35 X 45 X 2.5 |
| 24 | 936.337.0 | Radial Seal | | X | B 2 35 X 72 X 12 |
| 25 | 900.655.0 | Hex Head Bolt | | X | M12 X 25 |
| 26 | 910.035.0 | Spring Washer | | X | B 12 |
| 27 | 925.010.0 | Plastic Guard | | X | |
| 28 | 490.161.1 | Oil Level Dipstick | | X | |




447 878 2

Gearbox

Gearbox

| Item | Part Number | Description | Serial # Ranges | AFL-283CV | Notes |
|------|-------------|---------------------------|-----------------|-----------|--------------------|
| 1 | 151.703.0 | Gearbox Complete | | X | |
| | 926.101.0 | Oil | | X | 1 Liter SAE 90 |
| 2 | 925.205.1 | Core Plug | | X | Rd. 80 |
| 3 | 911.673.0 | Circlip | | X | 1 80 X 2.5 |
| 4 | 910.741.0 | Washer | | X | S 63 X 80 X 3.0 |
| 5 | 911.022.0 | Shim | | X | 70 X 80 X .1 |
| | 911.023.0 | Shim | | X | 70 X 80 X .3 |
| | 911.024.0 | Shim | | X | 70 X 80 X 1.0 |
| 6 | 930.167.0 | Bearing | | X | 6307 |
| 7 | 145.396.1 | Gearbox Housing | | X | |
| 8 | 911.541.0 | Circlip | | X | 35 X 1.5 |
| 9 | 911.132.0 | Shim | | X | 35 X 45 X .3 |
| | 911.133.0 | Shim | | X | 35 X 45 X .5 |
| | 911.134.0 | Shim | | X | 35 X 45 X 1.0 |
| 10 | 151.701.0 | Bevel Wheel | | X | Z=23 |
| 11 | 915.122.0 | Flat Key | | X | A 10 X 8 X 40 |
| 12 | 145.215.3 | Gearbox Shaft | | X | Rd. 42 X 193 |
| 13 | 910.900.0 | Shim | | X | 50 X 62 X .1 |
| | 910.902.0 | Shim | | X | 50 X 62 X .3 |
| | 910.903.0 | Shim | | X | 50 X 62 X .5 |
| | 910.904.0 | Shim | | X | 50 X 62 X 1.0 |
| 14 | 932.155.0 | Tapered Roller Bearing | | X | 32210 A |
| 15 | 936.337.0 | Radial Seal | | X | B2 35 X 72 X 12 |
| 16 | 910.727.0 | Washer | | X | S 35 X 45 X 2.5 |
| 17 | 930.137.0 | Bearing | | X | 6207 |
| 18 | 146.976.2 | Gearbox Cover | | X | |
| 19 | 900.655.0 | Hex Head Bolt | | X | M12 X 25 |
| 20 | 910.035.0 | Spring Washer | | X | B 12 |
| 21 | 145.212.0 | Gearbox Seal | | X | |
| 22 | 151.702.0 | Bevel Wheel | | X | Z=19 |
| 23 | 920.931.0 | Threaded Reducing Adapter | | X | M18 X 1.5 / R 1/4" |
| 24 | 151.839.0 | Gearbox Shaft | | X | Rd. 42 X 270 |
| 25 | 936.339.0 | Radial Seal | | X | B2 35 X 80 X 13 |
| 26 | 932.177.0 | Tapered Roller Bearing | | X | 32010 |
| 27 | 925.901.0 | Angle | | X | |
| 28 | 919.802.0 | Breather | | X | R 1/4" |




448 484 3

Gearbox Mounting

Gearbox Mounting

| Item | Part Number | Description | Serial # Ranges | AFL- 283CV | Notes |
|------|-------------|---------------------|-----------------|---------------|-------------|
| 1 | 909.912.0 | Detent Edged Washer | | X | SKM 16 |
| 2 | 900.673.0 | Hex Head Bolt | | X | M16 X 25 |
| 4 | 905.903.0 | Set Screw | | X | M16 X 60 |
| 5 | 908.716.1 | Hex Nut | | X | NM 16 |
| 6 | 152.388.0 | Guard L/H | | X | 1100mm Long |
| 7 | 152.389.0 | Guard R/H | | X | 1080mm Long |
| 8 | 910.353.0 | Washer | | X | R 11 |
| 9 | 909.909.0 | Detent Edged Washer | | X | SKM 10 |
| 10 | 900.634.0 | Hex Head Bolt | | X | M10 X 20 |
| 11 | 152.229.0 | Guard | | X | |
| 12 | 909.908.0 | Detent Edged Washer | | X | SKM 8 |
| 13 | 900.614.0 | Hex Head Bolt | | X | M8 X 20 |




448 474 2

Conditioner Drive

Conditioner Drive

| Item | Part Number | Description | Serial # Ranges | AFL-283CV | Notes |
|------|-------------|---------------------|-----------------|-----------|------------------|
| 1 | 911.136.1 | Shim | | X | 35 X 45 X 2.0 |
| 2 | 908.701.0 | Hex Nut | | X | M12 |
| 3 | 152.420.0 | Rocker Arm | | X | |
| 4 | 912.717.0 | Roll Pin | | X | 10 X 55 |
| 5 | 918.300.0 | Eye Bolt | | X | M12 X 95/65 |
| 6 | 340.439.2 | Tension Spring | | X | |
| 7 | 152.421.0 | Strut | | X | |
| 8 | 912.611.1 | Roll Pin | | X | 5 X 26 |
| 9 | 910.512.2 | Washer | | X | B 21 |
| 10 | 152.412.0 | Belt Tensioner | | X | |
| 11 | 910.653.0 | Washer | | X | 26 X 44 X 2 |
| 12 | 912.615.0 | Roll Pin | | X | 5 X 36 |
| 13 | 250.940.0 | Hub | | X | Includes Item 14 |
| 14 | 935.714.0 | Clamping Bushing | | X | EG 45/35 X 12 |
| 15 | 250.891.0 | V-Belt Pulley | | X | DW 251 |
| 16 | 909.909.0 | Detent Edged Washer | | X | SKM 10 |
| 17 | 900.636.0 | Hex Head Bolt | | X | M10 X 25 |
| 18 | 917.011.0 | Lynch Pin | | X | 10 X 45 |
| 19 | 921.509.0 | V-Belt | | X | |
| 20 | 910.661.0 | Washer | | X | 41 X 56 X 4.0 |
| 21 | 250.890.0 | V-Belt Pulley | | X | DW 200 |
| 22 | 900.655.0 | Hex Head Bolt | | X | M12 X 25 |
| 23 | 909.910.0 | Detent Edged Washer | | X | SKM 12 |
| 24 | 910.609.0 | Washer | | X | 13 X 37 X 3 |
| 25 | 930.506.0 | Bearing | | X | 6006 2RS |
| 26 | 250.924.0 | Jockey Pulley | | X | |
| 27 | 919.105.0 | Grease Fitting | | X | AM 8 X 1 |
| 28 | 152.418.1 | Jockey Pulley Arm | | X | |
| 29 | 152.520.0 | V-Belt Guard | | X | |
| 30 | 900.634.0 | Hex Head Bolt | | X | M10 X 20 |
| 34 | 900.637.0 | Hex Head Bolt | | X | M10 X 30 |
| 35 | 152.477.0 | Spacer | | X | |
| 36 | 910.353.0 | Washer | | X | R 11 |
| 38 | 934.930.0 | Bearing Bushing | | X | MB 3520 DU |
| 39 | 919.509.0 | Ball Knob | | X | C 40 |




448 473 4

Tine Conditioner

Tine Conditioner


| Item | Part Number | Description | Serial # Ranges | AFL-283CV | Notes |
|------|-------------|-------------------------|-----------------|-----------|------------------|
| 1 | 152.241.0 | Tine Rotor Shaft | | X | |
| 2 | 139.535.0 | Tine Bar | | X | |
| 3 | 935.715.0 | Clamping Bushing | | X | EG 18/24 X 24 |
| 4 | 152.487.0 | Tine | | 4 | Includes Item 3 |
| 5 | 908.701.0 | Hex Nut | | 42 | M12 |
| 6 | 905.252.0 | Flat Round Bolt | | X | M10 X 25 |
| 7 | 139.587.0 | Tine | | 38 | Includes Item 3 |
| 8 | 139.417.0 | Tine Carrier | | 42 | |
| 9 | 938.686.0 | Jack Stand | | X | |
| 10 | 900.636.0 | Hex Head Bolt | | X | M10 X 25 |
| 11 | 934.617.0 | Bearing | | X | GEM 207 |
| 12 | 934.130.0 | Flange Bearing Complete | | X | Includes Item 11 |
| 13 | 909.909.0 | Detent Edged Washer | | X | SKM 10 |
| 14 | 900.637.0 | Hex Head Bolt | | X | M10 X 30 |
| 15 | 919.105.0 | Grease Fitting | | X | AM 8 X 1 |
| 16 | 910.639.1 | Washer | | X | 11 X 48 X 5 |
| 17 | 152.537.0 | Guard | | 2 | |
| 18 | 152.411.0 | Drive Shaft | | X | Rd. 50 X 389 |
| 19 | 934.626.0 | Bearing | | X | |
| 20 | 934.011.0 | Flange Bearing Complete | | X | Includes Item 19 |
| 21 | 909.912.0 | Detent Edged Washer | | X | SKM 16 |
| 22 | 900.674.0 | Hex Head Bolt | | X | M16 X 35 |
| 23 | 900.676.0 | Hex Head Bolt | | X | M16 X 45 |
| 24 | 912.518.1 | Roll Pin | | X | 21 X 24 |
| 25 | 152.392.0 | Support Tube | | X | |
| 26 | 908.716.1 | Hex Nut | | X | NM 16 |
| 27 | 901.149.0 | Hex Head Bolt | | X | M16 X 180 |
| 28 | 908.758.0 | Hex Nut | | X | M10 |
| 29 | 910.353.0 | Washer | | X | 11 X 34 X 3 |



Conditioner Housing

Conditioner Housing

| Item | Part Number | Description | Serial # Ranges | AFL-283CV | Notes |
|------|-------------|--------------------------|-----------------|-----------|---------------|
| 1 | 152.533.0 | Swath Board Left | | X | |
| 2 | 909.503.1 | Ring Nut | | 2 | M12 |
| 3 | 910.643.0 | Washer | | 2 | 13.5 X 44 X 4 |
| 4 | 904.983.1 | Flat Round Bolt | | 2 | M12 X 30 |
| 5 | 908.210.0 | Hex Nut | | X | M8 |
| 6 | 939.009.0 | Gas Strut | | 2 | |
| 7 | 152.530.0 | Tine Conditioner Housing | | X | |
| 8 | 152.499.0 | Conditioner Flap | | X | |
| 9 | 143.482.1 | Pin | | 2 | |
| 10 | 912.611.1 | Roll Pin | | X | 5 X 26 |
| 11 | 152.535.0 | Swath Board Right | | X | |
| 12 | 152.453.0 | Hinge R/H | | X | |
| | 152.429.0 | Hinge L/H | | X | |
| 13 | 908.220.0 | Hex Nut | | X | M16 |
| 14 | 909.912.0 | Detent Edged Washer | | X | SKM 16 |
| 15 | 900.674.0 | Hex Head Bolt | | X | M16 X 35 |
| 16 | 332.459.0 | Distance Tube | | X | |
| 17 | 152.532.0 | Pin | | X | |
| 18 | 917.107.0 | Spring Clip | | X | 7 |




448 361 1

Conditioner Baffle Plate

Conditioner Baffle Plate

| Item | Part Number | Description | Serial # Ranges | AFL- 283CV | Notes |
|------|-------------|----------------|-----------------|---------------|-------------|
| 1 | 910.014.0 | Spring Washer | | X | B 16 |
| 2 | 903.205.0 | Allen Screw | | X | M16 X 20 |
| 3 | 152.373.0 | Baffle Plate | | X | |
| 4 | 910.512.2 | Washer | | X | B 21 |
| 5 | 911.505.0 | Circlip | | X | A 40 X 1.75 |
| 6 | 919.105.0 | Grease Fitting | | X | AM 8 X 1 |
| 7 | 250.373.0 | Pin | | X | |
| 8 | 250.575.0 | Crank | | X | |
| 9 | 912.670.0 | Roll Pin | | X | 8 X 40 |
| 10 | 912.287.1 | Cotter Pin | | X | 5 X 32 |




448 911 0

Guide Plates

Guide Plates


| Item | Part Number | Description | Serial # Ranges | AFL-283CV | Notes |
|------|-------------|-----------------|-----------------|-----------|-------------|
| 1 | 908.758.0 | Hex Nut | | X | M10 |
| 2 | 910.609.0 | Washer | | X | 13 X 37 X 3 |
| 3 | 909.502.0 | Ring Nut | | X | |
| 4 | 904.751.1 | Flat Round Bolt | | X | M10 X 20 |
| 5 | 152.523.0 | Guide Plate | | X | 654mm Long |
| 6 | 152.524.0 | Guide Plate | | X | 310mm Long |
| 7 | 152.526.0 | Guide Plate | | X | 610mm Long |
| 8 | 152.527.0 | Guide Plate | | X | 420mm Long |



Mower Guards

Mower Guards

| Item | Part Number | Description | Serial # Ranges | AFL-283CV | Notes |
|------|-------------|---------------------|-----------------|-----------|------------|
| 1 | 904.708.0 | Flat Round Bolt | | X | M16 X 40 |
| 2 | 152.424.0 | Guard Support L/H | | X | |
| 3 | 925.104.0 | Clamp | | X | Bo.=28 |
| 4 | 925.130.0 | Cover Plate | | X | |
| 5 | 250.851.0 | Locking Ring | | X | |
| 6 | 901.435.0 | Hex Head Bolt | | X | M10 X 60 |
| 7 | 152.463.0 | Clamping Strap | | X | 130mm Long |
| 8 | 152.462.0 | Clamping Strap | | X | 672mm Long |
| 9 | 152.461.0 | Clamping Strap | | X | 235mm Long |
| 10 | 152.460.0 | Clamping Strap | | X | 175mm Long |
| 11 | 152.430.0 | Guard Frame L/H | | X | |
| 12 | 908.716.1 | Hex Nut | | X | NM 16 |
| 13 | 910.362.0 | Washer | | X | 17 |
| 18 | 152.443.0 | Guard | | X | |
| 19 | 908.706.0 | Hex Nut | | X | M8 |
| 20 | 152.449.0 | Front Plastic Cloth | | X | |
| 21 | 910.603.0 | Washer | | X | A 8.4 |
| 22 | 900.614.0 | Hex Head Bolt | | X | M8 X 20 |
| 23 | 152.473.0 | Clamping Strap | | X | 731mm Long |
| 24 | 152.423.0 | Guard Support R/H | | X | |
| 25 | 152.431.0 | Guard Frame R/H | | X | |
| 26 | 152.472.0 | Clamping Strap | | X | 780mm Long |
| 27 | 250.831.1 | Holder | | X | |
| 28 | 901.028.0 | Hex Head Bolt | | X | M6 X 30 |
| 29 | 903.045.0 | Allen Screw | | X | M6 X 20 |
| 30 | 903.207.0 | Allen Screw | | X | M16 X 25 |
| 31 | 152.451.0 | Plastic Cloth R/H | | X | |
| 32 | 152.452.0 | Plastic Cloth L/H | | X | |
| 33 | 250.745.0 | Support | | X | |
| 34 | 905.232.0 | Flat Round Bolt | | X | M8 X 25 |




Headstock

448 486 0

Headstock

| Item | Part Number | Description | Serial # Ranges | AFL-283CV | Notes |
|------|-------------|----------------------|-----------------|-----------|----------------------|
| 1 | 912.714.0 | Roll Pin | | X | 10 X 40 |
| 2 | 151.562.0 | Stop | | X | |
| 3 | 151.763.0 | Pin | | X | 30 X 203 |
| 4 | 904.062.0 | Countersunk Screw | | X | M12 X 25 |
| 5 | 908.701.0 | Hex Nut | | X | M12 |
| 6 | 151.780.1 | Hydraulic Cylinder | | X | |
| | 921.437.0 | Seal Kit | | X | |
| 7 | 151.762.0 | Upper Link | | X | |
| 8 | 919.106.0 | Grease Fitting | | X | BM 8 X 1 |
| 9 | 934.911.0 | Bearing Bushing | | X | 2040 DU |
| 10 | 151.883.0 | Lower Link Arm Right | | X | Includes Items 8 & 9 |
| 11 | 152.337.0 | Pin | | X | Rd. 25 X 206 |
| 12 | 151.806.0 | Pin | | X | |
| 13 | 910.413.0 | Washer | | X | A 8.4 |
| 14 | 900.617.0 | Hex Head Bolt | | X | M8 X 30 |
| 15 | 152.489.0 | Headstock | | X | |
| 17 | 912.716.1 | Roll Pin | | X | 10 X 50 |
| 18 | 908.706.0 | Hex Nut | | X | M8 |
| 19 | 917.105.0 | Spring Clip | | X | 5 |
| 20 | 922.615.0 | Chain | | X | |
| 21 | 908.215.0 | Hex Nut | | X | M12 |
| 22 | 900.304.1 | Hex Head Bolt | | X | M12 X 60 |




448 487 1

Flotation Springs

Flotation Springs

| Item | Part Number | Description | Serial # Ranges | AFL-283CV | Notes |
|------|-------------|-----------------|-----------------|-----------|---------|
| 1 | 151.706.0 | Spindle Bushing | | 2 | |
| 2 | 151.461.0 | Spindle | | 2 | |
| 3 | 912.714.0 | Roll Pin | | X | 10 X 40 |
| 4 | 910.331.0 | Washer | | X | A 21 |
| 5 | 152.228.0 | Tension Spring | | 2 | |




447 889 3

Hydraulics

Hydraulics

| Item | Part Number | Description | Serial # Ranges | AFL-283CV | Notes |
|------|-------------|--------------------|-----------------|-----------|-------------|
| 1 | 151.780.1 | Hydraulic Cylinder | | X | |
| | 921.437.0 | Seal Kit | | X | |
| 2 | 921.003.1 | High Pressure Hose | | X | 620mm Long |
| 3 | 921.046.1 | Cutting Ring | | X | L 12 |
| 4 | 921.206.0 | Union Nut | | X | AL 12 |
| 5 | 152.538.0 | Hydraulic Pipe | | X | 12 X 1.5 |
| 6 | 921.071.1 | T Connector | | X | L 12 |
| 7 | 921.067.1 | Connector | | X | L 12 |
| 8 | 921.089.1 | Connector | | X | L 12 |
| 9 | 908.524.2 | Hex Nut | | X | M18 X 1.5 |
| 10 | 921.004.1 | High Pressure Hose | | X | 1600mm Long |
| 11 | 919.603.0 | Valve | | X | |
| 12 | 152.539.0 | Hydraulic Pipe | | X | 12 X 1.5 |
| 13 | 921.145.0 | Plug | | X | M18 X 1.5 |
| 14 | 921.171.0 | Dust Cap | | X | |
| 15 | 903.477.1 | Allen Screw | | X | AM 6 X 20 |
| 16 | 925.107.1 | Clamp | | X | Bo.=12 |




447 892 3

Chains

Chains

| Item | Part Number | Description | Serial # Ranges | AFL-283CV | Notes |
|------|-------------|--------------------|-----------------|-----------|-------------|
| 1 | 146.444.1 | Chain Complete | | X | |
| 2 | 151.931.0 | Chain Complete L/H | | X | |
| 3 | 151.149.1 | Upper Link Pin | | X | |
| 4 | 917.009.0 | Lynch Pin | | X | 8 X 42 |
| 5 | 910.514.1 | Washer | | X | 26 X 44 X 4 |
| 6 | 922.650.0 | Chain | | X | |
| 7 | 917.100.0 | Spring Clip | | X | 2.5 |
| 8 | 146.983.0 | Nut | | X | M20 |
| 9 | 151.324.4 | Chain w/Flat Bar | | X | |
| 10 | 922.610.0 | Chain Lock | | X | 10 X 31 |




448 864 1

PTO Shaft

PTO Shaft

| Item | Part Number | Description | Serial # Ranges | AFL-283CV | Notes |
|------|-------------|----------------------------|-----------------|-----------|-------------------|
| 1 | 949.100.2 | PTO Shaft | | X | |
| 2 | 956.111.0 | Locking Pin w/Spring | | X | |
| 3 | 956.100.0 | Outer Yoke | | X | 1 3/8" - 6 Spline |
| 4 | 956.101.0 | Cross Assembly | | X | |
| 5 | 911.603.0 | Circlip | | X | I 30 X 1.5 |
| 6 | 919.106.0 | Grease Fitting | | X | BM 8 X 1 |
| 7 | 956.102.0 | Yoke for Female Tube | | X | |
| 8 | 912.720.0 | Roll Pin | | X | 10 X 70 |
| 9 | 956.103.1 | Outer Tube | | X | |
| 10 | 956.112.0 | Ring for Female Tube | | X | |
| 11 | 956.287.0 | PTO Guard | | X | |
| 12 | 949.852.0 | Chain | | X | 400mm Long |
| 13 | 956.288.0 | Guard Tube | | X | |
| 14 | 956.108.0 | Bearing Ring for Male Tube | | X | |
| 15 | 956.104.1 | Inner Tube | | X | |
| 16 | 956.105.0 | Inner Yoke for Male Tube | | X | |
| 17 | 912.718.0 | Roll Pin | | X | 10 X 60 |
| 18 | 956.164.0 | Over-Running Clutch | | X | |
| 19 | 956.290.0 | PTO Guard | | X | |
| 20 | 956.289.0 | Guard Tube | | X | |
| 21 | 919.105.0 | Grease Fitting | | X | AM 8 X 1 |




448 482 0

Walterscheid Friction Clutch

Walterscheid Friction Clutch

| Item | Part Number | Description | Serial # Ranges | AFL- 283CV | Notes |
|------|-------------|------------------------|-----------------|---------------|-------------------------|
| 1 | 949.185.0 | Double Universal Joint | | X | 900NM - 1 3/8" - 21Z/6Z |
| 11 | 949.978.0 | Outer Yoke | | X | 1 3/8" - 21Z |
| 13 | 949.429.0 | Friction Clutch | | X | K92 - 900NM |
| | 949.568.0 | Friction Disc | | 2 | |
| 21 | 949.397.1 | Cross Assembly | | X | |
| 23 | 949.979.0 | Double Yoke | | X | |



448 482 0

Bondioli Friction Clutch

Bondioli Friction Clutch


| Item | Part Number | Description | Serial # Ranges | AFL- 283CV | Notes |
|------|-------------|------------------------|-----------------|---------------|-------------------------|
| 1 | 949.185.0 | Double Universal Joint | | X | 900NM - 1 3/8" - 21Z/6Z |
| 11 | 956.266.0 | Outer Yoke | | X | 1 3/8" - 21Z |
| 13 | 956.267.0 | Friction Clutch | | X | 1 3/8" - 6Z |
| | 956.162.1 | Friction Disc | | 2 | |
| 21 | 956.426.0 | Cross Assembly | | X | |
| 23 | 956.261.0 | Double Universal Joint | | X | |

Conditioner PTO Shaft

| Item | Part Number | Description | Serial # Ranges | AFL- 283CV | Notes |
|------|-------------|----------------------|-----------------|---------------|-------------|
| 1 | 956.009.0 | PTO Shaft | | X | |
| 2 | 956.111.0 | Locking Pin w/Spring | | X | |
| 3 | 956.113.0 | Outer Yoke | | X | 1 3/8" - 6Z |
| 4 | 956.426.0 | Cross Assembly | | X | |
| 5 | 956.430.0 | Circlip | | X | 27 X 1.2 |
| 6 | 949.629.0 | Grease Fitting | | X | M8 X 1 |
| 7 | 956.435.0 | Yoke for Female Tube | | X | |
| 8 | 912.678.0 | Roll Pin | | X | 8 X 60 |
| 9 | 956.219.0 | Outer Tube | | X | |
| 10 | 956.243.0 | Inner Tube | | X | |
| 11 | 956.439.0 | Yoke for Male Tube | | X | |
| 12 | 912.677.0 | Roll Pin | | X | 8 X 55 |

Conditioner PTO Shaft


| Item | Part Number | Description | Serial # Ranges | AFL- 283CV | Notes |
|------|-------------|----------------------|-----------------|---------------|-------------|
| 1 | 956.030.0 | PTO Shaft | | X | |
| 2 | 956.111.0 | Locking Pin w/Spring | | X | |
| 3 | 956.113.0 | Outer Yoke | | X | 1 3/8" - 6Z |
| 4 | 956.426.0 | Cross Assembly | | X | |
| 5 | 956.430.0 | Circlip | | X | 27 X 1.2 |
| 6 | 949.629.0 | Grease Fitting | | X | M8 X 1 |
| 7 | 956.435.0 | Yoke for Female Tube | | X | |
| 8 | 912.678.0 | Roll Pin | | X | 8 X 60 |
| 9 | 956.219.0 | Outer Tube | | X | |
| 10 | 956.243.0 | Inner Tube | | X | |
| 11 | 956.439.0 | Yoke for Male Tube | | X | |
| 12 | 912.677.0 | Roll Pin | | X | 8 X 55 |



1




2




3



4



5



6

Warning Decals

Warning Decals


| Item | Part Number | Description | Serial # Ranges | AFL-283CV | Notes |
|------|-------------|-------------|-----------------|-----------|-------|
| 1 | 939.471.1 | Decal | | 1 | |
| 2 | 939.572.0 | Decal | | 1 | |
| 3 | 939.410.2 | Decal | | 4 | |
| 4 | 942.197.1 | Decal | | 2 | |
| 5 | 939.101.4 | Decal | | 2 | |
| 6 | 942.196.1 | Decal | | 2 | |

AFL 243 CV


KRONE

1


2




3




4




5




6




7



8



9



10

448 943 1

General Information Decals

General Information Decals

| Item | Part Number | Description | Serial # Ranges | AFL-283CV | Notes |
|------|-------------|-------------|-----------------|-----------|------------|
| 1 | 939.568.0 | Decal | | 1 | 120mm |
| | 939.570.0 | Decal | | 1 | 90mm |
| 2 | 942.295.0 | Decal | | 3 | 500mm Long |
| 3 | 942.034.1 | Decal | | 1 | |
| 4 | 939.161.2 | Decal | | 1 | |
| 5 | 939.188.2 | Decal | | 1 | |
| 6 | 939.567.0 | Decal | | 1 | |
| 7 | 939.548.0 | Decal | | 1 | |
| 8 | 942.009.2 | Decal | | 1 | |
| 9 | 942.089.2 | Decal | | 1 | |
| 10 | 939.106.3 | Decal | | 1 | |