


Table Of Contents


Mower Beam with Bearings	3
Mower Beam Cutting Discs	7
Optional High Cut Skids	9
Main Gearbox	11
Headstock	15
Jack Stand & Air Level	17
Headstock Hydraulics	19
Carrier Beam Gearbox	21
Carrier Beam Gearbox Installation	23
Carrier Beam	25
Carrier Beam Mounting & Breakaway	27
Carrier Beam Pivot	29
Flotation Springs	31
Hydraulic Lift Cylinder	33
Swath Board	35
Skirt Frame	37
Outer Skirt Frame	39
PTO Shaft	41
Double Universal Joint & Overrunning Clutch	43
PTO Protecting Cup	45
Warning Decals	47
General Information Decals	49



Mower Beam with Bearings

Mower Beam with Bearings

Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	930.566.0	Bearing		10	6306 2RS
2	150.042.0	Bearing Housing		10	
3	936.150.2	Radial Seal		10	BA 40 X 55 X 7
4	146.390.0	Spacer Ring		10	
5	937.525.0	O-Ring		10	30 X 2
6	930.536.1	Bearing		10	6206 2RS
7	150.017.0	Pinion		10	16 Tooth
8	937.553.0	O-Ring		10	78.5 X 6.0
9	144.238.4	Washer		19	40 X 54 X 4.5
10	909.605.0	Self-Locking Nut		19	M14 X 1.5
11	145.095.3	Clamping Piece		19	
12	937.511.0	O-Ring		19	45 X 4
13	937.523.1	O-Ring		19	28 X 3.0
14	139.190.0	Spur Gear		17	Z=59
15	150.039.0	Stop Bar		8	X=127mm
16	150.047.0	Skid L/H		1	
17	150.123.2	Flat Round Bolt		19	M14 X 1, 5 X 36 - 10.9
18	150.269.0	Skid		9	
19	909.910.0	Detent Edged Washer		18	SKM12
20	908.758.0	Hex Nut		10	M10
21	251.435.1	Mower Bar		1	
	926.101.0	Oil		1	9 Liter SAE 90
22	908.701.0	Hex Nut		100	M12
23	150.066.0	Stop Bar		1	X=103mm
24	150.028.0	Skid Holder		10	
25	250.270.0	Spur Gear		2	Z=56
26	906.040.1	Screw Plug		1	M18 X 1.5
27	904.010.0	Countersunk Screw		16	M10 X 20 - 10.9
28	937.001.1	O-Ring		2	10 X 2.8
29	145.110.4	Cover		1	
30	937.510.0	O-Ring		1	196.45 X 3.53
31	937.595.0	O-Ring		1	174 X 4
32	908.536.0	Hex Nut		10	M27 X 1.5
33	146.504.0	End Washer		10	
34	910.864.0	Shim		10	30 X 42 X 1.0
35	904.062.0	Countersunk Screw		20	M12 X 25
37	906.439.1	Stud		82	M12 X 30
38	937.727.0	Gasket Ring		1	A18 X 24 X 1.5




448 640 4

Mower Beam with Bearings

Mower Beam with Bearings

Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
39	919.811.0	Breather		1	M18 X 1.5
40	915.105.0	Flat Key		10	B10 X 8 X 25
41	150.041.0	Rotor Hub		10	
42	150.215.0	Stop Bar Left		1	
43	906.007.0	Screw Plug		1	M16 X 1.5
44	937.721.0	Gasket Ring		1	16 X 22 X 1.5
45	150.205.0	Stop Bar R/H		1	
50	150.043.0	Bearing Housing Complete		10	




448 641 1

Mower Beam Cutting Discs

Mower Beam Cutting Discs

Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	900.632.0	Hex Head Bolt		36	M10 X 16
2	909.909.0	Detent Edged Washer		40	SKM10
3	909.602.1	Self Locking Nut		20	
4	925.303.1	Wrench		1	17/19mm
5	139.680.0	Mower Disc		4	L=320mm
6	139.888.0	Knife L/H		10	112mm Long
	139.889.0	Knife R/H		10	112mm Long
7	141.053.4	Blade Fastening Screw		20	
8	900.636.0	Hex Head Bolt		4	M10 X 25
9	139.730.0	Mower Disc		2	L=292mm
10	150.034.0	Mower Drum		4	Includes Items 11 & 12
11	906.948.0	Self Tapping Screw		16	B6.3 X 13
12	144.943.2	Cover		4	
13	139.800.0	Roof Shaped Blade		20	




448 968 2

Optional High Cut Skids

Optional High Cut Skids


Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	150.310.0	High Cut Skid		4	
2	910.506.0	Washer		8	13 X 24 X 2.5
3	908.701.0	Hex Nut		16	M12
4	904.063.1	Countersunk Screw		8	M12 X 30 - 10.9
5	150.269.0	Skid		4	
7	900.655.0	Hex Head Bolt		8	M12 X 25
8	150.314.0	Yoke		4	
9	909.910.0	Detent Edged Washer		8	SKM12



Main Gearbox

Main Gearbox


Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	139.301.0	Main Gearbox Complete		1	
	926.101.0	Oil		1	.4 Liter SAE 90
2	936.365.0	Radial Seal		2	B2 40 X 90 X 12
3	911.680.0	Circlip		3	I90 X 3.0
4	910.974.0	Shim		X	70 X 90 X 1.0
	910.972.0	Shim		X	70 X 90 X .3
	910.970.0	Shim		X	70 X 90 X .1
5	930.168.0	Bearing		3	6308
6	910.891.0	Shim		X	40 X 50 X 1.0
	910.890.0	Shim		X	40 X 50 X .5
	910.889.0	Shim		X	40 X 50 X .3
	910.888.0	Shim		X	40 X 50 X .1
7	139.304.0	Bevel Wheel		1	Z=20
8	139.303.0	Gearbox Shaft		1	Rd. 45 X 290
9	915.152.0	Flat Key		1	A12 X 8 X 32
10	937.727.0	Gasket Ring		1	A18 X 24 X 1.5
11	139.302.0	Gearbox Housing		1	
12	906.039.0	Screw Plug		1	M18 X 1.5
13	925.200.0	Core Plug		1	90
14	919.811.0	Breather		1	
15	906.040.1	Screw Plug		1	
16	139.305.0	Pinion Shaft		1	Z=20
17	911.545.0	Circlip		2	A40 X 1.75
18	930.568.0	Bearing		1	6308 2RS
19	139.306.0	Ring		1	
20	912.968.0	Roll Pin		4	25 X 36
21	144.339.3	Spur Gear		1	Z=59
22	911.134.0	Shim		X	35 X 45 X 1.0
	911.136.1	Shim		X	35 X 45 X 2.0
23	911.541.0	Circlip		1	A35 X 1.5
24	915.124.1	Flat Key		1	A10 X 8 X 45
25	915.780.1	Dowel Pin		1	12 M6 X 28
26	909.912.0	Detent Edged Washer		2	SKM16
27	900.674.0	Hex Head Bolt		1	M16 X 35
28	900.675.0	Hex Head Bolt		1	M16 X 40
29	904.019.0	Countersunk Screw		1	M16 X 40
30	904.095.2	Countersunk Screw		1	M16 X 55
31	908.620.0	Hex Nut		2	M16



Main Gearbox

Main Gearbox

Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
32	150.256.0	Spacer Bushing		1	
33	919.823.0	Oil Sight Glass		1	M18 X 1.5




449 342 0

Headstock

Headstock

Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	139.480.0	Pressure Spring		13	
2	908.706.0	Hex Nut		2	M8
3	910.413.0	Washer		2	A8.4
4	912.783.0	Roll Pin		2	13 X 85
5	900.223.0	Hex Head Bolt		1	M8 X 110
6	139.483.0	Shaft		1	
7	901.054.2	Hex Head Bolt		1	M8 X 100
8	919.105.0	Grease Nipple		1	AM 8 X 1
9	139.482.0	Foot Piece		1	
10	919.106.0	Grease Nipple		1	BM 8 X 1
11	150.336.0	Lower Link Pin		2	233mm Long
12	903.205.0	Allen Screw		2	M16 X 20
13	910.702.0	Washer		2	S 30 X 42 X 2.5
14	912.745.2	Roll Pin		2	12 X 50
15	150.333.0	Headstock		1	
16	150.340.0	Headstock		1	
17	150.032.0	Pin		1	Rd. 20 X 185
18	912.670.0	Roll Pin		1	8 X 40
19	910.512.2	Washer		1	B21
20	917.007.1	Lynch Pin		1	7.5 X 42
21	144.415.1	Plastic Cable		1	Rd. 6 X 3.7m
22	917.000.1	Lynch Pin		1	8 X 50




449 343 0

Jack Stand & Air Level

Jack Stand & Air Level


Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	922.650.0	Chain		1	
2	912.287.1	Cotter Pin		1	5 X 32
3	917.104.0	Spring Clip		1	4
4	144.141.2	Upper Link Pin		1	Cat. I & II
5	900.636.0	Hex Head Bolt		2	M10 X 25
6	910.414.0	Washer		2	A10.5
7	908.758.0	Hex Nut		2	M10
8	938.686.0	Jack Stand		1	
9	908.006.1	Hex Nut		2	M4
10	052.053.1	Pressure Spring		1	
11	910.414.0	Washer		2	A10.5
12	908.212.0	Hex Nut		4	M10
13	901.431.0	Hex Head Bolt		1	M10 X 40
14	904.731.1	Flat Round Bolt		1	M8 X 20
15	938.514.0	Air Level		1	
16	910.325.0	Washer		2	4.3 X 9.0 X .8
17	900.246.0	Hex Head Bolt		2	M4 X 25
18	900.638.0	Hex Head Bolt		2	M10 X 35
19	909.410.1	Wing Nut		1	M8
20	910.413.0	Washer		1	A8.4
25	150.213.0	Air Level Complete		1	



Headstock Hydraulics

Headstock Hydraulics

Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	921.171.0	Dust Cap		2	
2	921.145.0	Plug		2	M18 X 1.5
3	920.989.0	High Pressure Hose		2	2000mm Long
4	910.845.0	Shim		X	25 X 35 X 2.0
5	250.398.0	Pin		2	25 X 119
6	912.745.2	Roll Pin		4	12 X 50
7	918.424.0	Lowering Cylinder		1	DZ 30/60 X 300/600
	918.759.0	Seal Kit		1	
8	921.234.0	Adjustable Restrictor		2	
9	921.046.1	Cutting Ring		2	L12
10	921.206.0	Union Nut		2	AL 12
11	045.506.0	Hydraulic Pipe		1	12 X 1.5
12	919.630.0	Male Connector		3	L 12/G 1/4"
13	920.890.0	Valve		1	
14	921.093.1	Male Connector		1	M18 X 1.5




448 173 1

Carrier Beam Gearbox

Carrier Beam Gearbox

Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	150.037.0	Main Gearbox		1	
	926.101.0	Oil		1	.5 Liter SAE 90
2	936.339.0	Radial Seal		1	B2 35 X 80 X 13
3	911.673.0	Circlip		3	I80 X 2.5
4	910.965.0	Shim		X	63 X 80 X 2.0
	910.962.0	Shim		X	63 X 80 X .3
	910.960.0	Shim		X	63 X 80 X .1
5	930.167.0	Bearing		2	6307
6	910.727.0	Washer		1	S 35 X 45 X 2.5
7	911.130.0	Shim		X	35 X 45 X .1
	911.132.0	Shim		X	35 X 45 X .3
	911.136.0	Washer		X	35 X 45 X 2
8	139.662.0	Drive Shaft		1	Rd. 37 X 310
9	915.108.0	Flat Key		1	A10 X 8 X 30
10	919.811.0	Breather		1	M18 X 1.5
11	906.040.1	Screw Plug		2	M18 X 1.5
12	139.661.1	Gearbox Housing		1	
13	150.000.0	Bevel Wheel		1	Z=25
14	911.541.0	Circlip		2	A35 X 1.5
15	925.205.1	Core Plug		1	
16	937.727.0	Gasket Ring		1	A18 X 24 X 1.5
17	150.001.0	Bevel Wheel		1	Z=16




448 827 1

Carrier Beam Gearbox Installation

Carrier Beam Gearbox Installation

Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
2	937.546.0	O-Ring		1	140 X 3
3	911.535.0	Circlip		1	A30 X 1.5
4	910.863.0	Shim		X	30 X 42 X .5
	910.864.0	Shim		X	30 X 42 X 1.0
	910.865.0	Shim		X	30 X 42 X 2.0
6	930.566.0	Bearing		1	6306 2RS
7	139.529.0	Spacer Bushing		1	
8	930.536.1	Bearing		1	6206 2RS
9	150.167.0	Gearbox Cover		1	
10	903.106.0	Allen Screw		4	M10 X 25
11	936.317.1	Radial Seal		1	B2 30 X 52 X 12
12	915.072.0	Flat Key		1	A8 X 7 X 32
13	150.367.0	Drive Shaft		1	Rd. 30 X 907




447 918 7

Carrier Beam

Carrier Beam

Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	150.365.0	Supporting Beam		1	
2	901.453.0	Hex Head Bolt		2	M12 X 65
3	909.910.0	Detent Edged Washer		2	SKM 12
4	908.210.0	Hex Nut		2	M8
5	934.612.0	Bearing		1	AS 206 LLU
6	909.908.0	Detent Edged Washer		2	SKM 8
7	139.861.0	Support		1	
8	910.863.0	Shim		X	30 X 42 X .5
	910.864.0	Shim		X	30 X 42 X 1.0
	910.865.0	Shim		X	30 X 42 X 2.0
9	911.535.0	Circlip		1	A30 X 1.5
10	150.282.0	Bearing		1	
11	145.912.1	Light Support		1	
12	904.730.0	Flat Round Bolt		2	M8 X 16




Carrier Beam Mounting & Breakaway

449 345 0

Carrier Beam Mounting & Breakaway

Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	139.455.0	Axle		1	Rd. 40 X 215
2	912.780.1	Roll Pin		1	13 X 75
3	912.681.1	Roll Pin		1	8 X 75
4	916.082.1	Pin		1	
5	912.616.1	Roll Pin		3	5 X 40
6	910.512.2	Washer		3	B21
7	139.456.0	Pin		1	35 X 175
8	912.673.0	Roll Pin		1	8 X 36
9	139.485.0	Guide Rail		1	
10	916.309.0	Pin		1	20 X 95
11	910.826.0	Shim		1	20 X 28 X 1.0
12	908.721.0	Hex Nut		1	NM20
13	910.649.0	Washer		1	21 X 50 X 8
14	139.178.0	Pressure Spring		1	
15	139.054.0	Ratchet		1	
16	139.561.0	Safety Breakaway		1	
20	139.560.0	Safety Breakaway		1	




449 346 0

Carrier Beam Pivot

Carrier Beam Pivot

Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	902.401.0	Hex Head Bolt		1	BM 12 X 25
2	915.078.0	Flat Key		1	A 8 x 7 X 40
3	915.765.0	Pin		2	A 12 X 35
5	271.388.0	Spacer Bushing		4	Ro. 25 X 5 X 26
6	909.904.0	Detent Edged Washer		4	SKZ 16
8	901.483.0	Hex Head Bolt		4	M16 X 65
9	901.155.0	Hex Head Bolt		1	M16 X 240
10	901.122.0	Hex Head Bolt		2	M12 X 70
11	139.696.0	Washer		2	
12	919.105.0	Grease Nipple		2	AM 8 X 1
13	139.495.0	Bushing		2	
14	139.663.0	Front Hinge		1	Includes Items 12 & 13
15	908.701.0	Hex Nut		2	M12
16	949.191.0	Double Universal Joint		1	1 3/8"
17	908.714.0	Hex Nut		4	NM14
18	910.363.0	Washer		8	15
19	139.567.0	Distance Tube		1	
20	139.658.0	Guard		1	
22	901.162.0	Hex Head Bolt		4	M14 X 70
23	139.664.0	Rear Hinge		1	Includes Items 12 & 13
24	908.716.1	Hex Nut		1	NM16
25	910.621.0	Washer		1	17.5 X 35 X 2




449 347 0

Flotation Springs

Flotation Springs

Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	143.158.2	Spindle		1	
2	143.070.0	Tension Spring		1	
3	139.517.0	Spacer Bushing		4	
4	139.518.0	Pin		1	Rd. 25 X 206
5	917.009.0	Lynch Pin		2	8 X 42
6	910.512.2	Washer		4	B21
7	145.643.2	Adjuster		2	
8	145.155.2	Tension Spring		2	Rd. 10 X 600
9	139.515.0	Adjuster		2	
10	912.644.1	Roll Pin		1	6 X 40
11	150.375.0	Pulling Support		1	
13	912.673.0	Roll Pin		2	8 X 36
14	139.569.0	Pin		1	25 X 188
15	139.941.0	Lever		1	
16	139.473.0	Pin		1	25 X 62
17	912.615.0	Roll Pin		2	5 X 36
18	912.774.0	Roll Pin		1	13 X 40
	912.670.0	Roll Pin		1	8 X 40
19	139.047.0	Guard		1	
20	909.909.0	Detent Edged Washer		2	SKM 10
21	900.634.0	Hex Head Bolt		2	M10 X 20
29	910.514.1	Washer		2	26 X 44 X 4




447 923 6

Hydraulic Lift Cylinder

Hydraulic Lift Cylinder


Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	921.171.0	Dust Cap		1	
2	921.145.0	Plug		1	M18 X 1.5
3	921.046.1	Cutting Ring		2	L12
4	921.206.0	Union Nut		2	AL12
5	045.506.0	Hydraulic Pipe		1	12 X 1.5
6	919.603.0	Ball Cock		1	M18 X 1.5
	919.664.0	Handle w/Screw		1	
7	920.989.0	High Pressure Hose		1	2000mm Long
8	921.234.0	Adjustable Restrictor		1	
9	921.054.1	Connector		1	L12
10	921.292.0	Lifting Cylinder		1	D=70
	921.433.1	Seal Kit		1	D=70



Swath Board

Swath Board


Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	908.701.0	Hex Nut		1	M12
2	910.506.0	Washer		1	13 X 24 X 2.5
3	015.242.0	Pressure Spring		1	
5	938.155.0	Wooden Rod		1	
6	904.995.1	Flat Round Bolt		1	M12 X 90
11	908.716.1	Hex Nut		1	NM16
13	901.483.0	Hex Head Bolt		1	M16 X 65
14	139.830.0	Support		1	
15	139.080.0	Swath Board R/H		1	
16	900.676.0	Hex Head Bolt		1	M16 X 45
17	909.912.0	Detent Edged Washer		1	SKM16
18	139.912.0	Support		1	
19	144.985.1	Swath Board L/H		1	



Skirt Frame

Skirt Frame


Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	139.520.0	Ratchet		1	
2	912.615.0	Roll Pin		2	5 X 36
3	143.482.1	Pin		1	
4	908.758.0	Hex Nut		1	M10
5	910.414.0	Washer		1	A10.5
6	912.526.0	Roll Pin		1	16 X 36
7	901.433.0	Hex Head Bolt		1	M10 X 50
8	901.132.0	Hex Head Bolt		2	M16 X 55
9	910.621.0	Washer		10	17.5 X 35 X 2
10	908.716.1	Hex Nut		6	NM16
11	904.731.1	Flat Round Bolt		3	M8 X 20
12	150.386.0	Clamping Strap		1	440mm Long
13	150.299.0	Plastic Cloth		1	
14	150.285.0	Rear Safety Frame		1	
15	910.413.0	Washer		5	A8.4
16	908.706.0	Hex Nut		5	M8
17	908.701.0	Hex Nut		3	M12
18	910.506.0	Washer		3	13 X 24 X 2.5
19	150.294.0	Swath Board		1	
20	900.656.0	Hex Head Bolt		3	M12 X 30
21	900.675.0	Hex Head Bolt		4	M16 X 40
22	150.286.0	Front Safety Frame		1	
23	910.303.0	Washer		4	17 X 30 X 3
24	924.242.0	Turn Lock		2	
25	139.773.0	Decal Plate		1	
26	901.421.1	Hex Head Bolt		2	M8 X 40



Outer Skirt Frame

Outer Skirt Frame

Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	900.614.0	Hex Head Bolt		13	M8 X 20
2	910.414.0	Washer		16	A10.5
3	150.309.0	Clamping Strap		1	1824mm Long
4	150.317.0	Plastic Cloth		1	
5	150.405.0	Deflector		1	
6	908.706.0	Hex Nut		16	M8
7	910.604.0	Washer		1	9 X 36 X 2.5
8	924.263.0	Rubber Pad		1	
10	150.330.0	Guard Right		1	
11	900.656.0	Hex Head Bolt		2	M12 X 30
12	909.910.0	Detent Edged Washer		4	SKM 12
13	908.701.0	Hex Nut		2	M12
14	270.160.1	Pressure Spring		1	
15	912.644.1	Roll Pin		1	6 X 40
16	150.392.0	Pin		1	
17	919.510.0	Knob		1	
18	900.616.0	Hex Head Bolt		3	M8 X 25
19	150.402.0	Elbow / Safety Frame		1	




448 858 3

PTO Shaft

PTO Shaft

Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	956.073.0	PTO Shaft		1	
2	956.111.0	Locking Pin w/Spring		1	
3	956.100.0	Outer Yoke		1	1 3/8" - 6 Spline
4	956.101.0	Cross Assembly		2	
5	919.106.0	Grease Nipple		2	BM 8 X 1
6	956.102.0	Yoke for Female Tube		1	
7	912.720.0	Roll Pin		1	10 X 70
8	956.273.0	Outer Tube		1	
9	956.112.0	Ring for Female Tube		1	
10	956.287.0	PTO Guard		1	
11	949.852.0	Chain		1	
12	956.290.0	PTO Guard		1	
13	956.108.0	Bearing Ring for Male Tube		1	
14	956.271.0	Inner Tube		1	
15	956.105.0	Inner Yoke for Male Tube		1	
16	912.718.0	Roll Pin		1	10 X 60
17	956.331.0	Friction Clutch Complete		1	1200 NM
	956.162.1	Friction Disc		4	
18	911.603.0	Circlip		8	I 30 X 1.5
19	956.269.0	Clamping Screw		1	
20	956.289.0	Guard Tube		1	
21	956.284.0	Guard Tube		1	




448 582 1

Double Universal Joint & Overrunning Clutch

Double Universal Joint & Overrunning Clutch

Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	949.191.0	Double Universal Joint		1	1 3/8" - 6 Spline AM 6 X 1
11	956.263.0	Overrunning Clutch		1	
12	956.256.0	Outer Yoke		1	
21	956.426.0	Cross Assembly		2	
22	919.108.0	Grease Nipple		2	
23	956.264.0	Double Yoke		1	




448 244 1

PTO Protecting Cup

PTO Protecting Cup


Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	139.881.0	Protecting Cup		1	
2	337.846.3	Protecting Cup		1	
3	949.842.0	Adapter Ring		1	
4	924.007.0	Hose Clamp		1	
5	906.809.0	Flat Round Bolt		4	
6	910.351.1	Washer		4	6.4 X 18 X 1.6



1



2




3



4



5



6

Warning Decals

Warning Decals

Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	939.471.1	Decal		1	
2	939.572.0	Decal		2	
3	939.410.2	Decal		2	
4	942.196.1	Decal		2	
5	942.197.1	Decal		2	
6	939.100.0	Decal		1	




1

- (D)** Absperrhahn bei Transport schließen. 939 180-2
- (E)** Bloquear el grifo de cierre antes del transporte.
- (F)** Fermer le robinet d'arrêt avant le transport.
- (GB)** Close valve when transporting or servicing machine.
- (I)** Fermare la chiavetta d'arresto prima del trasporto.


2




3



4



5



6

449 356 0

General Information Decals

General Information Decals

Item	Part Number	Description	Serial # Ranges	AM-403S	Notes
1	942.254.0	Decal		1	
2	939.180.2	Decal		1	
3	942.132.0	Decal		1	
4	939.567.0	Decal		1	
5	939.548.0	Decal		1	
6	942.009.2	Decal		1	