


Table Of Contents

Frame and Running Gear	3	Roller Conditioner Tensioning - CRI	57
Tire and Wheel Assembly	7	Roller Conditioner Drive - CRI	59
Drawbar - 2 Point	9	Bearing Lubrication Lines - CRI	61
Headstock - 2 Point	11	Front Guards & Skirts	63
Drawbar - Pull Type	13	Tool Box	67
Cutting Height Adjustment Linkage	15	Drawbar Hydraulic System - 2 Point	69
Flotation Springs	17	Drawbar Hydraulic System - Pull Type	71
Mower Beam with Bearings	19	Frame Hydraulic System	73
Mower Beam Cutting Discs	23	Lighting System	75
Crop Lifter Plate	25	Optional Transport Hitch - 2 Point	77
High Cut Skids	27	Universal Joint - CRI	79
Gearbox Pedestal	29	Main PTO Shaft - 2 Point - 540 RPM	81
Main Gearbox - Input Drive Shaft	31	Main PTO Shaft - 2 Point - 1000 RPM	83
Main Gearbox - Output Shaft - CV	33	Int. PTO Shaft - 2 Pt. & Pull Type	85
Main Gearbox - Output Shaft - CRI	35	Main PTO Shaft - Pull Type - 1000 RPM ..	87
Tine Conditioner Housing - CV	37	Main PTO Shaft - Pull Type - 540 RPM	89
Optional Swath Former - CV	41	Int. PTO Shaft - Pull Type - 540 RPM	91
Tine Conditioner Baffle Plate - CV	43	Swing Gearbox - 2 Point - 1000 RPM	93
Tine Conditioner Rotor - CV	45	Swing Gearbox - 2 Point - 540 RPM	97
Tine Conditioner Drive - CV	47	Protecting Cup	101
Roller Conditioner Housing - CRI	51	Warning Panels	103
Support Tube - CRI	53	Warning Decals	105
Rubber Conditioner Rollers - CRI	55	General Information Decals	107




Frame and Running Gear

447 728 4

Frame and Running Gear

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	250.342.0	Frame Complete		1	1			
	250.343.0	Frame Complete				1	1	
2	934.935.0	Bearing Bushing		4	4	4	4	4050 DU
3	951.823.0	Gasket Ring (FAD)		2	2	2	2	
	951.301.0	Washer (ADR)		2	2	2	2	RD 45/87
4	951.822.0	Gasket Ring (FAD)		2	2	2	2	
5	932.222.0	Tapered Roller Bearing (FAD)		2	2	2	2	LM 501310/49
	932.138.0	Tapered Roller Bearing (ADR)		2	2	2	2	30309 A
6	951.802.0	Wheel Pin (FAD)		12	12	12	12	M18 X 1.5 X 49
	951.300.0	Wheel Pin (ADR)		12	12	12	12	M18 X 1.5 X 54
7	910.225.0	Nut (FAD & ADR)		12	12	12	12	A 18 X 1.5
8	952.254.0	Hub for Axle (FAD)		2	2	2	2	
	951.309.0	Hub for Axle (ADR)		2	2	2	2	
9	932.212.0	Tapered Roller Bearing (FAD)		2	2	2	2	L 44610/49
	932.105.0	Tapered Roller Bearing (ADR)		2	2	2	2	30206 A
10	908.827.0	Castle Nut (FAD)		2	2	2	2	M24 X 1.5
	908.931.0	Castle Nut (ADR)		2	2	2	2	M27 X 1.5
11	952.310.1	Wheel Cap (FAD)		2	2	2	2	Rd. 50.5
	952.311.0	Wheel Cap (ADR)		2	2	2	2	Rd. 72.1
12	912.089.1	Cotter Pin (FAD & ADR)		2	2	2	2	5 X 40
13	908.716.1	Hex Nut		2	2	2	2	NM16
14	910.516.1	Washer		2	2	2	2	33 X 56 X 4
15	908.732.0	Hex Nut		2	2	2	2	NM30 X 1.5
16	250.791.0	Support Arm Right		1	1	1	1	Includes Item 2
17	250.790.0	Support Arm Left		1	1	1	1	Includes Item 2
18	908.701.0	Hex Nut		2	2	2	2	M12
19	900.657.0	Hex Head Bolt		2	2	2	2	M12 X 35
20	910.506.0	Washer		2	2	2	2	13 X 24 X 2.5
21	250.310.0	Pin		2	2	2	2	
22	934.939.0	Bearing Bushing		2	2	2	2	MB 5060 DU
23	919.105.0	Grease Nipple		3	3	3	3	AM 8 X 1
24	910.356.0	Washer		2	2	2	2	R18
25	250.308.0	Rubber Bumper		2	2	2	2	
26	250.307.0	U-Bracket		2	2	2	2	
27	250.305.0	Threaded Rod		2	2	2	2	
28	922.610.0	Chain Lock		4	4	4	4	10 X 31
29	922.616.0	Chain		2	2	2	2	10 X 31
30	910.512.2	Washer		4	4	4	4	B21




Frame and Running Gear

447 728 4

Frame and Running Gear

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
31	912.670.0	Roll Pin		4	4	4	4	8 X 40
32	250.309.0	Pin		2	2	2	2	Rd. 20 X 135
33	910.661.0	Washer		2	2	2	2	41 X 56 X 4.0
34	912.718.0	Roll Pin		2	2	2	2	10 X 60
35	950.496.0	Wheel Axle Complete (FAD & ADR)		2	2	2	2	
36	951.909.0	Axle Body (FAD)		2	2	2	2	360.5mm Long
	951.383.0	Axle Body (ADR)		2	2	2	2	351.5mm Long




445 011 3

Tire and Wheel Assembly

Tire and Wheel Assembly

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	953.016.0	Wheel Complete		2	2	2	2	11.5/80-15.3 IMPL 10PR
2	953.216.0	Tire		2	2	2	2	11.5/80-15.3 IMPL 10PL
3	953.308.1	Inner Tube		2	2	2	2	10.0/75-15 / 11.5/80-15
4	953.118.0	Rim		2	2	2	2	9.00 X 15.3
5	938.976.0	Protecting Cap		12	12	12	12	SW 24




447 766 3

Drawbar - 2 Point

Drawbar - 2 Point


Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	900.674.0	Hex Head Bolt		8	8	8	8	M16 X 35
2	910.214.0	Spring Washer		8	8	8	8	C 16.5
3	900.636.0	Hex Head Bolt		8	8	8	8	M10 X 25
4	909.910.0	Detent Edged Washer		8	8	8	8	SKM12
5	250.290.0	Drawbar		1	1	1	1	
6	250.289.0	Drawbar Guard R/H		1	1	1	1	
7	949.362.0	Protecting Cup		1	1	1	1	
8	901.431.0	Hex Head Bolt		3	3	3	3	M10 X 40
9	250.291.0	Drive Shaft		1	1	1	1	
10	934.003.0	Bearing		1	1	1	1	UC 207 DG
11	345.458.4	Flange Bearing		1	1	1	1	
12	910.414.0	Washer		3	3	3	3	A10.5
13	919.106.0	Grease Nipple		1	1	1	1	BM 8 X 1
14	908.758.0	Hex Nut		3	3	3	3	M10
15	250.717.0	Guard		1	1	1	1	
17	250.288.0	Drawbar Guard L/H		1	1	1	1	
18	901.451.0	Hex Head Bolt		1	1	1	1	M12 X 45
19	250.294.0	Pin		1	1	1	1	
20	912.854.1	Roll Pin		1	1	1	1	16 X 90



Headstock - 2 Point

Headstock - 2 Point

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	250.385.2	Gearbox Support		1	1	1	1	
2	910.214.0	Spring Washer		8	8	8	8	C16.5
3	900.674.0	Hex Head Bolt		8	8	8	8	M16 X 35
4	900.676.0	Hex Head Bolt		8	8	8	8	M16 X 45
5	910.303.0	Washer		8	8	8	8	17 X 30 X 3
6	908.716.1	Hex Nut		8	8	8	8	NM16
7	912.717.0	Roll Pin		1	1	1	1	10 X 55
8	250.381.1	Pin		1	1	1	1	
9	919.105.0	Grease Nipple		1	1	1	1	AM 8 X 1
10	900.632.0	Hex Head Bolt		2	2	2	2	M10 X 16
12	251.391.0	Pin Complete		1	1	1	1	
13	250.390.0	Jack Stand		1	1	1	1	
15	250.380.0	Headstock		1	1	1	1	Includes Item 16
16	934.901.0	Bearing Bushing		2	2	2	2	MB 3040 DU
17	910.516.1	Washer		1	1	1	1	33
18	250.740.0	PTO Shaft Holder		1	1	1	1	



Drawbar - Pull Type


448 950 0

Drawbar - Pull Type

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	280.584.0	PTO Shaft Holder		1	1	1	1	
2	911.673.0	Circlip		2	2	2	2	I80 X 2.5
3	910.741.0	Washer		2	2	2	2	S 63 X 80 X 3.0
4	910.962.0	Shim		X	X	X	X	63 X 80 X .3
	910.963.0	Shim		X	X	X	X	63 X 80 X .5
	910.964.0	Shim		X	X	X	X	63 X 80 X 1.0
5	930.567.0	Bearing		2	2	2	2	6307 2RS
6	251.460.0	Drawbar		1	1	1	1	
7	912.584.0	Roll Pin		1	1	1	1	4 X 30
8	908.701.0	Hex Nut		1	1	1	1	M12
9	910.506.0	Washer		1	1	1	1	13 X 24 X 2.5
10	901.451.0	Hex Head Bolt		1	1	1	1	M12 X 45
11	250.294.0	Pin		1	1	1	1	
12	251.453.0	Drive Shaft		1	1	1	1	Rd. 42 X 1280
13	954.086.0	Jack Stand		1	1	1	1	

Cutting Height Adjustment Linkage

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	250.370.0	Crank Handle		1	1	1	1	
2	250.372.0	Pin		1	1	1	1	
3	901.462.1	Hex Head Bolt		8	8	8	8	M12 X 120 - 10.9
4	910.506.0	Washer		16	16	16	16	13 X 24 X 2.5
5	910.512.2	Washer		1	1	1	1	B21
6	908.819.1	Castle Nut		1	1	1	1	M20
7	912.069.1	Cotter Pin		1	1	1	1	4 X 40
8	912.670.0	Roll Pin		6	8	6	8	8 X 40
9	250.398.0	Pin		4	4	4	4	25 X 119
10	910.514.1	Washer		4	4	4	4	26
11	250.352.0	Top Control Arm		1	2	1	2	
12	910.035.0	Spring Washer		1	1	1	1	B12
13	250.365.0	Adjusting Tube		1	1			
	250.366.0	Adjusting Tube				1	1	
14	250.374.0	Bushing		2	2	2	2	
15	250.373.0	Pin		1	1	1	1	
16	919.105.0	Grease Nipple		2	2	2	2	AM 8 X 1
17	250.367.0	Bearing		2	2	2	2	
18	908.714.0	Hex Nut		8	8	8	8	NM14
19	900.636.0	Hex Head Bolt		1	1	1	1	M10 X 25
20	910.111.1	Spring Washer		1	1	1	1	B10
21	250.735.0	Pin		1	1	1	1	Rd. 30 X 188
	250.777.0	Pin		1	1	1	1	Rd. 30 X 332
22	910.865.0	Shim		2	2	2	2	30 X 42 X 2.0
23	934.901.0	Bearing Bushing		2	2	2	2	MB 3040 DU
24	250.356.0	Bottom Control Arm		1	1	1	1	Includes Item 23
25	900.634.0	Hex Head Bolt		1	1	1	1	M10 X 20
26	250.359.0	Pin		1	1	1	1	
27	912.584.0	Roll Pin		1	1	1	1	4 X 30
28	912.745.2	Roll Pin		1	1	1	1	12 X 50
29	910.740.0	Washer		2	2	2	2	S 60 X 75 X 3.0
30	911.005.0	Shim		2	2	2	2	60 X 75 X 2.0
31	250.350.0	Pin			1		1	Rd. 25 X 200
32	003.065.0	Tube			1		1	Ro. 33.7 X 90
33	910.845.0	Shim			1		1	25 X 35 X 2.0




448 327 0

Flotation Springs

Flotation Springs


Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	143.158.2	Spindle		3	3	3	3	
2	251.556.0	Pin		1	1	1	1	Rd. 40 X 154
3	250.372.0	Pin		1	1	1	1	Rd. 40 X 84
4	145.156.2	Tension Spring		3		3		Rd. 13 X 598
	252.212.0	Tension Spring			3		3	Rd. 14 X 589
5	910.702.0	Washer		2	2	2	2	S 30 X 42 X 2.5
6	934.901.0	Bearing Bushing		3	3	3	3	MB 3040 DU
7	251.242.0	Threaded Piece		1	1	1	1	Includes Item 6
8	250.771.0	Threaded Piece		1	1	1	1	Includes Item 6
9	911.504.0	Circlip		1	1	1	1	A 30 X 2.0
10	919.106.0	Grease Nipple		2	2	2	2	BM 8 X 1



Mower Beam with Bearings

Mower Beam with Bearings


Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	930.566.0	Bearing		7	7	8	8	6306 2RS
2	150.042.0	Bearing Housing		7	7	8	8	
3	936.150.2	Radial Seal		7	7	8	8	BA 40 X 55 X 7
4	146.390.0	Spacer Ring		7	7	8	8	
5	937.525.0	O-Ring		7	7	8	8	30 X 2
6	930.536.1	Bearing		7	7	8	8	6206 2RS
7	150.017.0	Pinion		7	7	8	8	Z=16
8	937.553.0	O-Ring		7	7	8	8	78.5 X 6.0
9	144.238.4	Washer		13	13	15	15	40 X 54 X 4.5
10	909.605.0	Self-Locking Nut		13	13	15	15	M14 X 1.5
11	145.095.3	Clamping Piece		13	13	15	15	
12	937.511.0	O-Ring		13	13	15	15	45 X 4
13	937.523.1	O-Ring		13	13	15	15	28 X 3.0
14	139.190.0	Spur Gear		13	13	15	15	Z=59
15	150.039.0	Stop Bar		6	6	6	6	X=127mm
16	150.047.0	Skid L/H		1	1	1	1	
17	150.123.2	Flat Round Bolt		13	13	15	15	M14 X 1.5 X 36 - 10.9
18	150.269.0	Skid		6	6	7	7	
19	909.910.0	Detent Edged Washer		12	12	14	14	SKM12
20	908.758.0	Hex Nut		1	1	1	1	M10
21	250.000.0	Mower Bar		1	1			
	150.143.0	Mower Bar				1	1	
	926.101.0	Oil		7	7	8	8	1 Liter SAE 90
22	908.701.0	Hex Nut		70	70	82	82	M12
23	904.010.0	Countersunk Screw		13	13	14	14	M10 X 20 - 10.9
24	150.028.0	Skid Holder		7	7	8	8	10 Hole
25	906.040.1	Screw Plug		1	1	1	1	M18 X 1.5
26	937.001.1	O-Ring		2	2	2	2	10.0 X 2.8
27	145.110.4	Cover		1	1	1	1	
28	937.510.0	O-Ring		1	1	1	1	196.45 X 3.53
29	937.595.0	O-Ring		1	1	1	1	174 X 4
30	937.727.0	Gasket Ring		1	1	1	1	A 18 X 24 X 1.5
31	906.010.0	Screw Plug		1	1	1	1	M18 X 1.5
32	908.536.0	Hex Nut		7	7	8	8	M27 X 1.5
33	146.504.0	End Washer		7	7	8	8	
34	910.864.0	Shim		7	7	8	8	30 X 42 X 1.0
35	906.439.1	Stud		58	58	68	68	M12 X 30
36	915.105.0	Flat Ket		7	7	8	8	B 10 X 8 X 25



Mower Beam with Bearings

Mower Beam with Bearings

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
37	150.041.0	Rotor Hub		7	7	8	8	
38	904.062.0	Countersunk Screw		12	12	14	14	M12 X 25
40	150.066.0	Stop Bar				1	1	X=103
41	250.270.0	Spur Gear				2	2	Z=56
42	150.215.0	Stop Bar Left		1	1	1	1	
43	150.205.0	Stop Bar Right		1	1	1	1	
44	906.007.0	Screw Plug		1	1	1	1	M16 X 1.5
45	937.721.0	Gasket Ring		1	1	1	1	16 X 22 X 1.5
50	150.043.0	Bearing Housing Complete		7	7	8	8	




448 659 2

Mower Beam Cutting Discs

Mower Beam Cutting Discs


Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	900.632.0	Hex Head Bolt		26	26	32	32	M10 X 16
2	909.909.0	Detent Edged Washer		26	26	32	32	SKM10
3	909.602.1	Self-Locking Nut		14	14	16	16	
4	925.303.1	Wrench		1	1	1	1	17/19mm
5	139.680.0	Mower Disc		4	4	6	6	L=320mm
6	139.888.0	Knife L/H		7	7	8	8	112mm Long
	139.889.0	Knife R/H		7	7	8	8	112mm Long
7	141.053.4	Blade Fastening Bolt		14	14	16	16	
8	150.034.0	Mower Drum		2	2	2	2	Includes Items 9 & 10
9	906.948.0	Self-Tapping Screw		8	8	8	8	B6.3 X 13
10	144.943.2	Cover		2	2	2	2	
11	139.730.0	Mower Disc		1	1			L=292mm
12	900.636.0	Hex Head Bolt		2	2			M10 X 25
13	139.800.0	Roof Shaped Knife (For rocky conditions)		14	14	16	16	117mm Long



Crop Lifter Plate

Crop Lifter Plate


Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	904.071.1	Countersunk Screw			2		2	M12 X 50
2	904.016.1	Countersunk Screw			2		2	M12 X 45
3	909.910.0	Detent Edged Washer			4		4	SKM12
4	908.701.0	Hex Nut			4		4	M12
5	252.225.0	Crop Lifter Plate			1			2095mm Long
	252.186.0	Crop Lifter Plate					1	2461mm Long



High Cut Skids

High Cut Skids


Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	150.310.0	High Cut Skid		2	2	2	2	
2	910.506.0	Washer		4	4	4	4	13 X 24 X 2.5
3	908.701.0	Hex Nut		8	8	8	8	M12
4	904.063.1	Countersunk Screw		2	1	2	1	M12 X 30 - 10.9
	904.071.1	Countersunk Screw			1		1	M12 X 50
5	150.269.0	Skid		2	2	2	2	
7	900.655.0	Hex Head Bolt		4	4	4	4	M12 X 25
8	150.314.0	Yoke		2	2	2	2	
9	909.910.0	Detent Edged Washer		4	4	4	4	SKM12
10	150.350.1	High Cut Skid Complete		2	2	2	2	



Gearbox Pedestal

Gearbox Pedestal

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	146.933.1	Bevel Wheel (1000 RPM)		1	1	1	1	Z=23
	252.211.0	Bevel Wheel (540 RPM)		1	1	1	1	Z=18
2	911.668.0	Circlip		1	1	1	1	72 X 2.5
3	910.913.0	Shim		X	X	X	X	56 X 72 X .5
	910.912.0	Shim		X	X	X	X	56 X 72 X .3
	910.910.0	Shim		X	X	X	X	56 X 72 X .1
4	911.136.1	Washer		2	2	2	2	35 X 45 X 2.0
5	932.705.0	Roller Bearing		1	1	1	1	NUP 207
6	936.352.1	Radial Seal		1	1	1	1	B2 40 X 65 X 10
7	930.567.0	Bearing		1	1	1	1	6307 2RS
8	910.965.0	Shim		X	X	X	X	63 X 80 X 2.0
	910.963.0	Shim		X	X	X	X	63 X 80 X .5
	910.962.0	Shim		X	X	X	X	63 X 80 X .3
	910.960.0	Shim		X	X	X	X	63 X 80 X .1
9	911.673.0	Circlip		1	1	1	1	180 X 2.5
10	937.595.0	O-Ring		1	1	1	1	174 X 4
11	911.134.0	Shim		1	1	1	1	35 X 45 X 1.0
12	144.339.3	Spur Gear		1	1	1	1	Z=59
13	911.541.0	Circlip		1	1	1	1	35 X 1.5
14	937.510.0	O-Ring		1	1	1	1	196.45 X 3.53
15	145.110.4	Cover		1	1	1	1	
16	937.004.0	O-Ring		2	2	2	2	10.0 X 1.3
17	904.044.2	Countersunk Screw		6	6	6	6	M10 X 20 - 10.9
18	906.040.1	Screw Plug		2	2	2	2	M18 X 1.5
19	915.124.1	Flat Key		1	1	1	1	A10 X 8 X 45
20	250.459.0	Drive Shaft		1	1	1	1	
21	915.126.0	Flat Key		1	1	1	1	A10 X 8 X 50
22	909.912.0	Detent Edged Washer		8	8	8	8	SKM16
23	900.675.0	Hex Head Bolt		5	5	5	5	M16 X 40
24	919.811.0	Breather		1	1	1	1	M18 X 1.5
25	250.460.2	Pedestal		1		1		
26	252.123.0	Pedestal			1		1	
27	900.676.0	Hex Head Bolt		3	3	3	3	M16 X 45
28	250.744.0	Deflector		1	1	1	1	
29	937.727.0	Gasket Ring		1	1	1	1	A14 X 24 X 1.5




Main Gearbox - Input Drive Shaft

Main Gearbox - Input Drive Shaft

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	250.437.0	Gearbox Cover		1	1	1	1	
2	937.594.0	O-Ring		1	1	1	1	134.5 X 3
3	910.974.0	Shim		X	X	X	X	70 X 90 X 1.0
	910.973.0	Shim		X	X	X	X	70 X 90 X .5
	910.972.0	Shim		X	X	X	X	70 X 90 X .3
	910.970.0	Shim		X	X	X	X	70 X 90 X .1
4	932.155.0	Tapered Roller Bearing		1	1	1	1	32210 A
5	146.930.1	Bevel Wheel		1	1	1	1	Z=28 (1000 RPM)
	146.941.1	Bevel Wheel		1	1	1	1	Z=38 (540 RPM)
6	911.134.0	Shim		X	X	X	X	35 X 45 X 1.0
	911.133.0	Shim		X	X	X	X	35 X 45 X .5
	911.132.0	Shim		X	X	X	X	35 X 45 X .3
	911.130.0	Shim		X	X	X	X	35 X 45 X .1
7	146.932.1	Pinion		1	1	1	1	Z=20 (1000 RPM)
	252.210.0	Pinion		1	1	1	1	Z=29 (540 RPM)
8	935.834.0	Locking Ring		1	1	1	1	
9	935.820.0	Nut		1	1	1	1	M35 X 1.5
10	250.265.0	Gearbox Housing		1	1	1	1	
11	146.940.1	Gearbox Input Shaft		1	1	1	1	
12	915.122.0	Flat Key		2	2	2	2	A 10 X 8 X 40
13	936.362.0	Radial Seal		1	1	1	1	B2 40 X 80 X 13
14	932.107.0	Tapered Roller Bearing		1	1	1	1	30208 A
15	910.965.0	Shim		X	X	X	X	63 X 80 X 2.0
	910.964.0	Shim		X	X	X	X	63 X 80 X 1.0
	910.963.0	Shim		X	X	X	X	63 X 80 X .5
	910.962.0	Shim		X	X	X	X	63 X 80 X .3
	910.960.0	Shim		X	X	X	X	63 X 80 X .1
16	900.335.1	Hex Head Bolt		4	4	4	4	M16 X 30
17	909.912.0	Detent Edged Washer		4	4	4	4	SKM16
18	949.361.0	Protecting Cup		1	1	1	1	
19	250.455.3	Main Gearbox		1		1		1000 RPM
	252.120.0	Main Gearbox			1		1	1000 RPM
	252.200.0	Main Gearbox		1		1		540 RPM
	252.201.0	Main Gearbox			1		1	540 RPM

Main Gearbox - Output Drive Shaft - CV


Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	936.374.0	Radial Seal		1		1		B2 45 X 72 X 10
2	250.434.0	Cover		1		1		
3	932.190.0	Tapered Roller Bearing		1		1		33112
4	911.005.0	Shim		X		X		60 X 75 X 2.0
	911.004.0	Shim		X		X		60 X 75 X 1.0
5	911.003.0	Shim		X		X		60 X 75 X .5
	911.002.0	Shim		X		X		60 X 75 X .3
	911.160.0	Shim		X		X		60 X 75 X .1
	250.255.0	Bevel Wheel		1		1		Z=38 (1000 RPM)
	250.256.0	Bevel Wheel		1		1		Z=28 (540 RPM)
6	910.899.0	Shim		X		X		45 X 55 X 1.0
	910.898.0	Shim		X		X		45 X 55 X .5
	910.894.0	Shim		X		X		45 X 55 X .3
	910.893.0	Shim		X		X		45 X 55 X .1
7	910.732.0	Washer		1		1		45 X 55 X 3.0
8	250.782.0	Gearbox Output Shaft		1		1		Rd. 50 X 350
9	915.003.0	Flat Key		1		1		B 14 X 9 X 36
10	937.595.0	O-Ring		2		2		174 X 4
11	937.727.0	Gasket Ring		1		1		A 18 X 24 X 1.5
12	932.138.0	Tapered Roller Bearing		1		1		30309 A
13	250.433.0	Cover		1		1		
14	909.907.0	Detent Edged Washer		16		16		SKZ 10
15	900.636.0	Hex Head Bolt		16		16		M10 X 25
16	250.490.0	Oil Level Dipstick		1		1		
18	924.263.0	Rubber Pad		1		1		
20	250.455.3	Main Gearbox		1		1		1000 RPM
	252.200.0	Main Gearbox		1		1		540 RPM
	926.101.0	Oil		1		1		1 Liter SAE 90
21	906.010.0	Screw Plug		1		1		M18 X 1.5



Main Gearbox - Output Drive Shaft - CRI

Main Gearbox - Output Drive Shaft - CRI

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	250.433.0	Cover			1		1	
2	932.190.0	Tapered Roller Bearing			1		1	33112
3	911.005.0	Shim			X		X	60 X 75 X 2.0
	911.004.0	Shim			X		X	60 X 75 X 1.0
	911.003.0	Shim			X		X	60 X 75 X .5
	911.002.0	Shim			X		X	60 X 75 X .3
	911.160.0	Shim			X		X	60 X 75 X .1
4	250.255.0	Bevel Wheel			1		1	Z=38 (1000 RPM)
	250.256.0	Bevel Wheel			1		1	Z=28 (540 RPM)
5	910.899.0	Shim			X		X	45 X 55 X 1.0
	910.898.0	Shim			X		X	45 X 55 X .5
	910.894.0	Shim			X		X	45 X 55 X .3
	910.893.0	Shim			X		X	45 X 55 X .1
6	910.732.0	Washer			1		1	45 X 55 X 3.0
7	915.003.0	Flat Key			1		1	B 14 X 9 X 36
8	252.121.0	Gearbox Output Shaft			1		1	Rd. 50 X 359
9	937.595.0	O-Ring			2		2	174 X 4
10	937.727.0	Gasket Ring			1		1	A 18 X 24 X 1.5
11	932.138.0	Tapered Roller Bearing			1		1	30309 A
12	250.434.0	Cover			1		1	
13	909.907.0	Detent Edged Washer			16		16	SKZ 10
14	900.636.0	Hex Head Bolt			16		16	M10 X 25
15	936.374.0	Radial Seal			1		1	B2 45 X 72 X 10
16	250.490.0	Oil Level Dipstick			1		1	
18	924.263.0	Rubber Pad			1		1	
19	906.010.0	Screw Plug			1		1	M18 X 1.5
20	252.120.0	Main Gearbox			1		1	1000 RPM
	252.201.0	Main Gearbox			1		1	540 RPM
	926.101.0	Oil			1		1	1 Liter SAE 90




447 749 8

Tine Conditioner Housing - CV

Tine Conditioner Housing - CV

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	252.195.0	Plastic Cloth		1				
	250.945.0	Plastic Cloth				1		
2	910.413.0	Washer		8		8		A8.4
3	908.706.0	Hex Nut		8		8		M8
4	900.614.0	Hex Head Bolt		8		8		M8 X 20
5	252.144.0	Clamping Strap		1				1965mm Long
	250.946.0	Clamping Strap				1		2370mm Long
6	904.884.0	Flat Round Bolt		2		2		M12 X 35
7	250.965.0	Tine Conditioner Flap L/H		1		1		
8	910.347.0	Washer		2		2		17 X 37 X 3
9	250.516.0	Tine Conditioner Flap L/H		1		1		
10	250.520.0	Hinge Tube		2		2		
11	250.873.0	Rear Side Plate L/H		1		1		
13	250.510.0	Tine Conditioner Housing		1				
	250.511.0	Tine Conditioner Housing				1		
14	904.882.1	Flat Round Bolt		24		24		M12 X 25
15	910.506.0	Washer		24		24		13 X 24 X 2.5
16	908.701.0	Hex Nut		24		24		M12
17	900.636.0	Hex Head Bolt		10		10		M10 X 25
18	910.414.0	Washer		12		12		A 10.5
19	250.867.0	Baffle Plate		1				
	250.868.0	Baffle Plate				1		
20	250.517.0	Tine Conditioner Flap R/H		1		1		
21	908.758.0	Hex Nut		18		18		M10
22	250.874.0	Rear Side Plate R/H		1		1		
23	909.503.1	Ring Nut		4		4		M12
24	250.793.0	Cover Right		1		1		
25	250.792.0	Cover Left		1		1		
26	250.863.5	Baffle Plate Front		1				
	250.864.4	Baffle Plate Front				1		
27	250.870.0	Guide Plate		5		6		
28	904.751.1	Flat Round Bolt		10		12		M10 X 20
29	906.202.1	Eye Bolt		5		6		
30	910.609.0	Washer		10		12		13 X 37 X 3
31	909.502.0	Ring Nut		5		6		M10
32	910.603.0	Washer		8		8		A8.4
33	250.969.0	Support R/H		1		1		
34	250.968.0	Support L/H		1		1		




447 749 8

Tine Conditioner Housing - CV

Tine Conditioner Housing - CV

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
35	904.850.1	Flat Round Bolt		12		12		M10 X 25
36	909.909.0	Detent Edged Washer		12		12		SKM 10
37	904.745.1	Flat Round Bolt		2		2		M10 X 30




449 422 0

Optional Swath Former - CV

Optional Swath Former - CV

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	251.569.0	Plastic Plate		2		2		M10 X 20 SKM 10 M10
2	904.751.1	Flat Round Bolt		11		11		
3	909.909.0	Detent Edged Washer		11		11		
4	908.758.0	Hex Nut		11		11		
5	251.568.0	Plastic Plate L/H		1		1		
	251.567.0	Plastic Plate R/H		1		1		




447 753 0

Tine Conditioner Baffle Plate - CV

Tine Conditioner Baffle Plate - CV

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	250.575.0	Crank		1		1		
2	250.373.0	Pin		1		1		
3	919.105.0	Grease Nipple		1		1		AM 8 X 1
4	912.670.0	Roll Pin		1		1		8 X 40
6	250.599.1	Spring Arm		2		2		
7	341.914.0	Tension Spring		2		2		
8	901.422.0	Hex Head Bolt		1		1		M8 X 45
9	250.590.1	Cover Plate		1				
	250.591.1	Cover Plate				1		
10	908.706.0	Hex Nut		1		1		M8
11	250.570.0	Baffle Plate		1				
	250.571.0	Baffle Plate				1		
12	908.716.1	Hex Nut		1		1		NM16
13	910.512.2	Washer		2		2		B21
14	901.142.1	Hex Head Bolt		1		1		M16 X 110
15	250.574.0	U-Bracket		1		1		
16	910.014.0	Spring Washer		1		1		B16
17	903.205.0	Allen Screw		1		1		M16 X 20




447 754 5

Tine Conditioner Rotor - CV

Tine Conditioner Rotor - CV

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	908.716.1	Hex Nut		56		64		NM16
2	910.303.0	Washer		8		8		17 X 30 X 3
3	251.528.0	Support Tube		1		1		
4	252.011.0	Flange Bearing		2		2		Includes Items 6, 31, 33
5	901.484.0	Hex Head Bolt		4		4		M16 X 70
6	901.140.1	Hex Head Bolt		1		1		M16 X 90
8	910.899.0	Shim		X		X		45 X 55 X 1.0
9	910.732.0	Washer		2		2		S 45 X 55 X 3.0
10	904.723.0	Flat Round Bolt		2		2		M16 X 50
11	904.708.0	Flat Round Bolt		2		2		M16 X 40
12	901.127.0	Hex Head Bolt		1		1		M20 X 130
13	250.500.0	Tine Bolt		46		54		
14	250.550.3	Inner Tine		44		52		Includes Item 22
15	250.551.3	Outer Tine		2		2		Includes Item 22
16	250.259.0	Conditioner Rotor		1		1		
17	934.626.0	Bearing		2		2		
18	250.743.0	Cover Plate		1		1		
19	910.353.0	Washer		1		1		R11
20	900.632.0	Hex Head Bolt		1		1		M10 X 16
21	900.676.0	Hex Head Bolt		2		2		M16 X 45
22	935.713.0	Clamping Bushing		46		54		EG 26/19 X 24
23	912.518.1	Roll Pin		2		2		21 X 24
24	909.912.0	Detent Edged Washer		2		2		SKM 16
25	251.525.0	Bracket		1		1		
26	910.512.2	Washer		2		2		B21
27	908.721.0	Hex Nut		1		1		NM20
28	250.855.0	Rotor Shaft		1		1		
29	909.910.0	Detent Edged Washer		6		6		SKM 12
30	900.656.0	Hex Head Bolt		6		6		M12 X 30
31	919.107.0	Grease Nipple		2		2		CM 8 X 1
32	252.013.0	Spacer		4		4		12mm Long
35	250.780.0	Tine Conditioner Rotor Complete		1				
	250.781.0	Tine Conditioner Rotor Complete				1		




447 758 4

Tine Conditioner Drive - CV

Tine Conditioner Drive - CV

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	250.934.1	V-Belt Guard		1		1		
2	274.327.2	Tension Spring		1		1		
3	919.509.0	Ball Knob		1		1		C40
4	912.644.1	Roll Pin		1		1		6 X 40
5	910.514.1	Washer		1		1		26
6	904.882.1	Flat Round Bolt		2		2		M12 X 25
7	934.930.0	Bearing Bushing		2		2		MB 3520 DU
8	919.105.0	Grease Nipple		1		1		AM 8 X 1
9	912.677.0	Roll Pin		1		1		8 X 55
10	250.910.3	Rocker Arm		1		1		
11	908.701.0	Hex Nut		3		3		M12
12	250.911.3	Spring Tensioner		1		1		
13	340.439.2	Tension Spring		1		1		
14	918.300.0	Eye Bolt		1		1		M12 X 95/65
15	250.935.0	Drive Belt Housing		1		1		
16	910.506.0	Washer		2		2		13 X 24 X 2.5
17	250.909.1	Idler Pulley Arm		1		1		
18	930.506.0	Bearing		2		2		6006 2RS
19	250.924.0	Idler Pulley		2		2		
20	910.609.0	Washer		1		1		A 13
21	900.655.0	Hex Head Bolt		1		1		M12 X 25
22	910.035.0	Spring Washer		1		1		B12
23	921.504.0	V-Belt		1		1		
24	917.011.0	Lynch Pin		2		2		10 X 45
25	935.714.0	Clamping Bushing		2		2		EG 45/35 X 12
26	900.636.0	Hex Head Bolt		12		12		M10 X 25
27	909.909.0	Detent Edged Washer		12		12		SKM10
28	250.901.0	V-Belt Pulley		1		1		DW 200
29	250.940.0	Hub		2		2		Includes Item 25
30	250.902.0	V-Belt Pulley		1		1		DW 251
31	900.673.0	Hex Head Bolt		4		4		M16 X 25
32	910.014.0	Spring Washer		4		4		B16
33	910.353.0	Washer		1		1		R11
34	908.704.1	Hex Nut		4		4		M6
35	910.411.1	Washer		4		4		A6.4
36	900.607.0	Hex Head Bolt		4		4		M6 X 16
37	274.375.2	Hinge		2		2		
38	903.089.0	Allen Screw		2		2		M8 X 90




447 758 4

Tine Conditioner Drive - CV

Tine Conditioner Drive - CV

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
39	908.706.0	Hex Nut		2		2		M8
40	251.475.0	Spring Lock		1		1		
41	914.014.0	Rivet		2		2		




447 769 4

Roller Conditioner Housing - CRI

Roller Conditioner Housing - CRI

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	252.140.0	Swath Board L/H			1		1	
2	252.060.0	Hinge Tube			2		2	
3	908.701.0	Hex Nut			18		18	M12
4	910.506.0	Washer			10		10	13 X 24 X 2.5
5	252.061.0	Rear Side Plate L/H			1		1	
6	908.706.0	Hex Nut			16		16	M8
7	909.908.0	Detent Edged Washer			6		6	SKM 8
8	904.882.1	Flat Round Bolt			16		16	M12 X 25
9	252.063.0	Cover			2		2	
10	904.731.1	Flat Round Bolt			6		6	M8 X 20
11	252.040.0	Roller Conditioner Housing			1			
	252.041.0	Roller Conditioner Housing					1	
12	252.062.0	Rear Side Plate R/H			1		1	
13	252.141.0	Swath Board R/H			1		1	
14	904.884.0	Flat Round Bolt			2		2	M12 X 35
15	904.754.1	Flat Round Bolt			2		2	M10 X 35
16	910.414.0	Washer			2		2	A10.5
17	908.758.0	Hex Nut			2		2	M10
18	910.643.0	Washer			2		2	13.5 X 44 X 4
19	909.503.1	Ring Nut			2		2	M12
20	252.135.0	Baffle Plate			1			
	252.136.0	Baffle Plate					1	
21	900.614.0	Hex Head Bolt			10		10	M8 X 20
22	910.603.0	Washer			20		20	A8.4
23	252.194.0	Plastic Cloth			1			
	252.195.0	Plastic Cloth					1	
24	252.143.0	Clamping Strap			1			
	252.144.0	Clamping Strap					1	
25	904.983.1	Flat Round Bolt			2		2	M12 X 30
26	910.609.0	Washer			8		8	13 X 37 X 3
27	910.347.0	Washer			2		2	17 X 37 X 3




448 949 0

Support Tube - CRI

Support Tube - CRI

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	904.708.0	Flat Round Bolt			3		3	M16 X 40
2	909.912.0	Detent Edged Washer			5		5	SKM 16
3	908.716.1	Hex Nut			5		5	NM16
4	252.132.0	Support Tube			1		1	
5	901.127.0	Hex Head Bolt			1		1	M20 X 130
6	910.512.2	Washer			2		2	B21
7	912.518.1	Roll Pin			2		2	21 X 24
8	900.676.0	Hex Head Bolt			1		1	M16 X 45
9	901.486.1	Hex Head Bolt			1		1	M16 X 85
10	252.131.0	Bracket			1		1	
11	908.721.0	Hex Nut			1		1	NM20




447 771 3

Rubber Conditioner Rollers - CRI

Rubber Conditioner Rollers - CRI

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	900.655.0	Hex Head Bolt			4		4	M12 X 25
2	909.910.0	Detent Edged Washer			40		40	SKM12
3	910.643.0	Washer			4		4	13.5 X 44 X 4
4	934.618.0	Bearing			4		4	AEL 208
5	441.085.0	Bearing Bushing			2		2	
6	252.095.0	Shackle			2		2	Includes Item 5
7	908.701.0	Hex Nut			6		6	M12
8	280.752.0	Self-Aligning Bearing Housing			4		4	
9	900.657.0	Hex Head Bolt			12		12	M12 X 35
10	252.098.0	Anti-Wrap Plate L/H			1		1	
11	910.885.0	Shim			X		X	40 X 50 X 2.0
12	900.656.0	Hex Head Bolt			24		24	M12 X 30
13	251.940.0	Stub Shaft			2		2	155mm Long
14	251.929.0	Upper Rubber Roller			1		1	Includes Items 2, 12, 13
	251.931.0	Upper Rubber Roller					1	Includes Items 2, 12, 13
15	252.099.0	Anti-Wrap Plate R/H			1		1	
16	251.939.0	Stub Shaft			1		1	136mm Long
17	251.928.0	Lower Rubber Roller			1		1	Includes Items 2, 12, 16, 18
	251.930.0	Lower Rubber Roller					1	Includes Items 2, 12, 16, 18
18	251.938.0	Stub Shaft			1		1	208mm Long




448 947 0

Roller Conditioner Tensioning - CRI

Roller Conditioner Tensioning - CRI

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	900.674.0	Hex Head Bolt			4		4	M16 X 35
2	909.912.0	Detent Edged Washer			4		4	SKM16
3	252.089.0	Boss			4		4	
4	252.080.0	Stop Bar			2		2	
5	901.454.0	Hex Head Bolt			2		2	M12 X 55
6	912.528.0	Roll Pin			2		2	21 X 40
7	908.701.0	Hex Nut			2		2	M12
8	912.716.1	Roll Pin			2		2	10 X 50
9	910.515.0	Washer			4		4	30 X 50 X 4
10	252.072.0	Bushing Right			1		1	74mm Long
11	252.076.0	Pin R/H			1		1	171mm Long
	252.075.0	Pin L/H			1		1	93mm Long
12	919.105.0	Grease Nipple			2		2	AM 8 X 1
13	909.910.0	Detent Edged Washer			2		2	SKM12
14	900.656.0	Hex Head Bolt			2		2	M12 X 30
15	260.120.1	Pressure Spring			2		2	
16	252.085.0	Boss			2		2	
17	252.078.0	Cover R/H			1		1	
	252.077.0	Cover L/H			1		1	
18	908.534.0	Hex Nut			2		2	M27
19	252.088.0	Threaded Piece			2		2	
20	250.308.0	Rubber Bumper			2		2	
21	252.084.0	Nut			2		2	
22	908.220.0	Hex Nut			2		2	M16
23	252.091.0	Spring Retainer R/H			1		1	222mm Long
	252.090.0	Spring Retainer L/H			1		1	144mm Long




447 775 1

Roller Conditioner Drive - CRI

Roller Conditioner Drive - CRI

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	252.151.0	Drive Shaft			1			Rd. 42 X 2124
	252.153.1	Drive Shaft					1	Rd. 42 X 2490
2	915.164.0	Flat Key			2		2	A 12 X 8 X 45
3	908.701.0	Hex Nut			5		5	M12
4	280.752.0	Self-Aligning Bearing Housing			1		1	
5	909.910.0	Detent Edged Washer			4		4	SKM12
6	900.657.0	Hex Head Bolt			3		3	M12 X 35
7	934.618.0	Bearing			1		1	AEL 208
8	252.150.0	V-Belt Pulley			2		2	DW 183
9	909.800.0	Belleville Spring			2		2	
10	900.656.0	Hex Head Bolt			3		3	M12 X 30
11	921.529.0	V-Belt Set			1		1	Set of 5
12	252.064.0	Cover			2		2	
13	910.413.0	Washer			14		14	A8.4
14	906.983.1	Self-Tapping Screw			8		8	B8 X 22
15	252.076.0	Pin R/H			1		1	171mm Long
16	919.105.0	Grease Nipple			1		1	AM 8 X 1
17	900.614.0	Hex Head Bolt			6		6	M8 X 20
18	252.055.0	Cover			1		1	
19	908.706.0	Hex Nut			6		6	M8
20	340.439.2	Tension Spring			1		1	
21	900.655.0	Hex Head Bolt			1		1	M12 X 25
23	910.609.0	Washer			1		1	13 X 37 X 3
24	930.506.0	Bearing			1		1	6006 2RS
25	251.552.0	Idler Pulley			1		1	
26	252.152.0	Bushing			1		1	43mm Long
27	918.300.0	Eye Bolt			1		1	M12 X 95/65
28	934.946.0	Bearing Bushing			2		2	3020 DU
29	252.146.0	Idler Pulley Arm			1		1	Includes Item 28
30	910.515.0	Washer			2		2	30 X 50 X 4
31	912.716.1	Roll Pin			1		1	10 X 50
32	252.199.0	Adjusting Wrench			1		1	




448 954 0

Bearing Lubrication Lines - CRI

Bearing Lubrication Lines - CRI

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	919.105.0	Grease Nipple			5		5	AM 8 X 1
2	938.515.0	Tube Union			5		5	
3	908.019.0	Hex Nut			5		5	M14 X 1.5
4	920.921.0	L-Connector			7		7	
5	920.916.0	Cutting Ring			10		10	LL 6
6	920.905.0	Union Nut			10		10	ALL 6
7	938.933.0	Plastic Tube			5		5	1 Meter
8	921.039.1	Union Nut			4		4	AL 6
9	921.045.1	Cutting Ring			4		4	L 6
10	921.049.1	Connector			2		2	L 6
11	045.505.0	Hydraulic Pipe			2		2	1 Meter
12	920.920.0	Male Connector			3		3	LL M8 X 1
13	904.716.1	Flat Round Bolt			8		8	M6 X 45
14	910.351.1	Washer			8		8	6.4 X 18 X 1.6
15	925.123.0	Clamp			4		4	6 Bo.
16	908.704.1	Hex Nut			8		8	M6




447 759 4

Front Guards & Skirts

Front Guards & Skirts

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	904.708.0	Flat Round Bolt		4	4	4	4	M16 X 40
2	250.814.2	Guard Support L/H		1		1		
	252.164.0	Guard Support R/H			1		1	
3	925.104.0	Clamp		4	4	4	4	Bo. = 28
4	925.130.0	Cover Plate		4	4	4	4	
5	250.851.0	Locking Plate		4	4	4	4	
6	901.435.0	Hex Head Bolt		8	8	8	8	M10 X 60
7	250.845.0	Clamping Strap L/H		1		1		322mm Long
8	250.844.0	Clamping Strap L/H		1		1		424mm Long
	144.727.0	Clamping Strap			1		1	880mm Long
9	250.843.0	Clamping Strap		2		2		230mm Long
	252.198.0	Clamping Strap			4		4	204mm Long
10	250.842.0	Clamping Strap		2		2		120mm Long
	152.463.0	Clamping Strap R/H			1		1	130mm Long
	229.983.0	Clamping Strap R/H			1		1	79mm Long
11	250.812.1	Guard L/H		1		1		
	252.162.0	Guard L/H			1		1	
12	908.716.1	Hex Nut		4	4	4	4	NM16
13	910.362.0	Washer		4	4	4	4	17
14	901.437.0	Hex Head Bolt		4	4	4	4	M10 X 70
15	925.150.0	Clamp		2	2	2	2	Bo. = 35
16	925.125.0	Cover Plate		2	2	2	2	
17	250.850.0	Locking Plate		2	2	2	2	
18	250.810.1	Front Guard		1				
	252.160.0	Front Guard			1			
	250.811.1	Front Guard				1		
	252.161.0	Front Guard					1	
19	908.706.0	Hex Nut		36	36	36	36	M8
20	250.491.0	Front Plastic Cloth		1				2501mm Long
	252.190.0	Front Plastic Cloth			1			2660mm Long
	250.492.0	Front Plastic Cloth				1		2867mm Long
	252.191.0	Front Plastic Cloth					1	3026mm Long
21	910.413.0	Washer		36	36	36	36	A8.4
22	900.614.0	Hex Head Bolt		36	36	36	36	M8 X 20
23	250.840.0	Front Clamping Strap		2				1140mm Long
	252.196.0	Front Clamping Strap			2			1165mm Long
	250.841.0	Front Clamping Strap				2		1323mm Long
	252.197.0	Front Clamping Strap					2	1345mm Long




447 759 4

Front Guards & Skirts

Front Guards & Skirts

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
24	250.815.2	Guard Support R/H		1		1		
	252.165.0	Guard Support R/H			1		1	
25	250.813.2	Guard R/H		1		1		
	252.163.0	Guard R/H			1		1	
26	250.846.0	Clamping Strap R/H		1		1		672mm Long
	144.727.0	Clamping Strap R/H			1		1	880mm Long
27	250.831.1	Rubber Stop and Socket		2	2	2	2	
28	901.028.0	Hex Head Bolt		2	2	2	2	M6 X 30
29	903.045.0	Allen Screw		2	2	2	2	M6 X 20
30	250.847.0	Clamping Strap R/H		1	1	1	1	
31	250.494.1	Plastic Cloth R/H		1		1		
	252.193.0	Plastic Cloth R/H			1		1	
32	250.493.0	Plastic Cloth L/H		1		1		
	252.192.0	Plastic Cloth L/H			1		1	
33	250.745.0	Support		1	1	1	1	
34	904.813.0	Flat Round Bolt		1	2	1	2	M8 X 30
35	252.209.0	Strap			1		1	
36	908.210.0	Hex Nut			1		1	M8
37	910.603.0	Washer			2		2	A8.4




Tool Box

447 764 1

Tool Box

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	917.104.0	Spring Clip		1	1	1	1	4
2	922.650.0	Chain		1	1	1	1	14 Links
3	250.716.0	Tool Box		1	1	1	1	Includes Items 1 & 2




447 777 5

Drawbar Hydraulic System - 2 Point

Drawbar Hydraulic System - 2 Point


Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	908.524.2	Hex Nut		3	3	3	3	M18 X 1.5
2	921.171.0	Dust Cap		2	2	2	2	
3	921.145.0	Plug		3	3	3	3	M18 X 1.5
4	920.989.0	High Pressure Hose		3	3	3	3	2000mm Long
5	921.087.1	Straight 2-Way Connector		3	3	3	3	L 12
6	921.046.1	Cutting Ring		6	6	6	6	L 12
7	921.206.0	Union Nut		6	6	6	6	AL 12
8	045.506.0	Hydraulic Pipe		3	3	3	3	12 X 1.5 - 1m Long
9	925.107.1	Clamp		3	3	3	3	Bo. = 12
10	903.477.1	Allen Screw		6	6	6	6	AM 6 X 20
11	925.134.0	Cover Plate		2		2		
12	901.042.0	Hex Head Bolt		2		2		M8 X 35
14	919.603.0	Ball Cock		1	1	1	1	
15	921.263.0	Dust Cap		1	1	1	1	
16	925.105.0	Clamp		2		2		Bo. 12/12



Drawbar Hydraulic System - Pull Type

Drawbar Hydraulic System - Pull Type

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	921.171.0	Dust Cap		2	2	2	2	
2	921.263.0	Dust Cap		1	1	1	1	
3	921.145.0	Plug		3	3	3	3	M18 X 1.5
4	919.603.0	Ball Cock		1	1	1	1	
5	920.984.1	High Pressure Hose		3	3	3	3	2200mm Long
6	921.046.1	Cutting Ring		6	6	6	6	L 12
7	921.206.0	Union Nut		6	6	6	6	AL 12
8	045.506.0	Hydraulic Pipe		3	3	3	3	12 X 1.5 - 1m Long
9	903.482.1	Allen Screw		12	12	12	12	AM 6 X 35
10	910.411.1	Washer		18	18	18	18	A6.4
11	251.451.0	Socket Holder		1	1	1	1	
12	925.107.1	Clamp		6	6	6	6	Bo. = 12
13	903.477.1	Allen Screw		6	6	6	6	AM 6 X 20
14	251.452.0	Hose Holder		1	1	1	1	




447 778 5

Frame Hydraulic System

Frame Hydraulic System


Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	921.001.0	High Pressure Hose		1	1	1	1	600mm Long
2	921.028.1	High Pressure Hose		1	1	1	1	1000mm Long
3	921.046.1	Cutting Ring		4	4	4	4	L 12
4	921.206.0	Union Nut		4	4	4	4	AL 12
5	045.506.0	Hydraulic Pipe		2	2	2	2	12 X 1.5 - 1m Long
6	921.211.1	Ball Cock		1	1	1	1	
7	903.477.1	Allen Screw		8	8	8	8	AM 6 X 20
8	925.107.1	Clamp		4	4	4	4	Bo. = 12
9	910.514.1	Washer		10	10	10	10	26
10	250.350.0	Pin		2	2	2	2	25 X 200
11	912.670.0	Roll Pin		10	10	10	10	8 X 40
12	250.498.0	Hydraulic Cylinder		1	1	1	1	
	918.711.0	Seal Kit		1	1	1	1	
13	921.067.1	Connector		1	1	1	1	L 12
14	921.028.1	High Pressure Hose		2	2	2	2	1000mm Long
15	250.721.0	Pin		2	2	2	2	25 X 97
16	921.003.1	High Pressure Hose		3	3	3	3	620mm Long
17	332.014.2	Washer		2	2	2	2	Rd. 1.5 X 12 X 1
18	921.054.1	Connector		1	1	1	1	L 12
19	250.770.0	Hydraulic Cylinder		1	1	1	1	
	918.712.0	Seal Kit		1	1	1	1	
	911.802.0	Snap Ring		1	1	1	1	B 50 X 2.5
20	146.557.1	Pin		2	2	2	2	
21	924.004.0	Hose Clamp		1	1	1	1	
22	250.499.0	Hydraulic Cylinder		1	1	1	1	
	918.716.0	Seal Kit		1	1	1	1	
23	925.102.1	Clamp		4	4	4	4	18
24	901.006.0	Hex Head Bolt		8	8	8	8	M6 X 90
25	910.351.1	Washer		8	8	8	8	A6.4
26	919.693.0	Function Nut		2	2	2	2	FM 8 L
27	919.689.0	Male Connector		1	1	1	1	L 8/G 1/4"
28	919.630.0	Male Connector		2	2	2	2	L 12/G 1/4"
29	920.890.0	Valve		1	1	1	1	
30	919.687.0	Male Connector		1	1	1	1	L 8/G 1/4"
31	919.688.0	Hydraulic Fitting		1	1	1	1	DWSVL 8/G 1/4"
32	919.690.0	Gasket Ring		2	2	2	2	L 8



Lighting System

Lighting System

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	924.576.0	Seven Pin Plug		1	1	1	1	
2	903.661.0	Allen Screw		6	6	6	6	AM 5 X 30
3	924.571.0	Socket		1	1	1	1	7 Pole
4	910.031.0	Spring Washer		14	14	14	14	B5
5	924.622.0	Intermediate Cable		1	1	1	1	2700mm Long
6	908.207.0	Hex Nut		12	12	12	12	M5
7	924.572.0	Plastic Guard		2	2	2	2	
8	924.697.0	Lamp R/H		1	1	1	1	
	924.699.0	Lens for Lamp		1	1	1	1	
9	924.611.0	Side Light White		2	2	2	2	
10	922.671.0	Cable Tie		X	X	X	X	4.8 X 178
11	922.672.0	Cable Tie		X	X	X	X	7.8 X 370
12	924.208.0	Cable Bushing		X	X	X	X	14/20
13	924.535.1	Rear Reflector Red		2	2	2	2	
14	924.628.0	Cable L/H		1	1	1	1	4 Pole - 2600mm Long
15	924.536.0	Side Reflector Yellow		2	2	2	2	
16	924.650.0	Cable		1	1	1	1	2 Pole - 500mm Long
17	924.698.0	Lamp L/H		1	1	1	1	
	924.699.0	Lens for Lamp		1	1	1	1	
18	924.627.1	Cable		1	1	1	1	2 Pole - 4000mm Long
19	924.644.0	Cable		1	1	1	1	2 Pole - 720mm Long
20	924.610.1	Extension Cable		1	1	1	1	2800mm Long
21	924.659.0	Cable R/H		1	1	1	1	4 Pole - 4500mm Long
22	924.517.0	Socket Base		1	1	1	1	
23	250.360.0	Lighting System Complete		1	1	1	1	




448 064 0

Optional Transport Hitch - 2 Point

Optional Transport Hitch - 2 Point

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	250.976.0	Drawbar		1	1	1	1	
2	185.523.1	Rubber Pad		1	1	1	1	
3	903.755.0	Allen Screw		2	2	2	2	AM 6 X 28
4	924.209.0	Rubber Holder		1	1	1	1	
5	910.351.1	Washer		2	2	2	2	6.4 X 18 X 1.6
6	908.208.0	Hex Nut		2	2	2	2	M6
7	908.721.0	Hex Nut		4	4	4	4	NM20
8	250.984.0	Spacer		1	1	1	1	
9	250.979.0	Side Flange		2	2	2	2	
10	910.512.2	Washer		4	4	4	4	B21
11	900.688.0	Hex Head Bolt		4	4	4	4	M20 X 50
12	900.674.0	Hex Head Bolt		2	2	2	2	M16 X 35
13	909.912.0	Detent Edged Washer		2	2	2	2	SKM16
14	250.985.0	Strut		1	1	1	1	
15	917.006.0	Lynch Pin		1	1	1	1	6 X 42
16	250.983.0	Safety Pin		1	1	1	1	
17	912.644.1	Roll Pin		1	1	1	1	6 X 40




447 779 0

Universal Joint - CRI

Universal Joint - CRI

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	949.160.0	Universal Joint Complete			1		1	
11	949.380.0	Outer Yoke			2		2	1 3/8" 6 Spline
12	901.122.0	Hex Head Bolt			2		2	M12 X 70
13	908.701.0	Hex Nut			2		2	M12
21	949.521.0	Cross Assembly Complete			1		1	
22	949.629.0	Grease Nipple			1		1	M 8 X 1




447 781 0

Main PTO Shaft - 2 Point - 540 RPM

Main PTO Shaft - 2 Point - 540 RPM

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	949.158.0	PTO Shaft Complete		1	1	1	1	W2400-SD25-560
4	949.230.0	Female Tube		1	1	1	1	
5	949.231.0	Male Tube		1	1	1	1	
11	949.522.0	Outer Yoke		1	1	1	1	1 3/8" 6 Spline
12	949.630.0	Locking Pin Complete		2	2	2	2	
13	949.522.0	Outer Yoke		1	1	1	1	1 3/8" 6 Spline
21	949.521.0	Cross Assembly Complete		2	2	2	2	
22	949.629.0	Grease Nipple		2	2	2	2	M 8 X 1
23	949.233.0	Grooved Yoke		1	1	1	1	
24	912.722.0	Roll Pin		2	2	2	2	10 X 80
25	949.253.0	Inner Profile Tube		1	1	1	1	440mm Long
26	949.247.0	Outer Profile Tube		1	1	1	1	415mm Long
27	949.272.0	Grooved Yoke		1	1	1	1	
53	949.352.0	Protecting Cup		2	2	2	2	
54	949.861.0	Bearing Ring		2	2	2	2	
56	949.852.0	Chain		2	2	2	2	400mm Long




447 781 0

Main PTO Shaft - 2 Point - 1000 RPM

Main PTO Shaft - 2 Point - 1000 RPM

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	949.161.0	PTO Shaft Complete		1	1	1	1	W2400-SD25-560
4	949.230.0	Female Tube		1	1	1	1	
5	949.231.0	Male Tube		1	1	1	1	
11	949.404.0	Outer Yoke		1	1	1	1	1 3/8" 21 Spline
12	949.630.0	Locking Pin Complete		2	2	2	2	
13	949.522.0	Outer Yoke		1	1	1	1	1 3/8" 6 Spline
21	949.521.0	Cross Assembly Complete		2	2	2	2	
22	949.629.0	Grease Nipple		2	2	2	2	M 8 X 1
23	949.233.0	Grooved Yoke		1	1	1	1	
24	912.722.0	Roll Pin		2	2	2	2	10 X 80
25	949.253.0	Inner Profile Tube		1	1	1	1	440mm Long
26	949.247.0	Outer Profile Tube		1	1	1	1	415mm Long
27	949.272.0	Grooved Yoke		1	1	1	1	
53	949.352.0	Protecting Cup		2	2	2	2	
54	949.861.0	Bearing Ring		2	2	2	2	
56	949.852.0	Chain		2	2	2	2	400mm Long




447 780 0

Intermediate PTO Shaft - 2 Point & Pull Type

Intermediate PTO Shaft - 2 Point (540 & 1000 RPM) & Pull Type (1000 RPM)

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	949.159.0	PTO Shaft Complete		1	1	1	1	W2400-SC25-910-FK96/4R 800 Lg. FK96/4R - 1150 NM
4	949.381.0	Female Tube		1	1	1	1	
5	949.382.0	Male Tube		1	1	1	1	
11	949.316.1	Friction Clutch		1	1	1	1	
	949.261.0	Friction Disc		4	4	4	4	
12	949.522.0	Outer Yoke		1	1	1	1	1 3/8" 6 Spline
13	949.630.0	Locking Pin Complete		1	1	1	1	
21	949.521.0	Cross Assembly Complete		2	2	2	2	
22	949.629.0	Grease Nipple		2	2	2	2	
23	949.385.0	Grooved Yoke		1	1	1	1	
24	912.722.0	Roll Pin		2	2	2	2	10 X 80 780mm Long 765mm Long
25	949.386.0	Inner Profile Tube		1	1	1	1	
26	949.384.0	Outer Profile Tube		1	1	1	1	
27	949.238.0	Grease Nipple		1	1	1	1	
28	949.272.0	Grooved Yoke		1	1	1	1	
53	949.861.0	Bearing Ring		2	2	2	2	400mm Long
56	949.852.0	Chain		2	2	2	2	




449 111 0

Main PTO Shaft - Pull Type - 1000 RPM

Main PTO Shaft - Pull Type - 1000 RPM

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	956.047.0	PTO Shaft Complete		1	1	1	1	WWZ 2480
4	949.265.0	Outer Guard Tube		1	1	1	1	
5	959.259.0	Inner Guard Tube		1	1	1	1	
11	949.657.0	Outer Yoke		1	1	1	1	1 3/8" 21 Spline
12	949.630.0	Locking Pin Complete		1	1	1	1	
13	949.344.0	Outer Yoke		1	1	1	1	1 3/8" 6 Spline
14	901.455.0	Hex Head Bolt		1	1	1	1	M12 X 75
15	908.701.0	Hex Nut		1	1	1	1	M12
21	949.276.0	Cross Assembly		4	4	4	4	
22	949.629.0	Grease Nipple		4	4	4	4	M 8 X 1
23	949.277.0	Disc		8	8	8	8	
24	949.278.0	Double Yoke		2	2	2	2	
25	919.003.0	Grease Nipple		2	2	2	2	H1/S M8 X 1
26	955.288.0	Grooved Yoke		1	1	1	1	
27	912.722.0	Roll Pin		2	2	2	2	10 X 80
28	955.257.1	Inner Profile Tube		1	1	1	1	
29	949.247.0	Outer Profile Tube		1	1	1	1	
30	955.289.0	Grooved Yoke		1	1	1	1	
51	949.280.0	PTO Guard		2	2	2	2	
52	949.281.0	Bolt		2	2	2	2	M4 X 10
53	949.282.0	Bearing Ring		2	2	2	2	
55	949.861.0	Bearing Ring		2	2	2	2	
56	949.283.0	Chain		2	2	2	2	600mm Long




449 111 0

Main PTO Shaft - Pull Type - 540 RPM

Main PTO Shaft - Pull Type - 540 RPM

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	956.070.0	PTO Shaft Complete		1	1	1	1	WWZ 2580
4	949.265.0	Outer Guard Tube		1	1	1	1	
5	959.259.0	Inner Guard Tube		1	1	1	1	
11	955.285.0	Outer Yoke		1	1	1	1	1 3/8" 6 Spline
12	949.630.0	Locking Pin Complete		1	1	1	1	
13	955.330.0	Outer Yoke		1	1	1	1	1 3/8" 6 Spline
14	901.455.0	Hex Head Bolt		1	1	1	1	M12 X 75
15	908.701.0	Hex Nut		1	1	1	1	M12
21	955.265.0	Cross Assembly		4	4	4	4	
22	949.629.0	Grease Nipple		4	4	4	4	M 8 X 1
23	955.299.0	Disc		8	8	8	8	
24	955.266.0	Double Yoke		2	2	2	2	
25	919.003.0	Grease Nipple		2	2	2	2	H1/S M8 X 1
26	955.267.0	Grooved Yoke		1	1	1	1	
27	912.724.0	Roll Pin		2	2	2	2	10 X 90
28	955.257.1	Inner Profile Tube		1	1	1	1	
29	949.292.0	Outer Profile Tube		1	1	1	1	
30	955.331.0	Grooved Yoke		1	1	1	1	
51	955.270.0	PTO Guard		2	2	2	2	
52	949.281.0	Bolt		2	2	2	2	M4 X 10
53	955.271.0	Bearing Ring		2	2	2	2	
55	949.861.0	Bearing Ring		2	2	2	2	
56	949.283.0	Chain		2	2	2	2	600mm Long




448 455 0

Intermediate PTO Shaft - Pull Type - 540 RPM

Intermediate PTO Shaft - Pull Type - 540 RPM

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	956.071.0	PTO Shaft Complete		1	1	1	1	W2500
4	949.381.0	Female Tube		1	1	1	1	
5	949.382.0	Male Tube		1	1	1	1	
11	949.442.0	Outer Yoke		1	1	1	1	1 3/8" 6 Spline
12	949.630.0	Locking Pin Complete		1	1	1	1	
13	955.325.0	Friction Disc Clutch - Overrunning		1	1	1	1	1650 NM
	949.261.0	Friction Disc		4	4	4	4	
21	949.447.0	Cross Assembly		2	2	2	2	
22	949.629.0	Grease Nipple		2	2	2	2	M 8 X 1
23	955.327.0	Grooved Yoke		1	1	1	1	
24	912.724.0	Roll Pin		2	2	2	2	10 X 90
25	949.386.0	Inner Profile Tube		1	1	1	1	
26	949.384.0	Outer Profile Tube		1	1	1	1	765mm Long
27	949.238.0	Grease Nipple		1	1	1	1	
28	949.248.0	Grooved Yoke		1	1	1	1	
53	949.861.0	Bearing Ring		2	2	2	2	
56	949.852.0	Chain		1	1	1	1	400mm Long




447 862 2

Swing Gearbox - 2 Point - 1000 RPM

Swing Gearbox - 2 Point - 1000 RPM - Green

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	955.500.0	Housing		2	2	2	2	
2	955.501.0	Hub		1	1	1	1	
3	955.502.0	Hub		1	1	1	1	
4	955.514.0	Shaft		2	2	2	2	1 3/8" 6 Spline
5	955.504.0	Intermediate Shaft		1	1	1	1	B40 X 36
6	955.505.0	Bevel Wheel		4	4	4	4	Z=21
7	955.506.0	Shim		X	X	X	X	GT-40 .19
8	955.507.0	Shim		X	X	X	X	GT-40 .25
9	955.508.0	Shim		X	X	X	X	GT-40 .35
10	930.137.0	Bearing		2	2	2	2	6207
11	932.106.0	Tapered Roller Bearing		2	2	2	2	30207 A
12	932.107.0	Tapered Roller Bearing		2	2	2	2	30208 A
13	932.181.0	Tapered Roller Bearing		1	1	1	1	32014
14	932.180.0	Tapered Roller Bearing		1	1	1	1	32013
15	936.014.0	Radial Seal		2	2	2	2	B2 35 X 72 X 10
16	936.015.0	Radial Seal		1	1	1	1	B2 40 X 80 X 10
17	936.016.0	Radial Seal		1	1	1	1	B2 40 X 52 X 7
18	911.668.0	Circlip		4	4	4	4	I 72 X 2.5
19	911.686.0	Circlip		1	1	1	1	I 100 X 3.0
20	911.673.0	Circlip		1	1	1	1	I 80 X 2.5
21	911.536.0	Circlip		1	1	1	1	A 30 X 2.0
22	911.516.0	Circlip		3	3	3	3	A 39 X 1.75
24	910.833.0	Shim		X	X	X	X	62 X 72 X .1
25	910.834.0	Shim		X	X	X	X	62 X 72 X .3
26	910.913.0	Shim		X	X	X	X	56 X 72 X .5
27	910.915.0	Shim		X	X	X	X	56 X 72 X 2.0
28	910.731.0	Washer		X	X	X	X	S 40 X 50 X 2.0
29	910.890.0	Shim		X	X	X	X	40 X 50 X .5
	910.891.0	Shim		X	X	X	X	40 X 50 X 1.0
30	910.747.0	Washer		1	1	1	1	S 90 X 100 X 3.5
31	910.702.0	Washer		X	X	X	X	S 30 X 42 X 2.5
32	910.865.0	Shim		X	X	X	X	30 X 42 X 2.0
33	910.860.0	Shim		X	X	X	X	30 X 42 X .1
34	955.509.0	Plate Spring		1	1	1	1	60.0 X 30.5 X 2.5
35	955.621.0	Nut		1	1	1	1	M 65 X 2
36	906.007.0	Screw Plug		3	3	3	3	M16 X 1.5
37	903.141.1	Allen Screw		8	8	8	8	M12 X 30
38	937.722.0	Gasket Ring		6	6	6	6	A16 X 24 X 1.5




447 862 2

Swing Gearbox - 2 Point - 1000 RPM

Swing Gearbox - 2 Point - 1000 RPM - Green

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
39	955.534.0	Cap		2	2	2	2	72 X 9
40	955.511.0	Gasket Ring		1	1	1	1	
42	945.309.0	Screw Plug		1	1	1	1	
43	955.512.0	Grease Nipple		1	1	1	1	
44	919.826.0	Breather		1	1	1	1	
								M16 X 1.5
45	903.141.1	Allen Screw		8	8	8	8	M12 X 30
46	955.600.0	Breather Screw		1	1	1	1	
48	949.362.0	Protecting Cup		1	1	1	1	
50	250.400.1	Swing Gearbox		1	1	1	1	




447 888 2

Swing Gearbox - 2 Point - 540 RPM

Swing Gearbox - 2 Point - 540 RPM - Beige

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	955.500.0	Housing		2	2	2	2	
2	955.501.0	Hub		1	1	1	1	
3	955.502.0	Hub		1	1	1	1	
4	955.514.0	Shaft		2	2	2	2	1 3/8" 6 Spline
5	955.505.0	Bevel Wheel		2	2	2	2	Z=21
6	955.513.0	Bevel Gear Pair		1	1	1	1	Z=11, Z=20
7	955.506.0	Shim		X	X	X	X	GT-40 .19
8	955.507.0	Shim		X	X	X	X	GT-40 .25
9	955.508.0	Shim		X	X	X	X	GT-40 .35
10	930.137.0	Bearing		2	2	2	2	6207
11	932.106.0	Tapered Roller Bearing		2	2	2	2	30207 A
12	932.107.0	Tapered Roller Bearing		2	2	2	2	30208 A
13	932.181.0	Tapered Roller Bearing		1	1	1	1	32014
14	932.180.0	Tapered Roller Bearing		1	1	1	1	32013
15	936.014.0	Radial Seal		2	2	2	2	B2 35 X 72 X 10
16	936.015.0	Radial Seal		1	1	1	1	B2 40 X 80 X 10
17	936.016.0	Radial Seal		1	1	1	1	B2 40 X 52 X 7
18	911.668.0	Circlip		4	4	4	4	I 72 X 2.5
19	911.686.0	Circlip		1	1	1	1	I 100 X 3.0
20	911.673.0	Circlip		1	1	1	1	I 80 X 2.5
21	911.535.0	Circlip		1	1	1	1	A 30 X 1.5
22	911.516.0	Circlip		3	3	3	3	A 39 X 1.75
24	910.833.0	Shim		X	X	X	X	62 X 72 X .1
25	910.834.0	Shim		X	X	X	X	62 X 72 X .3
26	910.913.0	Shim		X	X	X	X	56 X 72 X .5
27	910.915.0	Shim		X	X	X	X	56 X 72 X 2.0
28	910.731.0	Washer		X	X	X	X	S 40 X 50 X 2.0
29	910.890.0	Shim		X	X	X	X	40 X 50 X .5
	910.891.0	Shim		X	X	X	X	40 X 50 X 1.0
30	910.747.0	Washer		1	1	1	1	S 90 X 100 X 3.5
31	910.702.0	Washer		X	X	X	X	S 30 X 42 X 2.5
32	910.865.0	Shim		X	X	X	X	30 X 42 X 2.0
33	910.860.0	Shim		X	X	X	X	30 X 42 X .1
34	955.509.0	Plate Spring		1	1	1	1	60.0 X 30.5 X 2.5
35	955.621.0	Nut		1	1	1	1	M 65 X 2
36	906.007.0	Screw Plug		3	3	3	3	M16 X 1.5
37	903.141.1	Allen Screw		8	8	8	8	M12 X 30
38	937.722.0	Gasket Ring		6	6	6	6	A16 X 24 X 1.5




447 888 2

Swing Gearbox - 2 Point - 540 RPM

Swing Gearbox - 2 Point - 540 RPM - Beige

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
39	955.534.0	Cap		2	2	2	2	72 X 9
40	955.511.0	Gasket Ring		1	1	1	1	
41	955.600.0	Breather Screw		1	1	1	1	
42	945.309.0	Screw Plug		1	1	1	1	
43	955.512.0	Grease Nipple		1	1	1	1	
44	919.826.0	Breather		1	1	1	1	M16 X 1.5 M12 X 30
45	903.141.1	Allen Screw		8	8	8	8	
48	949.362.0	Protecting Cup		1	1	1	1	
50	250.420.0	Swing Gearbox		1	1	1	1	




448 244 1

Protecting Cup

Protecting Cup

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	139.879.0	Protecting Cup		1	1	1	1	
2	270.193.2	Protecting Cup		1	1	1	1	
3	949.842.0	Adapter Ring		1	1	1	1	
4	924.007.0	Hose Clamp		1	1	1	1	
5	906.809.0	Flat Round Bolt		24	24	24	24	
6	910.351.1	Washer		24	24	24	24	6.4 X 18 X 1.6




449 431 0


Warning Panels

Warning Panels


Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	908.758.0	Hex Nut				4	4	M10
2	910.414.0	Washer				8	8	A10.5
3	924.569.0	Decal				4	4	423 X 423
4	260.490.0	Warning Panel				2	2	423 X 423
5	900.636.0	Hex Head Bolt				4	4	M10 X 25



1



2



3




4




5



6



7



8

Warning Decals


Warning Decals

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	939.471.1	Decal		1	1	1	1	
2	939.472.2	Decal		1	1	1	1	
3	939.410.2	Decal		3	3	3	3	
4	942.196.1	Decal		4	4	4	4	
5	942.197.1	Decal		2	2	2	2	
6	939.572.0	Decal		2	2	2	2	
7	939.100.0	Decal		1	1	1	1	
8	939.101.4	Decal		1	1	1	1	




1


2




3




4




5



6




7




8

3,5 bar

9



10



11




12




13


14




15




16



17




18




19



20



21



22

General Information Decals

General Information Decals

Item	Part Number	Description	Serial # Ranges	AMT-283 CV	AMT-283 CRI	AMT-323 CV	AMT-323 CRI	Notes
1	939.374.1 942.221.0 939.376.1 942.222.0	Decal Decal Decal Decal		2	1	2	1	AMT 283CV AMT 283CRI AMT 323CV AMT 323CRI
2	942.320.0	Decal		4	4	4	4	600mm Long
3	942.296.0	Decal		1	1	1	1	370mm Long
4	942.130.2	Decal		1	1	1	1	
5	939.181.1	Decal		1	1	1	1	
6	939.285.3	Decal		1	1	1	1	
7	939.180.2	Decal		1	1	1	1	
8	939.188.2	Decal		1	1	1	1	
9	939.426.1	Decal		1	1	1	1	
10	441.072.2	Decal		2	2	2	2	3.5 Bar
11	939.476.1	Decal		1	1	1	1	
12	942.134.0	Decal		1	1	1	1	
13	942.012.1	Decal		4	4	4	4	
14	924.631.0 924.573.0 924.632.0 924.574.0	Decal Decal Decal Decal		2 1 1 1	2 1 1 1			120 X 423 141 X 423 120 X 423 141 X 423
15	939.451.0	Decal		3	3	3	3	
16	939.567.0	Decal		1	1	1	1	
17	939.548.0	Decal		1	1	1	1	
18	942.009.2	Decal		1	1	1	1	
19	942.238.0	Decal			2		2	
20	939.218.1	Decal		1	1	1	1	25
21	939.145.1	Decal		1	1	1	1	40
22	942.262.0 942.237.0	Decal Decal		1 1	1 1	1 1	1 1	