


Table Of Contents


Main Frame	3	Tine Conditioner Rotor L/H - 4000	71
Main Frame Wheel Mounts	5	Tine Conditioner Rotor R/H - 4000	73
Transport Wheel Mounting	7	Tine Conditioner Rotor L/H - 5000	75
Tires	9	Tine Conditioner Rotor R/H - 5000	77
Drawbar with Swivel Gearbox	11	Tine Conditioner Drive - 4000	79
Headstock & Jack Stand	13	Tine Conditioner Drive L/H - 5000	83
Shaft Through Main Frame - 5000	15	Tine Conditioner Drive R/H - 5000	87
Cutting Height Adjustment Linkage - 4000	17	Oscillation Limiter - 5000	91
Cutting Height Adjustment Linkage R/H - 5000	19	Front and Side Guards - 4000	93
Cutting Height Adjustment Linkage L/H - 5000	21	Front and Side Guards L/H - 5000	95
Mower Beam with Bearings - 4000	23	Front and Side Guards R/H - 5000	97
Mower Beam with Bearings L/H - 5000	27	Warning Panel	99
Mower Beam with Bearings R/H - 5000	31	Flotation Springs - 4000	101
Mower Beam Cutting Discs - 4000	35	Flotation Springs - 5000	103
Mower Beam Cutting Discs L/H - 5000	37	Drawbar Hydraulic System	105
Mower Beam Cutting Discs R/H - 5000	39	Drawbar Hydraulic Cylinder	107
Gearbox Pedestal	41	Main Frame Hyd. System - Working Wheels	109
Main Gearbox with Input Drive Shaft - 4000	45	Main Frame Hyd. - Transport Wheels - 4000	111
Main Gearbox with Input Drive Shaft - 5000	47	Main Frame Hyd. - Transport Wheels - 5000	113
Main Gearbox without Input Drive Shaft - 4000	49	Tool Box	115
Main Gearbox without Input Drive Shaft - 5000	51	Lighting System	117
Lifting Device for Mowing Unit - 4000	53	Swing Gearbox Components	119
Lifting Device for Mowing Unit - 5000	55	Angle Gearbox Components	121
Tine Conditioner Housing - 4000	57	Main PTO Shaft	123
Tine Conditioner Housing L/H - 5000	59	Gearbox to Gearbox PTO Shaft	125
Tine Conditioner Housing R/H - 5000	61	Intermediate PTO Shaft	127
Tine Conditioner Baffle Plate - 4000	63	Right Mower PTO Shaft - 5000	129
Air Level - 4000	65	Left Mower PTO Shaft - 5000	131
Tine Conditioner Baffle Plate L/H - 5000	67	Drawbar U-Joint	133
Tine Conditioner Baffle Plate R/H - 5000	69		



Main Frame

Main Frame

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	251.500.0	Frame		1		
2	251.130.0	Frame			1	




448 382 0

Main Frame Wheel Mounts

Main Frame Wheel Mounts


Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	951.847.0	Wheel Cap		2	2	Rd. 85
2	908.803.0	Castle Nut		2	2	M36 X 2
3	932.108.0	Tapered Roller Bearing		2	2	30209 A
4	951.876.0	Hub		2	2	Includes Items 5 & 6
5	910.225.0	Nut		12	12	A18 X 1.5
6	951.802.0	Wheel Pin		12	12	M18 X 1.5 X 49
7	932.111.0	Tapered Roller Bearing		2	2	30212 A
8	951.846.0	Gasket Ring		2	2	
9	912.111.1	Cotter Pin		2	2	6.3 X 50
10	910.344.0	Washer		2	2	31 X 68 X 10
11	908.732.0	Hex Nut		2	2	NM30 X 1.5
12	934.935.0	Bearing Bushing		4	4	4050 DU
13	251.221.0	Support Arm Right		1	1	Includes Item 12
14	912.853.0	Roll Pin		1	1	16 X 85
15	925.009.0	Plastic Guard		1	1	
16	251.174.0	Pin		1	1	
17	909.910.0	Spring Washer		3	3	SKM12
18	900.655.0	Hex Head Bolt		3	3	M12 X 25
19	251.220.0	Support Arm Left		1	1	Includes Item 12
20	934.902.0	Bearing Bushing		2	2	MB 5030 DU
21	919.105.0	Grease Nipple		3	4	AM8 X 1
22	925.005.0	Plastic Guard		1	2	
23	912.720.0	Roll Pin		2	2	10 X 70
24	250.310.0	Pin		2	2	
25	934.939.0	Bearing Bushing		2	2	5060 DU
27	953.823.0	Plastic Guard		1	1	
30	950.494.0	Wheel Axle Complete		2	2	



Transport Wheels Mounting

Transport Wheel Mounting


Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	251.165.0	Front Bracket		1	1	
2	900.655.0	Hex Head Bolt		1	1	M12 X 25
3	909.910.0	Spring Washer		1	1	SKM12
4	251.174.0	Pin		1	1	
5	912.853.0	Roll Pin		1	1	16 X 85
6	908.732.0	Hex Nut		2	2	NM30 X 1.5
7	910.344.0	Washer		2	2	31 X 68 X 10
8	251.222.0	Rear Bracket		1	1	Includes Items 9 & 10
9	934.902.0	Bearing Bushing		2	2	MB 5030 DU
10	919.105.0	Grease Nipple		1	1	AM 8 X 1
11	912.111.1	Cotter Pin		2	2	6.3 X 50
12	951.846.0	Gasket Ring		2	2	
13	951.802.0	Wheel Pin		12	12	M18 X 1.5 X 49
14	932.111.0	Tapered Roller Bearing		2	2	30212 A
15	910.225.0	Nut		12	12	A18 X 1.5
16	951.876.0	Hub		2	2	Includes Items 13 & 15
17	932.108.0	Tapered Roller Bearing		2	2	30209 A
18	908.803.0	Castle Nut		2	2	M36 X 2
19	951.847.0	Wheel Cap		2	2	Rd. 85
25	950.495.0	Wheel Axle Complete		2	2	250 Lg.



Tires

Tires

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	953.088.0	Tire & Rim Complete		X	X	10.0/75-15.3 IMPL 10 PR
	953.030.0	Wheel		X	X	15.0/55-17 IMPL 10 PR
2	953.266.0	Tire		X	X	10.0/75-15.3 IMPL 10 PR
	953.230.0	Tire		X	X	15.0/55-17 IMPL 10 PR
3	953.308.1	Tube		X	X	10.0/75-15 / 11.5/80-15
	953.324.2	Tube		X	X	15.0/55-17
4	953.108.0	Rim		X	X	9.00 X 15.3 6 Hole
	953.112.1	Rim		X	X	13.00 X 17 6 Hole
5	938.976.0	Protecting Cap		24	24	SW 24




448 383 0

Drawbar with Swivel Gearbox

Drawbar with Swivel Gearbox

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	900.674.0	Hex Head Bolt		8	8	M16 X 35
2	910.214.0	Spring Washer		8	8	C16.5
3	900.632.0	Hex Head Bolt		8	8	M10 X 16
4	910.353.0	Washer		8	8	R11
5	251.100.0	Drawbar		1	1	
6	251.108.0	Drawbar Guard R/H		1	1	
8	901.431.0	Hex Head Bolt		3	3	M10 X 40
9	251.110.0	Drive Shaft		1	1	42 X 1525
10	934.003.0	Bearing		1	1	UC 207 DG
11	345.458.4	Flange Bearing		1	1	
12	910.414.0	Washer		3	3	A10.5
13	919.106.0	Grease Nipple		1	1	BM 8 X 1
14	908.758.0	Hex Nut		3	3	M10
15	250.717.0	Guard		1	1	
16	909.910.0	Spring Washer		1	1	SKM12
17	251.109.0	Drawbar Guard L/H		1	1	
18	900.655.0	Hex Head Bolt		1	1	M12 X 25
19	250.294.0	Pin		1	1	
20	912.854.1	Roll Pin		1	1	16 X 90




448 385 1

Headstock & Jack Stand

Headstock & Jack Stand

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	908.716.1	Hex Nut		12	12	NM16
2	910.303.0	Washer		3	3	17 X 30 X 3
3	491.825.0	Washer		2	2	
4	900.676.0	Hex Head Bolt		8	8	M16 X 45
5	900.674.0	Hex Head Bolt		26	26	M16 X 35
6	909.912.0	Spring Washer		2	2	SKM16
7	910.214.0	Spring Washer		24	24	C16.5
8	251.045.0	Gearbox Support Rear		1	1	
9	251.391.0	Pin Complete		1	1	
10	251.090.0	Jack Stand		1	1	
11	143.043.0	Collar Bushing		2	2	Rd. 85/95/115 X 34
12	901.137.0	Hex Head Bolt		2	2	M16 X 80
13	250.984.0	Spacer		1	1	200mm Long
14	251.044.0	Gearbox Support Front		1	1	
15	917.012.2	Lynch Pin		4	4	12 X 55
16	251.028.1	Lower Link Pin		2	2	Rd. 50 X 249
17	949.362.0	Protecting Cup		2	2	
18	250.740.0	PTO Shaft Holder		1	1	
19	900.632.0	Hex Head Bolt		1	1	M10 X 16
20	251.034.1	Headstock		1	1	
21	906.983.1	Self-Tapping Screw		4	4	B8 X 22
22	910.413.0	Washer		4	4	A8.4
23	251.288.0	Rubber Plate		1	1	4 X 110 X 200
24	908.212.0	Hex Nut		1	1	M10
25	900.636.0	Hex Head Bolt		1	1	M10 X 25
26	344.702.2	Hose Holder		1	1	
27	901.486.1	Hex Head Bolt		1	1	M16 X 85
28	251.042.0	Locking Piece		1	1	
29	154.614.0	Safety Pin		1	1	




448 386 0

Shaft Through Main Frame - AMT 5000

Shaft Through Main Frame - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	908.758.0	Hex Nut			6	M10
2	910.353.0	Washer			12	R11
3	337.846.3	Protecting Cup			2	
4	934.617.0	Bearing			2	GEM 207
5	919.106.0	Grease Nipple			2	BM 8 X 1
6	934.130.0	Flange Bearing Complete			2	Includes Item 4
7	910.343.0	Washer			2	36 X 60 X 8
8	908.212.0	Hex Nut			6	M10
9	251.390.0	Through Shaft			1	Rd. 42 X 400
10	905.334.0	Threaded Bolt			1	BM 10 X 250



448 431 0


Cutting Height Adjustment Linkage - AMT 4000

Cutting Height Adjustment Linkage - AMT 4000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	250.367.0	Bearing		2		
2	910.506.0	Washer		8		13 X 24 X 2.5
3	908.711.1	Hex Nut		8		M12
4	250.398.0	Pin		4		25 X 119
5	912.670.0	Roll Pin		8		8 X 40
6	910.514.1	Washer		8		26 X 44 X 4
7	250.374.0	Bushing		2		
8	250.373.0	Pin		1		
9	919.105.0	Grease Nipple		3		AM 8 X 1
10	912.069.1	Cotter Pin		1		4 X 40
11	908.819.1	Castle Nut		1		M20
12	910.512.2	Washer		1		B21
13	900.658.0	Hex Head Bolt		8		M12 X 40
14	250.372.0	Pin		1		
15	912.584.0	Roll Pin		2		4 X 30
16	250.370.0	Crank		1		
17	900.634.0	Hex Head Bolt		2		M10 X 20
18	910.111.1	Spring Washer		2		B10
19	250.359.0	Pin		2		
20	251.215.0	Bottom Control Arm		2		Includes Item 21
21	934.901.0	Bearing Bushing		4		MB 3040 DU
22	910.865.0	Shim		4		30 X 42 X 2.0
23	910.702.0	Washer		2		S 30 X 42 X 2.5
24	911.504.0	Circlip		2		A 30 X 2.0
25	251.551.0	Pin		1		Rd. 30 X 432
	251.224.0	Pin		1		Rd. 30 X 288
26	910.035.0	Spring Washer		2		B12
27	900.655.0	Hex Head Bolt		2		M12 X 25
28	250.352.0	Top Control Arm		2		
29	251.523.0	Adjusting Tube		1		
30	910.740.0	Washer		2		S 60 X 75 X 3.0
31	911.005.0	Shim		2		60 X 75 X 2.0

Cutting Height Adjustment Linkage R/H - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	250.370.0	Crank			1	
2	912.584.0	Roll Pin			2	4 X 30
3	250.372.0	Pin			1	
4	910.512.2	Washer			1	B21
5	908.819.1	Castle Nut			1	M20
6	919.105.0	Grease Nipple			3	AM 8 X 1
7	250.374.0	Bushing			2	
8	912.069.1	Cotter Pin			1	4 X 40
9	250.373.0	Pin			1	
10	251.211.0	Lever			1	
11	910.515.0	Washer			2	30 X 50 X 4
12	912.672.0	Roll Pin			4	8 X 50
13	129.452.0	Pin			1	Rd. 30 X 150
14	912.670.0	Roll Pin			2	8 X 40
15	910.514.1	Washer			4	26 X 44 X 4
16	250.398.0	Pin			1	25 X 119
17	250.352.0	Top Control Arm			1	
18	251.227.0	Pin			1	Rd. 25 X 100
19	900.658.0	Hex Head Bolt			2	M12 X 40
20	910.506.0	Washer			2	13 X 24 X 2.5
21	251.224.0	Pin			2	Rd. 30 X 288
22	908.711.1	Hex Nut			2	M12
23	910.865.0	Shim			4	30 X 42 X 2.0
24	934.901.0	Bearing Bushing			4	MB 3040 DU
25	910.702.0	Washer			2	S 30 X 42 X 2.5
26	911.504.0	Circlip			2	A 30 X 2.0
27	250.359.0	Pin			2	
28	909.909.0	Spring Washer			2	SKM10
29	900.634.0	Hex Head Bolt			2	M10 X 20
30	251.215.0	Bottom Control Arm			2	Includes Item 24




448 389 0

Cutting Height Adjustment Linkage L/H - AMT 5000

Cutting Height Adjustment Linkage L/H - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	250.370.0	Crank			1	
2	912.584.0	Roll Pin			2	4 X 30
3	250.372.0	Pin			1	
4	910.512.2	Washer			1	B21
5	908.819.1	Castle Nut			1	M20
6	912.069.1	Cotter Pin			1	4 X 40
7	250.373.0	Pin			1	
8	250.374.0	Bushing			2	
9	919.105.0	Grease Nipple			1	AM 8 X 1
10	910.515.0	Washer			2	30 X 50 X 4
11	251.211.0	Lever			1	
12	912.672.0	Roll Pin			2	8 X 50
13	129.452.0	Pin			1	Rd. 30 X 150
14	910.514.1	Washer			3	26 X 44 X 4
15	912.670.0	Roll Pin			3	8 X 40
16	250.398.0	Pin			1	25 X 119
17	250.352.0	Top Control Arm			1	
18	251.227.0	Pin			1	Rd. 25 X 100
19	900.655.0	Hex Head Bolt			2	M12 X 25
20	909.910.0	Spring Washer			2	SKM12
21	250.735.0	Pin			2	Rd. 30 X 188
22	910.702.0	Washer			2	S 30 X 42 X 2.5
23	911.504.0	Circlip			2	A 30 X 2.0
24	251.218.0	Bottom Control Arm			2	
25	250.359.0	Pin			2	
26	909.909.0	Spring Washer			2	SKM10
27	900.634.0	Hex Head Bolt			2	M10 X 20




448 640 1

Mower Beam with Bearings - AMT 4000

Mower Beam with Bearings - AMT 4000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	930.566.0	Bearing		10		6306 2RS
2	150.042.0	Bearing Housing		10		10 Hole
3	936.150.2	Radial Seal		10		BA 40 X 55 X 7
4	146.390.0	Spacer Ring		10		
5	937.525.0	O-Ring		10		30 X 2
6	930.536.1	Bearing		10		6206 2RS
7	150.017.0	Pinion		10		Z=16
8	937.553.0	O-Ring		10		78.5 X 6.0
9	144.238.4	Washer		19		40 X 54 X 4.5
10	909.605.0	Self-Locking Nut		19		M14 X 1.5
11	145.095.3	Clamping Piece		19		
12	937.511.0	O-Ring		19		45 X 4
13	937.523.1	O-Ring		19		28 X 3.0
14	139.190.0	Spur Gear		17		Z=59
15	150.039.0	Stop Bar		8		X=127mm
16	150.047.0	Skid L/H		1		
17	144.937.2	Flat Round Bolt		19		M14 X 1.5 X 38 - 10.9
18	150.029.0	Skid		9		
19	909.910.0	Spring Washer		18		SKM12
20	908.758.0	Hex Nut		1		M10
21	251.435.1	Mower Bar		1		
	926.101.0	Oil		X		1 Liter SAE 90
22	908.711.1	Hex Nut		100		M12
23	150.066.0	Stop Bar		1		X=103mm
24	150.028.0	Skid Holder		10		10 Hole
25	250.270.0	Spur Gear		2		Z=56
26	906.040.1	Screw Plug		1		M18 X 1.5
27	904.010.0	Countersunk Screw		16		M10 X 20 - 10.9
28	937.001.1	O-Ring		2		10.0 X 2.8
29	145.110.4	Cover		1		
30	937.510.0	O-Ring		1		196.45 X 3.53
31	937.595.0	O-Ring		1		174 X 4
32	908.536.0	Hex Nut		10		M27 X 1.5
33	146.504.0	End Washer		10		
34	910.864.0	Shim		10		30 X 42 X 1.0
35	904.062.0	Countersunk Screw		20		M12 X 25
36	910.327.0	Washer		19		17 X 50 X 3
37	906.439.1	Stud		82		M12 X 30




448 640 1

Mower Beam with Bearings - AMT 4000

Mower Beam with Bearings - AMT 4000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
38	937.727.0	Gasket Ring		1		A18 X 24 X 1.5
39	906.010.0	Screw Plug		1		M18 X 1.5
40	915.105.0	Flat Key		10		B10 X 8 X 25
41	150.041.0	Rotor Hub		10		
42	150.215.0	Stop Bar Left		1		
43	906.007.0	Screw Plug		1		M16 X 1.5
44	937.721.0	Gasket Ring		1		16 X 22 X 1.5
45	150.205.0	Stop Bar R/H		1		
50	150.043.0	Bearing Housing Complete		10		10 Hole




448 643 1

Mower Beam with Bearings L/H - AMT 5000

Mower Beam with Bearings L/H - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	930.566.0	Bearing			6	6306 2RS
2	150.042.0	Bearing Housing			6	
3	936.150.2	Radial Seal			6	BA 40 X 55 X 7
4	146.390.0	Spacer Ring			6	
5	937.525.0	O-Ring			6	30 X 2
6	930.536.1	Bearing			6	6206 2RS
7	150.017.0	Pinion			6	Z=16
8	937.553.0	O-Ring			6	78.5 X 6.0
9	144.238.4	Washer			11	40 X 54 X 4.5
10	909.605.0	Self-Locking Nut			11	M14 X 1.5
11	145.095.3	Clamping Piece			11	
12	937.511.0	O-Ring			11	45 X 4
13	937.523.1	O-Ring			11	28 X 3.0
14	139.190.0	Spur Gear			11	Z=59
15	150.039.0	Stop Bar			5	X=127mm
16	150.047.0	Skid L/H			1	
17	144.937.2	Flat Round Bolt			11	M14 X 1.5 X 38 - 10.9
18	150.029.0	Skid			5	
19	909.910.0	Spring Washer			10	SKM12
20	908.758.0	Hex Nut			1	M10
21	251.440.0	Mower Bar L/H			1	
	926.101.0	Oil			X	1 Liter SAE 90
22	908.711.1	Hex Nut			51	M12
23	904.010.0	Countersunk Screw			5	M10 X 20 - 10.9
24	150.028.0	Skid Holder			6	10 Hole
25	150.215.0	Stop Bar Left			1	
26	937.001.1	O-Ring			2	10.0 X 2.8
27	145.635.1	Cover			1	
28	937.510.0	O-Ring			1	196.45 X 3.53
29	937.595.0	O-Ring			1	174 X 4
30	937.727.0	Gasket Ring			1	A18 X 24 X 1.5
31	906.010.0	Screw Plug			1	M18 X 1.5
32	908.536.0	Hex Nut			6	M27 X 1.5
33	146.504.0	End Washer			6	
34	910.864.0	Shim			6	30 X 42 X 1.0
35	906.439.1	Stud			41	M12 X 30
36	915.105.0	Flat Key			6	B10 X 8 X 25
37	150.041.0	Rotor Hub			6	




448 643 1

Mower Beam with Bearings L/H - AMT 5000

Mower Beam with Bearings L/H - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
38	904.062.0	Countersunk Screw			10	M12 X 25
39	910.327.0	Washer			11	17 X 50 X 3
40	150.180.0	Skid R/H			1	
41	150.205.0	Stop Bar R/H			1	
42	906.007.0	Screw Plug			1	M16 X 1.5
43	937.721.0	Gasket Ring			1	16 X 22 X 1.5
45	150.043.0	Bearing Housing Complete			6	




448 645 1

Mower Beam with Bearings R/H - AMT 5000

Mower Beam with Bearings R/H - AMT 5000


Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	930.566.0	Bearing			6	6306 2RS
2	150.042.0	Bearing Housing			6	10 Hole
3	936.150.2	Radial Seal			6	BA 40 X 55 X 7
4	146.390.0	Spacer Ring			6	
5	937.525.0	O-Ring			6	30 X 2
6	930.536.1	Bearing			6	6206 2RS
7	150.017.0	Pinion			6	Z=16
8	937.553.0	O-Ring			6	78.5 X 6.0
9	144.238.4	Washer			11	40 X 54 X 4.5
10	909.605.0	Self Locking Nut			11	M14 X 1.5
11	145.095.3	Clamping Piece			11	
12	937.511.0	O-Ring			11	45 X 4
13	937.523.1	O-Ring			11	28 X 3.0
14	139.190.0	Spur Gear			11	Z=59
15	150.039.0	Stop Bar			5	X=127mm
16	150.096.0	Skid R/H			1	
17	144.937.2	Flat Round Bolt			11	M14 X 1.5 X 38 - 10.9
18	150.029.0	Skid			4	
19	910.327.0	Washer			11	17 X 50 X 3
20	908.758.0	Hex Nut			1	M10
21	150.138.0	Mower Bar R/H			1	
	926.101.0	Oil			X	1 Liter SAE 90
22	908.711.1	Hex Nut			58	M12
23	904.010.0	Countersunk Screw			12	M10 X 20 - 10.9
24	150.028.0	Skid Holder			6	10 Hole
25	150.205.0	Stop Bar R/H			1	
26	904.062.0	Countersunk Screw			12	M12 X 25
27	937.001.1	O-Ring			2	10.0 X 2.8
28	145.110.4	Cover			1	
29	937.510.0	O-Ring			1	196.45 X 3.53
30	937.595.0	O-Ring			1	174 X 4
31	909.910.0	Spring Washer			10	SKM12
32	150.041.0	Rotor Hub			6	
33	908.536.0	Hex Nut			6	M27 X 1.5
34	146.504.0	End Washer			6	
35	910.864.0	Shim			6	30 X 42 X 1.0
36	915.105.0	Flat Key			6	B10 X 8 X 25
37	906.439.1	Stud			48	M12 X 30



Mower Beam with Bearings R/H - AMT 5000

Mower Beam with Bearings R/H - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
38	150.179.0	Skid L/H			1	
39	906.007.0	Screw Plug			1	M16 X 1.5
40	937.721.0	Gasket Ring			1	16 X 22 X 1.5
45	150.043.0	Bearing Housing Complete			6	




448 641 0

Mower Beam Cutting Discs - AMT 4000

Mower Beam Cutting Discs - AMT 4000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	900.632.0	Hex Head Bolt		36		M10 X 16
2	909.909.0	Spring Washer		40		SKM10
3	909.602.1	Self-Locking Nut		20		
4	925.303.1	Wrench		1		17/19mm
5	139.680.0	Mower Disc		4		L=320mm
6	139.888.0	Knife L/H		10		112mm Long
	139.889.0	Knife R/H		10		112mm Long
7	141.053.4	Blade Bolt		20		
8	900.636.0	Hex Head Bolt		4		M10 X 25
9	139.730.0	Mower Disc		2		L=292mm
10	150.034.0	Mower Drum		4		Includes Items 11 & 12
11	906.948.0	Self-Tapping Screw		16		B6.3 X 13
12	144.943.2	Cover		4		
13	139.800.0	Roof Shaped Blade		20		




448 644 0

Mower Beam Cutting Discs L/H - AMT 5000

Mower Beam Cutting Discs L/H - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	900.632.0	Hex Head Bolt			24	M10 X 16
2	909.909.0	Spring Washer			24	SKM10
3	909.602.1	Self-Locking Nut			12	
4	925.303.1	Wrench			1	17/19mm
5	139.680.0	Mower Disc			4	L=320mm
6	139.888.0	Knife L/H			6	112mm Long
	139.889.0	Knife R/H			6	112mm Long
7	141.053.4	Blade Bolt			12	
8	150.034.0	Mower Drum			2	Includes Items 9 & 10
9	906.948.0	Self-Tapping Screw			8	B6.3 X 13
10	144.943.2	Cover			2	
11	139.800.0	Roof Shaped Blade			12	




448 646 0

Mower Beam Cutting Discs R/H - AMT 5000

Mower Beam Cutting Discs R/H - AMT 5000


Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	900.632.0	Hex Head Bolt			24	M10 X 16
2	909.909.0	Spring Washer			24	SKM10
3	909.602.1	Self-Locking Nut			12	
4	925.303.1	Wrench			1	17/19mm
5	139.680.0	Mower Disc			4	L=320mm
6	139.888.0	Knife L/H			6	112mm Long
	139.889.0	Knife R/H			6	112mm Long
7	141.053.4	Blade Bolt			12	
8	150.034.0	Mower Drum			2	Includes Items 9 & 10
9	906.948.0	Self-Tapping Screw			8	B6.3 X 13
10	144.943.2	Cover			2	
11	139.800.0	Roof Shaped Blade			12	



Gearbox Pedestal

Gearbox Pedestal

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	146.933.1	Bevel Gear		1	2	Z=23
2	911.668.0	Circlip		1	2	72 X 2.5
3	910.913.0	Shim		X	X	56 X 72 X .5
	910.912.0	Shim		X	X	56 X 72 X .3
	910.910.0	Shim		X	X	56 X 72 X .1
4	910.618.1	Washer		2	4	35 X 45 X 2
	911.133.0	Shim		X	X	35 X 45 X .5
	911.132.0	Shim		X	X	35 X 45 X .3
	911.130.0	Shim		X	X	35 X 45 X .1
5	932.705.0	Roller Bearing		1	2	NUP 207
6	936.352.1	Radial Seal		1	2	B2 40 X 65 X 10
7	930.567.0	Bearing		1	2	6307 2RS
8	910.965.0	Shim		X	X	63 X 80 X 2.0
	910.963.0	Shim		X	X	63 X 80 X .5
	910.962.0	Shim		X	X	63 X 80 X .3
	910.960.0	Shim		X	X	63 X 80 X .1
9	911.673.0	Circlip		1	2	180 X 2.5
10	937.595.0	O-Ring		1	2	174 X 4
11	911.134.0	Shim		1	2	35 X 45 X 1.0
12	144.339.3	Spur Gear		1	2	Z=59
13	911.541.0	Circlip		1	2	A35 X 1.5
14	937.510.0	O-Ring		1	2	196.45 X 3.53
15	145.110.4	Cover		1	2	
16	937.004.0	O-Ring		2	4	10.0 X 1.3
17	904.044.2	Countersunk Screw		6	12	M10 X 20 - 10.9
18	906.040.1	Screw Plug		1	2	M18 X 1.5
19	915.124.1	Flat Key		1	2	A10 X 8 X 45
20	250.459.0	Drive Shaft		1		Rd. 40 X 652
	251.054.0	Drive Shaft			2	Rd. 45 X 831
21	915.126.0	Flat Key		1	2	A10 X 8 X 50
22	910.014.0	Spring Washer		7	14	B16
23	900.675.0	Hex Head Bolt		4	8	M16 X 40
24	919.811.0	Breather		1	2	M18 X 1.5
25	250.460.2	Gearbox Pedestal		1		
	251.052.0	Gearbox Pedestal L/H			1	
26	251.053.0	Gearbox Pedestal R/H			1	
27	900.676.0	Hex Head Bolt		2	4	M16 X 45
28	250.744.0	Deflector L/H		1	1	




448 407 0

Gearbox Pedestal

Gearbox Pedestal

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
29	937.727.0	Gasket Ring		1	2	A18 X 24 X 1.5
30	251.230.0	Deflector R/H			1	
31	900.674.0	Hex Head Bolt			2	M16 X 35




447 741 1

Main Gearbox with Input Drive Shaft - AMT 4000

Main Gearbox with Input Drive Shaft - AMT 4000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	250.437.0	Gearbox Cover		1		
2	937.594.0	O-Ring		1		134.5 X 3
3	910.974.0	Shim		X		70 X 90 X 1.0
	910.973.0	Shim		X		70 X 90 X .5
	910.972.0	Shim		X		70 X 90 X .3
	910.970.0	Shim		X		70 X 90 X .1
4	932.155.0	Tapered Roller Bearing		1		32210 A
5	146.930.1	Bevel Gear		1		Z=28
6	911.134.0	Shim		X		35 X 45 X 1.0
	911.133.0	Shim		X		35 X 45 X .5
	911.132.0	Shim		X		35 X 45 X .3
	911.130.0	Shim		X		35 X 45 X .1
7	146.932.1	Pinion		1		Z=20
8	935.834.0	Locking Ring		1		
9	935.820.0	Nut		1		M35 X 1.5
10	250.265.0	Gearbox Housing		1		
11	146.940.1	Gearbox Input Shaft		1		
12	915.122.0	Flat Key		2		A10 X 8 X 40
13	936.362.0	Radial Seal		1		B2 40 X 80 X 13
14	932.107.0	Tapered Roller Bearing		1		30208 A
15	910.965.0	Shim		X		63 X 80 X 2.0
	910.964.0	Shim		X		63 X 80 X 1.0
	910.963.0	Shim		X		63 X 80 X .5
	910.962.0	Shim		X		63 X 80 X .3
	910.960.0	Shim		X		63 X 80 X .1
16	900.335.1	Hex Head Bolt		4		M16 X 30
17	910.014.0	Spring Washer		4		B16
18	949.361.0	Protecting Cup		1		




448 408 0

Main Gearbox with Input Drive Shaft - AMT 5000

Main Gearbox with Input Drive Shaft - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	250.437.0	Gearbox Cover			1	
2	937.594.0	O-Ring			1	134.5 X 3
3	910.974.0	Shim			X	70 X 90 X 1.0
	910.973.0	Shim			X	70 X 90 X .5
	910.972.0	Shim			X	70 X 90 X .3
	910.970.0	Shim			X	70 X 90 X .1
4	932.155.0	Tapered Roller Bearing			1	32210 A
5	146.930.1	Bevel Gear			1	Z=28
6	911.134.0	Shim			X	35 X 45 X 1.0
	911.133.0	Shim			X	35 X 45 X .5
	911.132.0	Shim			X	35 X 45 X .3
	911.130.0	Shim			X	35 X 45 X .1
7	146.932.1	Pinion			1	Z=20
8	935.834.0	Locking Ring			1	
9	935.820.0	Nut			1	M35 X 1.5
10	250.265.0	Gearbox Housing			1	
11	146.940.1	Gearbox Input Shaft			1	
12	915.122.0	Flat Key			2	A10 X 8 X 40
13	936.362.0	Radial Seal			1	B2 40 X 80 X 13
14	932.107.0	Tapered Roller Bearing			1	30208 A
15	910.965.0	Shim			X	63 X 80 X 2.0
	910.964.0	Shim			X	63 X 80 X 1.0
	910.963.0	Shim			X	63 X 80 X .5
	910.962.0	Shim			X	63 X 80 X .3
	910.960.0	Shim			X	63 X 80 X .1
16	900.335.1	Hex Head Bolt			4	M16 X 30
17	910.014.0	Spring Washer			4	B16
18	949.361.0	Protecting Cup			1	
19	949.213.0	Guard			1	
20	924.007.0	Hose Clamp			1	




447 742 3

Main Gearbox without Input Drive Shaft - AMT 4000

Main Gearbox without Input Drive Shaft - AMT 4000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	936.374.0	Radial Seal		1		B2 45 X 72 X 10
2	250.434.0	Cover		1		
3	932.190.0	Tapered Roller Bearing		1		33112
4	911.005.0	Shim		X		60 X 75 X 2.0
	911.004.0	Shim		X		60 X 75 X 1.0
	911.003.0	Shim		X		60 X 75 X .5
	911.002.0	Shim		X		60 X 75 X .3
	911.160.0	Shim		X		60 X 72 X .1
5	250.255.0	Bevel Gear		1		Z=38
6	910.899.0	Shim		X		45 X 55 X 1.0
	910.898.0	Shim		X		45 X 55 X .5
	910.894.0	Shim		X		45 X 55 X .3
	910.893.0	Shim		X		45 X 55 X .1
7	910.732.0	Washer		2		45 X 55 X 3.0
8	250.782.0	Gearbox Shaft		1		Rd. 50 X 350
9	915.206.0	Flat Key		1		A14 X 9 X 50
10	937.595.0	O-Ring		3		174 X 4
11	937.727.0	Gasket Ring		1		A18 X 24 X 1.5
12	932.138.0	Tapered Roller Bearing		1		30309 A
13	250.433.0	Cover		1		
14	910.111.0	Spring Washer		16		B10
15	900.636.0	Hex Head Bolt		16		M10 X 25
16	250.490.0	Oil Level Dipstick		1		
18	924.263.0	Rubber Pad		1		
20	250.455.3	Main Gearbox		1		
	926.101.0	Oil		X		1 Liter SAE 90
21	906.010.0	Screw Plug		1		M18 X 1.5




448 409 1

Main Gearbox without Input Drive Shaft - AMT 5000

Main Gearbox without Input Drive Shaft - AMT 5000


Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	936.374.0	Radial Seal			1	B2 45 X 72 X 10
2	250.434.0	Cover			2	
3	932.190.0	Tapered Roller Bearing			1	33112
4	911.005.0	Shim			X	60 X 75 X 2.0
	911.004.0	Shim			X	60 X 75 X 1.0
	911.003.0	Shim			X	60 X 75 X .5
	911.002.0	Shim			X	60 X 75 X .3
	911.160.0	Shim			X	60 X 72 X .1
5	250.255.0	Bevel Gear			1	Z=38
6	910.899.0	Shim			X	45 X 55 X 1.0
	910.898.0	Shim			X	45 X 55 X .5
	910.894.0	Shim			X	45 X 55 X .3
	910.893.0	Shim			X	45 X 55 X .1
7	910.732.0	Washer			2	45 X 55 X 3.0
8	251.051.2	Gearbox Shaft			1	
9	915.207.0	Flat Key			1	B14 X 9 X 50
10	937.595.0	O-Ring			3	174 X 4
11	937.727.0	Gasket Ring			1	A18 X 24 X 1.5
12	932.138.0	Tapered Roller Bearing			1	30309 A
13	936.337.0	Radial Seal			1	B2 35 X 72 X 12
14	910.111.0	Spring Washer			16	B10
15	900.636.0	Hex Head Bolt			16	M10 X 25
16	250.490.0	Oil Level Dipstick			1	
18	924.263.0	Rubber Pad			1	
20	251.050.0	Main Gearbox			1	
	926.101.0	Oil			X	1 Liter SAE 90
21	906.010.0	Screw Plug			1	M18 X 1.5



Lifting Device for Mowing Unit - AMT 4000

Lifting Device for Mowing Unit - AMT 4000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	251.184.0	Bearing R/H		1		
2	908.711.1	Hex Nut		9		M12
3	910.506.0	Washer		7		13 X 24 X 2.5
4	900.658.0	Hex Head Bolt		7		M12 X 40
5	901.460.0	Hex Head Bolt		2		M12 X 100
6	908.716.1	Hex Nut		2		NM16
7	910.303.0	Washer		2		17 X 30 X 3
8	151.324.4	Flat Bar with Chain		2		
9	922.610.0	Chain Lock		2		10 X 31
10	922.624.1	Chain		2		7 Links
11	910.624.0	Washer		2		13.0 X 35 X 8
12	251.231.0	Support		2		
13	910.506.0	Washer		2		13 X 24 X 2.5
14	901.452.0	Hex Head Bolt		2		M12 X 50
15	910.362.0	Washer		2		17 X 40 X 6
16	900.677.0	Hex Head Bolt		2		M16 X 50
17	153.660.0	Locking Ring		1		A 90
18	925.119.0	Clamp		1		d=65
19	925.121.0	Cover Plate		1		
20	251.508.0	Lifting Tube		1		
21	910.514.1	Washer		6		26 X 44 X 4
22	912.675.0	Roll Pin		5		8 X 45
23	250.398.0	Pin		1		25 X 119
24	251.196.1	Steering Rod		1		
25	251.199.0	Steering Tube - Wheel Bracket		1		
26	153.047.0	Pin		1		Rd. 25 X 126
27	251.201.0	Steering Tube - Drawbar		1		
28	912.716.1	Roll Pin		1		10 X 50
29	251.495.0	Bearing L/H		1		




448 390 1

Lifting Device for Mowing Unit - AMT 5000

Lifting Device for Mowing Unit - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	251.184.0	Bearing R/H			1	
2	908.711.1	Hex Nut			15	M12
3	910.506.0	Washer			11	13 X 24 X 2.5
4	900.658.0	Hex Head Bolt			11	M12 X 40
5	251.193.0	Lifting Tube R/H			1	
6	908.716.1	Hex Nut			4	NM16
7	910.303.0	Washer			4	17 X 30 X 3
8	151.324.4	Flat Bar with Chain			4	
9	922.610.0	Chain Lock			4	10 X 31
10	922.624.1	Chain			4	7 Links
11	910.624.0	Washer			4	13.0 X 35 X 8
12	251.231.0	Support			4	
13	910.506.0	Washer			4	13 X 24 X 2.5
14	901.452.0	Hex Head Bolt			4	M12 X 50
15	910.362.0	Washer			4	17 X 40 X 6
16	900.677.0	Hex Head Bolt			4	M16 X 50
17	251.190.0	Pin			1	
18	901.512.0	Hex Head Bolt			1	M20 X 110
19	908.721.0	Hex Nut			1	NM20
20	251.186.0	Lifting Tube L/H			1	
21	910.514.1	Washer			6	26 X 44 X 4
22	912.675.0	Roll Pin			4	8 X 45
23	250.398.0	Pin			1	25 X 119
24	251.196.1	Steering Rod			1	
25	251.199.0	Steering Tube - Wheel Bracket			1	
26	153.047.0	Pin			1	Rd. 25 X 126
27	251.201.0	Steering Tube - Drawbar			1	
28	912.716.1	Roll Pin			1	10 X 50
29	251.495.0	Bearing L/H			1	




448 435 3

Tine Conditioner Housing - AMT 4000

Tine Conditioner Housing - AMT 4000


Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	251.510.0	Tine Conditioner Housing		1		
2	904.882.1	Flat Round Bolt		4		M12 X 25
3	904.884.0	Flat Round Bolt		X		M12 X 35
4	250.586.0	Cover Plate		4		
5	250.513.0	Rear Side Plate R/H		2		
6	250.512.0	Rear Side Plate L/H		2		
7	910.506.0	Washer		X		13 X 24 X 2.5
8	908.711.1	Hex Nut		X		M12
9	910.609.0	Washer		10		13 X 37 X 3
10	909.503.1	Ring Nut		2		M12
11	250.519.0	Tine Conditioner Flap R/H		2		
12	908.758.0	Hex Nut		4		M10
13	251.539.0	Baffle Plate R/H		1		
14	341.065.1	Spacer Bushing		2		Rd. 30 X 25
15	901.434.0	Hex Head Bolt		2		M10 X 55
16	251.521.0	Reinforcing Strip		1		
17	251.538.0	Baffle Plate L/H		1		
18	910.347.0	Washer		4		17 X 37 X 3
19	250.585.0	Handle		4		
20	250.518.0	Tine Conditioner Flap L/H		1		
21	250.495.1	Rear Plastic Cloth L/H		1		
22	251.541.0	Inner Tine Conditioner Flap L/H		1		
23	900.637.0	Hex Head Bolt		4		M10 X 30
24	910.414.0	Washer		4		A10.5
25	251.445.0	Rear Plastic Cloth R/H		1		
26	900.614.0	Hex Head Bolt		13		M8 X 20
27	250.520.0	Hinge Tube		4		
28	910.413.0	Washer		13		A8.4
29	908.706.0	Hex Nut		13		NM8
30	250.548.0	Clamping Strap L/H		1		1415mm Long
31	346.937.0	Clamping Strap R/H		1		940mm Long
32	251.481.0	Plastic Cloth		1		
33	251.477.0	Clamping Strap		1		
34	904.751.1	Flat Round Bolt		4		M10 X 20
35	250.870.0	Guide Plate		2		
36	909.502.0	Ring Nut		2		
37	906.202.1	Eye Bolt		2		



Tine Conditioner Housing L/H - AMT 5000

Tine Conditioner Housing L/H - AMT 5000


Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	908.711.1	Hex Nut			X	M12
2	910.506.0	Washer			X	13 X 24 X 2.5
3	904.882.1	Flat Round Bolt			X	M12 X 25
4	909.503.1	Ring Nut			3	M12
5	910.609.0	Washer			2	13 X 37 X 3
6	904.779.1	Flat Round Bolt			2	M12 X 45
7	904.884.0	Flat Round Bolt			X	M12 X 35
8	251.351.0	Rear Side Plate R/H			1	
9	250.517.0	Tine Conditioner Flap R/H			1	
10	250.520.0	Hinge Tube			2	
11	900.637.0	Hex Head Bolt			2	M10 X 30
12	910.414.0	Washer			2	A10.5
13	908.758.0	Hex Nut			2	M10
14	910.347.0	Washer			2	17 X 37 X 3
15	250.496.0	Plastic Cloth			1	
16	910.413.0	Washer			6	A8.4
17	908.706.0	Hex Nut			6	NM8
18	900.614.0	Hex Head Bolt			6	M8 X 20
19	251.444.0	Clamping Strap			1	1540mm Long
20	251.446.0	Baffle Plate L/H			1	
21	250.516.0	Tine Conditioner Flap L/H			1	
22	251.350.0	Rear Side Plate L/H			1	
23	251.360.0	Tine Conditioner Housing L/H			1	
24	904.751.1	Flat Round Bolt			2	M10 X 20
25	909.502.0	Ring Nut			2	
26	906.202.1	Eye Bolt			2	
27	251.449.0	Guide Plate			2	



Tine Conditioner Housing R/H - AMT 5000

Tine Conditioner Housing R/H - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	908.711.1	Hex Nut			X	M12
2	910.506.0	Washer			X	13 X 24 X 2.5
3	904.882.1	Flat Round Bolt			X	M12 X 25
4	909.503.1	Ring Nut			3	M12
5	910.609.0	Washer			2	13 X 37 X 3
6	904.779.1	Flat Round Bolt			2	M12 X 45
7	904.884.0	Flat Round Bolt			X	M12 X 35
8	251.351.0	Rear Side Plate R/H			1	
9	250.517.0	Tine Conditioner Flap R/H			1	
10	250.520.0	Hinge Tube			2	
11	900.637.0	Hex Head Bolt			2	M10 X 30
12	910.414.0	Washer			2	A10.5
13	908.758.0	Hex Nut			2	M10
14	910.347.0	Washer			2	17 X 37 X 3
15	251.443.0	Plastic Cloth			1	
16	910.413.0	Washer			6	A8.4
17	908.706.0	Hex Nut			6	NM8
18	900.614.0	Hex Head Bolt			6	M8 X 20
19	250.548.0	Clamping Strap			1	1540mm Long
20	251.447.0	Baffle Plate R/H			1	
21	250.516.0	Tine Conditioner Flap L/H			1	
22	251.350.0	Rear Side Plate L/H			1	
23	251.361.0	Tine Conditioner Housing R/H			1	
24	904.751.1	Flat Round Bolt			2	M10 X 20
25	909.502.0	Ring Nut			2	
26	906.202.1	Eye Bolt			2	
27	251.449.0	Guide Plate			2	




448 436 0

Tine Conditioner Baffle Plate - AMT 4000

Tine Conditioner Baffle Plate - AMT 4000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	250.575.0	Crank		2		
2	250.373.0	Pin		2		
3	919.105.0	Grease Nipple		2		AM 8 X 1
4	912.670.0	Roll Pin		4		8 X 40
6	250.599.1	Spring Arm		2		
7	341.914.0	Tension Spring		2		
8	901.422.0	Hex Head Bolt		2		M8 X 45
9	251.518.0	Cover Plate		2		
10	908.706.0	Hex Nut		2		NM8
11	251.513.0	Conditioning Comb		2		
12	908.716.1	Hex Nut		2		NM16
13	910.512.2	Washer		4		B21
14	901.142.1	Hex Head Bolt		2		M16 X 110
15	250.574.0	U-Bracket		2		
16	910.014.0	Spring Washer		2		B16
17	903.205.0	Allen Screw		2		M16 X 20




448 798 0

Air Level - AMT 4000

Air Level - AMT 4000


Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	150.218.0	Air Level		1		
2	901.431.0	Hex Head Bolt		1		M10 X 40
3	904.731.1	Flat Round Bolt		1		M8 X 20
4	910.510.1	Washer		2		16
5	908.758.0	Hex Nut		2		M10
6	908.006.1	Hex Nut		2		M4
7	910.325.0	Washer		2		4.3 X 9.0 X .8
8	900.246.0	Hex Head Bolt		2		M4 X 25
9	052.053.1	Pressure Spring		1		
10	910.414.0	Washer		1		A10.5
11	908.212.0	Hex Nut		1		M10
12	910.413.0	Washer		1		A8.4
13	909.410.1	Wing Nut		1		M8
14	938.514.0	Air Level		1		
15	904.755.2	Flat Round Bolt		2		M10 X 40



Tine Conditioner Baffle Plate L/H - AMT 5000

Tine Conditioner Baffle Plate L/H - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	250.575.0	Crank			1	
2	250.373.0	Pin			1	
3	919.105.0	Grease Nipple			1	AM 8 X 1
4	912.670.0	Roll Pin			2	8 X 40
6	250.599.1	Spring Arm			1	
7	341.914.0	Tension Spring			1	
8	901.422.0	Hex Head Bolt			1	M8 X 45
9	251.344.0	Cover Left			1	
10	908.706.0	Hex Nut			1	NM8
11	251.340.0	Baffle Plate			1	
12	908.716.1	Hex Nut			1	NM16
13	910.512.2	Washer			2	B21
14	901.142.1	Hex Head Bolt			1	M16 X 110
15	250.574.0	U-Bracket			1	
16	910.014.0	Spring Washer			1	B16
17	903.205.0	Allen Screw			1	




448 402 1

Tine Conditioner Baffle Plate R/H - AMT 5000

Tine Conditioner Baffle Plate R/H - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	250.575.0	Crank			1	
2	250.373.0	Pin			1	
3	919.105.0	Grease Nipple			1	AM 8 X 1
4	912.670.0	Roll Pin			2	8 X 40
6	250.599.1	Spring Arm			1	
7	341.914.0	Tension Spring			1	
8	901.422.0	Hex Head Bolt			1	M8 X 45
9	251.345.0	Cover Right			1	
10	908.706.0	Hex Nut			1	NM8
11	251.340.0	Baffle Plate			1	
12	908.716.1	Hex Nut			1	NM16
13	910.512.2	Washer			2	B21
14	901.142.1	Hex Head Bolt			1	M16 X 110
15	250.574.0	U-Bracket			1	
16	910.014.0	Spring Washer			1	B16
17	903.205.0	Allen Screw			1	




448 610 2

Tine Conditioner Rotor L/H - AMT 4000

Tine Conditioner Rotor L/H - AMT 4000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	908.716.1	Hex Nut		33		NM16
2	901.482.0	Hex Head Bolt		1		M16 X 60
3	251.420.0	Stop		1		
4	910.303.0	Washer		4		17 X 30 X 3
5	900.677.0	Hex Head Bolt		2		M16 X 50
6	934.626.0	Bearing		1		
7	934.011.0	Flange Bearing Complete		1		Includes Item 6
8	910.899.0	Shim		X		45 X 55 X 1.0
9	910.732.0	Washer		1		45 X 55 X 3.0
10	900.656.0	Hex Head Bolt		6		M12 X 30
11	909.910.0	Spring Washer		6		SKM12
12	904.884.0	Flat Round Bolt		4		M12 X 35
13	251.424.0	Bracket		1		
14	910.506.0	Washer		4		13 X 24 X 2.5
15	908.711.1	Hex Nut		4		M12
16	345.458.4	Flange Bearing		1		
17	934.003.0	Bearing		1		UC 207 DG
18	956.036.0	Universal Joint		1		1 3/8" 6 Spline
19	908.758.0	Hex Nut		3		M10
20	909.909.0	Spring Washer		3		SKM10
21	251.425.0	Guard		1		
22	900.614.0	Hex Head Bolt		2		M8 X 20
23	909.908.0	Spring Washer		2		SKM8
24	250.551.3	Outer Tines		2		Includes Item 25
25	935.713.0	Bushing		30		EG 26/19 X 24
26	250.550.3	Inner Tines		28		Includes Item 25
27	250.500.0	Tine Bolt		30		
28	250.259.0	Tine Holder		30		
29	250.855.0	Stub Shaft		1		
30	910.727.0	Washer		1		S 35 X 45 X 2.5
31	911.134.0	Shim		X		35 X 45 X 1.0
35	251.432.0	Conditioner Rotor Complete		1		




448 437 2

Tine Conditioner Rotor R/H - AMT 4000

Tine Conditioner Rotor R/H - AMT 4000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	908.716.1	Hex Nut		40		NM16
2	901.482.0	Hex Head Bolt		1		M16 X 60
3	251.420.0	Stop		1		
4	908.711.1	Hex Nut		4		M12
5	910.506.0	Washer		4		13 X 24 X 2.5
6	904.884.0	Flat Round Bolt		4		M12 X 35
7	251.424.0	Bracket		1		
8	910.732.0	Washer		1		45 X 55 X 3.0
9	910.899.0	Shim		X		45 X 55 X 1.0
10	345.458.4	Flange Bearing		1		
11	909.909.0	Spring Washer		3		SKM10
12	908.758.0	Hex Nut		3		M10
13	934.003.0	Bearing		1		UC 207 DG
14	904.723.0	Flat Round Bolt		2		M16 X 50
15	904.708.0	Flat Round Bolt		2		M16 X 40
16	900.677.0	Hex Head Bolt		2		M16 X 50
17	910.303.0	Washer		8		17 X 30 X 3
18	251.528.0	Support Tube		1		
19	934.011.0	Flange Bearing Complete		1		Includes Item 20
20	934.626.0	Bearing		1		
21	900.632.0	Hex Head Bolt		2		M10 X 16
22	910.353.0	Washer		2		11 X 34 X 3
23	250.743.0	Cover Plate		1		
24	908.721.0	Hex Nut		1		M20
25	910.512.2	Washer		2		21 X 37 X 3
26	251.525.0	Bracket		1		
27	912.518.1	Roll Pin		3		21 X 24
28	909.912.0	Spring Washer		3		SKM16
29	901.127.0	Hex Head Bolt		1		M20 X 130
30	900.676.0	Hex Head Bolt		2		M16 X 45
31	901.154.0	Hex Head Bolt		1		M16 X 200
32	935.713.0	Bushing		30		EG 26/19 X 24
33	250.550.3	Inner Tine		30		Includes Item 32
34	250.500.0	Tine Bolt		30		
35	250.259.0	Tine Holder		30		
36	910.727.0	Washer		1		S 35 X 45 X 2.5
37	911.134.0	Shim		1		35 X 45 X 1.0
40	251.433.0	Conditioner Rotor Complete		1		




448 403 1

Tine Conditioner Rotor L/H - AMT 5000

Tine Conditioner Rotor L/H - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	908.716.1	Hex Nut			48	NM16
2	910.303.0	Washer			12	17 X 30 X 3
3	251.324.0	Support Tube			1	
4	934.011.0	Flange Bearing Complete			2	Includes Item 17
5	900.677.0	Hex Head Bolt			4	M16 X 50
6	901.149.0	Hex Head Bolt			1	M16 X 180
7	900.673.0	Hex Head Bolt			1	M16 X 25
8	910.899.0	Shim			X	45 X 55 X 1.0
9	910.732.0	Washer			2	S 45 X 55 X 3.0
11	904.708.0	Flat Round Bolt			4	M16 X 40
13	250.500.0	Tine Bolt			38	
14	250.550.3	Inner Tine			36	Includes Item 22
15	250.551.3	Outer Tine			2	Includes Item 22
16	250.259.0	Tine Holder			38	
17	934.626.0	Bearing			2	
18	900.656.0	Hex Head Bolt			6	M12 X 30
19	909.912.0	Spring Washer			6	SKM16
20	250.855.0	Stub Shaft			1	
21	900.676.0	Hex Head Bolt			1	M16 X 45
22	935.713.0	Bushing			38	EG 26/19 X 24
23	912.518.1	Roll Pin			1	21 X 24
24	909.912.0	Spring Washer			1	SKM16
25	251.358.1	Conditioner Rotor Complete			1	




448 404 1

Tine Conditioner Rotor R/H - AMT 5000

Tine Conditioner Rotor R/H - AMT 5000


Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	908.716.1	Hex Nut			48	NM16
2	910.303.0	Washer			10	17 X 30 X 3
3	910.506.0	Washer			12	13 X 24 X 2.5
4	934.011.0	Flange Bearing Complete			2	Includes Item 17
5	900.677.0	Hex Head Bolt			6	M16 X 50
6	909.912.0	Spring Washer			4	SKM16
7	900.673.0	Hex Head Bolt			1	M16 X 25
8	910.899.0	Shim			X	45 X 55 X 1.0
9	910.732.0	Washer			2	S 45 X 55 X 3.0
10	908.711.1	Hex Nut			12	M12
11	904.708.0	Flat Round Bolt			2	M16 X 40
12	904.779.1	Flat Round Bolt			8	M12 X 45
13	250.500.0	Tine Bolt			38	
14	250.550.3	Inner Tine			36	Includes Item 22
15	250.551.3	Outer Tine			2	Includes Item 22
16	250.259.0	Tine Holder			38	
17	934.626.0	Bearing			2	
18	904.983.1	Flat Round Bolt			4	M12 X 30
19	251.381.0	Bracket			2	
20	909.912.0	Spring Washer			6	SKM16
21	900.656.0	Hex Head Bolt			6	M12 X 30
22	935.713.0	Bushing			38	EG 26/19 X 24
23	250.855.0	Stub Shaft			1	
25	251.358.1	Conditioner Rotor Complete			1	



Tine Conditioner Drive - AMT 4000

Tine Conditioner Drive - AMT 4000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	251.549.0	V-Belt Guard		1		
2	274.327.2	Tension Spring		1		
3	919.509.0	Ball Knob		1		C 40
4	912.644.1	Roll Pin		1		6 X 40
5	910.514.1	Washer		1		26
6	904.882.1	Flat Round Bolt		2		M12 X 25
7	934.930.0	Bearing Bushing		2		MB 3520 DU
8	919.105.0	Grease Nipple		1		AM 8 X 1
9	912.677.0	Roll Pin		1		8 X 55
10	250.910.3	Rocker Arm		1		
11	908.711.1	Hex Nut		3		M12
12	250.911.3	Spring Tensioner		1		
13	340.439.2	Tension Spring		1		
14	918.300.0	Eye Bolt		1		M12 X 95/65
15	251.547.0	Drive Belt Housing		1		
16	910.506.0	Washer		2		13 X 24 X 2.5
17	250.909.1	Jockey Pulley Arm		1		
18	930.506.0	Bearing		2		6006 2RS
19	251.552.0	Jockey Pulley		1		
20	910.609.0	Washer		1		A 13
21	900.655.0	Hex Head Bolt		1		M12 X 25
22	910.035.0	Spring Washer		1		B12
23	921.507.0	V-Belt		1		
24	917.011.0	Lynch Pin		2		10 X 45
25	935.714.0	Bushing		2		EG 45/35 X 12
26	900.636.0	Hex Head Bolt		13		M10 X 25
27	909.909.0	Spring Washer		12		SKM10
28	250.894.0	V-Belt Pulley		1		DW 200
29	250.940.0	Hub		2		Includes Item 25
30	250.895.0	V-Belt Pulley		1		DW 251
31	900.673.0	Hex Head Bolt		8		M16 X 25
32	910.014.0	Spring Washer		8		B16
33	910.353.0	Washer		1		R11
34	908.704.1	Hex Nut		4		NM6
35	910.411.1	Washer		4		A6.4
36	900.607.0	Hex Head Bolt		4		M6 X 16
37	274.375.2	Hinge		2		
38	903.089.0	Allen Screw		2		M8 X 90




448 438 2

Tine Conditioner Drive - AMT 4000

Tine Conditioner Drive - AMT 4000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
39	908.706.0	Hex Nut		2		NM8 35 X 45 X 2.0
40	911.136.1	Shim		X		
41	251.475.0	Latch		1		
42	914.014.0	Rivet		2		




448 405 1

Tine Conditioner Drive L/H - AMT 5000

Tine Conditioner Drive L/H - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	251.398.1	V-Belt Guard			1	
2	274.327.2	Tension Spring			1	
3	919.509.0	Ball Knob			1	C 40
4	912.644.1	Roll Pin			1	6 X 40
5	910.514.1	Washer			1	26
6	904.882.1	Flat Round Bolt			2	M12 X 25
7	934.930.0	Bushing			2	MB 3520 DU
8	919.105.0	Grease Nipple			1	AM 8 X 1
9	912.677.0	Roll Pin			1	8 X 55
10	250.910.3	Rocker Arm			1	
11	908.711.1	Hex Nut			3	M12
12	250.911.3	Spring Tensioner			1	
13	340.439.2	Tension Spring			1	
14	918.300.0	Eye Bolt			1	M12 X 95/65
15	251.402.0	Drive Belt Housing L/H			1	
16	910.506.0	Washer			2	13 X 24 X 2.5
17	250.909.1	Jockey Pulley Arm			1	
18	930.506.0	Bearing			2	6006 2RS
19	250.924.0	Jockey Pulley			1	
20	910.609.0	Washer			1	A13
21	900.655.0	Hex Head Bolt			1	M12 X 25
22	910.035.0	Spring Washer			1	B12
23	921.506.0	V-Belt			1	
24	917.011.0	Lynch Pin			2	10 X 45
25	935.714.0	Bushing			2	EG 45/35 X 12
26	900.636.0	Hex Head Bolt			13	M10 X 25
27	909.909.0	Spring Washer			12	SKM10
28	250.890.0	V-Belt Pulley			1	DW 200
29	250.940.0	Hub			2	Includes Item 25
30	250.891.0	V-Belt Pulley			1	DW 251
31	900.673.0	Hex Head Bolt			4	M16 X 25
32	910.014.0	Spring Washer			4	B16
33	910.353.0	Washer			1	R11
34	908.704.1	Hex Nut			4	NM6
35	910.411.1	Washer			4	A6.4
36	900.607.0	Hex Head Bolt			4	M6 X 16
37	274.375.2	Hinge			2	
38	903.089.0	Allen Screw			2	M8 X 90




448 405 1

Tine Conditioner Drive L/H - AMT 5000

Tine Conditioner Drive L/H - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
39	908.706.0	Hex Nut			2	NM8
40	911.136.1	Shim			X	35 X 45 X 2.0
41	251.239.0	PTO Shaft Guard L/H			1	
42	903.207.0	Allen Screw			2	M16 X 25
43	910.014.0	Spring Washer			2	B16
44	251.475.0	Latch			1	
45	914.014.0	Rivet			2	




448 406 1

Tine Conditioner Drive R/H - AMT 5000

Tine Conditioner Drive R/H - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	251.399.0	V-Belt Guard R/H			1	
2	274.327.2	Tension Spring			1	
3	919.509.0	Ball Knob			1	C 40
4	912.644.1	Roll Pin			1	6 X 40
5	910.514.1	Washer			1	26
6	904.882.1	Flat Round Bolt			2	M12 X 25
7	934.930.0	Bushing			2	MB 3520 DU
8	919.105.0	Grease Nipple			1	AM 8 X 1
9	912.677.0	Roll Pin			1	8 X 55
10	251.405.0	Rocker Arm			1	
11	908.711.1	Hex Nut			3	M12
12	251.404.0	Spring Tensioner			1	
13	340.439.2	Tension Spring			1	
14	918.300.0	Eye Bolt			1	M12 X 95/65
15	251.403.0	Drive Belt Housing R/H			1	
16	910.506.0	Washer			2	13 X 24 X 2.5
17	250.909.1	Jockey Pulley Arm			1	
18	930.506.0	Bearing			2	6006 2RS
19	250.924.0	Jockey Pulley			1	
20	910.609.0	Washer			1	A13
21	900.655.0	Hex Head Bolt			1	M12 X 25
22	910.035.0	Spring Washer			1	B12
23	921.506.0	V-Belt			1	
24	917.011.0	Lynch Pin			2	10 X 45
25	935.714.0	Bushing			2	EG 45/35 X 12
26	900.636.0	Hex Head Bolt			13	M10 X 25
27	909.909.0	Spring Washer			12	SKM10
28	250.890.0	V-Belt Pulley			1	DW 200
29	250.940.0	Hub			2	Includes Item 25
30	250.891.0	V-Belt Pulley			1	DW 251
31	900.673.0	Hex Head Bolt			4	M16 X 25
32	910.014.0	Spring Washer			4	B16
33	910.353.0	Washer			1	R11
34	908.704.1	Hex Nut			4	NM6
35	910.411.1	Washer			4	A6.4
36	900.607.0	Hex Head Bolt			4	M6 X 16
37	274.375.2	Hinge			2	
38	903.089.0	Allen Screw			2	M8 X 90




448 406 1

Tine Conditioner Drive R/H - AMT 5000

Tine Conditioner Drive R/H - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
39	908.706.0	Hex Nut			2	NM8
40	911.136.1	Shim			X	35 X 45 X 2.0
41	251.388.0	Hand Lever			1	
42	912.675.0	Roll Pin			1	8 X 45
43	251.235.0	PTO Shaft Guard R/H			1	
44	910.014.0	Spring Washer			2	B16
45	903.207.0	Allen Screw			2	M16 X 25
46	251.475.0	Latch			1	
47	914.014.0	Rivet			2	




448 413 1

Oscillation Limiter - AMT 5000

Oscillation Limiter - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	910.514.1	Washer			4	26 X 44 X 4
2	912.670.0	Roll Pin			4	8 X 40
3	251.483.0	Pin			4	
4	923.221.0	Intermediate Control Arm			1	230mm Long
5	251.325.0	Telescoping Control Arm			1	
6	919.106.0	Grease Nipple			1	BM 8 X 1
7	900.634.0	Hex Head Bolt			4	M10 X 20
8	909.909.0	Spring Washer			4	SKM10




448 439 1

Front and Side Guards - AMT 4000

Front and Side Guards - AMT 4000


Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	904.708.0	Flat Round Bolt		4		M16 X 40
2	250.814.2	Guard Support L/H		1		
3	925.104.0	Clamp		4		Bo. = 28
4	925.130.0	Cover Plate		4		
5	250.851.0	Locking Plate		4		
6	901.435.0	Hex Head Bolt		8		M10 X 60
7	250.845.0	Clamping Strap L/H		1		
8	250.844.0	Clamping Strap L/H		1		
9	250.843.0	Clamping Strap		2		230mm Long
10	250.842.0	Clamping Strap		2		120mm Long
11	250.812.1	Guard L/H		1		
12	908.716.1	Hex Nut		4		NM16
13	910.362.0	Washer		4		17
14	901.437.0	Hex Head Bolt		6		M10 X 70
15	925.128.0	Clamp		3		Bo. = 33.7
16	925.125.0	Cover Plate		3		
17	250.850.0	Locking Plate		1		
18	251.529.0	Front Guard		1		
19	908.706.0	Hex Nut		38		NM8
20	251.536.0	Front Plastic Cloth L/H		1		
21	910.413.0	Washer		38		A8.4
22	900.614.0	Hex Head Bolt		38		M8 X 20
23	251.537.0	Clamping Strap		2		
24	250.815.2	Guard Support R/H		1		
25	250.813.2	Guard R/H		1		
26	250.846.0	Clamping Strap R/H		1		
27	251.542.0	Front Plastic Cloth R/H		1		
28	251.535.0	Clamping Strap		1		420mm Long
29	912.501.0	Roll Pin		6		12 X 30
30	250.847.0	Clamping Strap R/H		1		
31	250.494.1	Plastic Cloth R/H		1		
32	250.493.0	Plastic Cloth L/H		1		
33	250.745.0	Support		1		
34	904.813.0	Flat Round Bolt		1		M8 X 30



Front and Side Guards L/H - AMT 5000

Front and Side Guards L/H - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	900.614.0	Hex Head Bolt			16	M8 X 20
2	910.413.0	Washer			24	8.4 X 17 X 1.6
3	251.246.0	Clamping Strap			1	
4	251.267.0	Plastic Cloth L/H			1	
5	251.245.0	Clamping Strap			1	
6	910.603.0	Washer			22	A8.4
7	908.706.0	Hex Nut			24	NM8
8	251.249.0	Guard L/H			1	
9	908.716.1	Hex Nut			4	NM16
10	910.303.0	Washer			4	17 X 30 X 3
11	904.782.0	Flat Round Bolt			4	M16 X 70
12	904.813.0	Flat Round Bolt			1	M8 X 30
13	251.262.0	Support			1	
14	901.437.0	Hex Head Bolt			4	M10 X 70
15	925.128.0	Clamp			2	Bo. = 33.7
16	925.125.0	Cover Plate			2	
17	250.850.0	Locking Plate			2	
18	251.272.0	Tube L/H			1	
19	901.425.0	Hex Head Bolt			1	M8 X 60
20	251.270.0	Flat Steel			1	
21	251.269.0	Clamping Strap			1	
22	900.616.0	Hex Head Bolt			2	M8 X 25
23	901.048.0	Hex Head Bolt			2	M8 X 65
24	251.274.1	Plastic Cloth			1	
25	251.253.0	Front Guard Left			1	
26	904.732.1	Flat Round Bolt			2	M8 X 25
27	251.264.0	Clamping Strap			1	
28	251.263.0	Clamping Strap			2	
29	251.265.0	Front Plastic Cloth L/H			1	
30	912.501.0	Roll Pin			4	12 X 30




Front and Side Guards R/H - AMT 5000

448 410 1

Front and Side Guards R/H - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	900.614.0	Hex Head Bolt			14	M8 X 20
2	910.413.0	Washer			24	8.4 X 17 X 1.6
3	251.246.0	Clamping Strap			1	
4	251.245.0	Clamping Strap			1	
5	251.268.0	Plastic Cloth R/H			1	
6	910.603.0	Washer			24	8.4 X 24 X 2
7	908.706.0	Hex Nut			24	NM8
8	908.716.1	Hex Nut			4	NM16
9	910.303.0	Washer			4	17 X 30 X 3
10	904.782.0	Flat Round Bolt			4	M16 X 70
11	904.813.0	Flat Round Bolt			1	M8 X 30
12	251.262.0	Support			1	
13	900.616.0	Hex Head Bolt			8	M8 X 25
14	251.273.0	Clamping Strap			1	
15	251.278.1	Clamping Strap			1	
16	251.281.0	Bracket			1	
17	251.474.1	Plastic Cloth			1	
18	251.277.0	Tube R/H			1	
19	250.850.0	Locking Plate			2	
20	925.125.0	Cover Plate			2	
21	925.128.0	Clamp			2	Bo. = 33.7
22	901.437.0	Hex Head Bolt			4	M10 X 70
23	251.257.0	Front Guard R/H			1	
24	251.266.0	Front Plastic Cloth R/H			1	
25	251.269.0	Clamping Strap			1	
26	251.264.0	Clamping Strap			1	
27	904.732.1	Flat Round Bolt			2	M8 X 25
28	251.250.0	Guard R/H			1	
29	912.501.0	Roll Pin			4	12 X 30




448 416 2

Warning Panel

Warning Panel

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	901.061.0	Hex Head Bolt		8	8	M10 X 45
3	251.209.1	Bracket		1	1	
4	260.490.0	Warning Panel		2	2	
	924.569.0	Decal		2	2	
5	910.506.0	Washer		8	8	13 X 24 X 2.5
6	908.711.1	Hex Nut		8	8	M12
7	909.909.0	Spring Washer		8	8	SKM10
8	908.212.0	Hex Nut		8	8	M10
9	900.657.0	Hex Head Bolt		8	8	M12 X 35
10	251.205.0	Warning Panel Bracket L/H		2	2	
11	463.431.0	Square Plug		2	2	
12	900.287.0	Hex Head Bolt		2	2	M10 X 70
13	910.353.0	Washer		2	2	R11




448 440 0

Flotation Springs - AMT 4000

Flotation Springs - AMT 4000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	143.158.2	Spindle		3		
2	251.556.0	Bearing		1		Rd. 40 X 154
3	250.372.0	Bearing		1		Rd. 40 X 84
4	145.156.2	Tension Spring		3		Rd. 13 X 598
5	910.702.0	Washer		2		S 30 X 42 X 2.5
6	934.901.0	Bushing		3		MB 3040 DU
7	251.242.0	Threaded Piece		1		Includes Item 6
8	250.771.0	Threaded Piece		1		Includes Item 6
9	911.504.0	Circlip		1		A 30 X 2.0
10	919.106.0	Grease Nipple		2		BM 8 X 1




448 414 0

Flotation Springs - AMT 5000

Flotation Springs - AMT 5000


Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	143.158.2	Spindle			4	
2	250.372.0	Bearing			4	
3	145.155.2	Tension Spring			2	Rd. 10 X 600
	145.156.2	Tension Spring			2	Rd. 13 X 598
4	911.504.0	Circlip			4	A 30 X 2.0
5	910.702.0	Washer			4	S 30 X 42 X 2.5
6	919.105.0	Grease Nipple			4	AM 8 X 1
7	251.242.0	Threaded Piece			4	Includes Item 8
8	934.901.0	Bushing			4	MB 3040 DU



Drawbar Hydraulic System

Drawbar Hydraulic System

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	921.171.0	Dust Cap		2	2	
2	921.263.0	Dust Cap		1	1	
3	921.145.0	Plug		3	3	M18 X 1.5
4	937.727.0	Gasket Ring		2	2	A18 X 24 X 1.5
5	920.930.0	Ball Cock		2	2	M18 X 1.5
6	921.019.1	High Pressure Hose		3	3	2200mm Long
7	921.089.1	Connector		3	3	L12
8	908.524.1	Hex Nut		3	3	M18 X 1.5
9	921.046.1	Cutting Ring		8	8	L12
10	921.206.0	Union Nut		8	8	AL12
11	045.506.0	Hydraulic Pipe		3	3	12 X 1.5 - 1m Long
12	920.901.0	Male Connector		2	2	L12
14	921.077.1	Hydraulic Tee		1	1	L12
15	921.126.0	Flow Divider		1	1	
16	921.093.1	Male Connector		1	1	M18 X 1.5
17	921.067.1	Connector		1	1	L12
18	921.003.1	High Pressure Hose		2	2	620mm Long
19	921.001.0	High Pressure Hose		1	1	600mm Long
20	921.066.1	L-Connector		1	1	L12
21	903.477.1	Allen Screw		X	X	AM 6 X 20
22	925.107.1	Clamp		X	X	12 Bo.
23	901.042.0	Hex Head Bolt		X	X	M8 X 35
24	925.134.0	Cover Plate		X	X	
25	925.105.0	Clamp		X	X	Bo. 12/12
26	921.054.1	Connector		1	1	L12




448 421 1

Drawbar Hydraulic Cylinder

Drawbar Hydraulic Cylinder


Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	912.670.0	Roll Pin		2	2	8 X 40
2	900.638.0	Hex Head Bolt		2	2	M10 X 35
3	251.111.0	Pin		2	2	
4	909.909.0	Spring Washer		4	4	SKM10
5	908.758.0	Hex Nut		2	2	M10
6	251.116.0	Limit Stop		1	1	
7	924.260.0	Rubber Pad		1	1	
8	908.500.0	Hex Nut		2	2	M10
9	900.634.0	Hex Head Bolt		2	2	M10 X 20
10	251.171.0	Indicator		1	1	
11	910.639.1	Washer		1	1	11 X 48 X 5
12	900.632.0	Hex Head Bolt		1	1	M10 X 16
13	250.974.0	Hydraulic Ram		1	1	Includes Items 14 & 15
		918.730.0	Seal Kit	1	1	
14	920.890.0	Valve		1	1	
15	921.234.0	Adjustable Restrictor		1	1	



Main Frame Hydraulic System - Working Wheels

Main Frame Hydraulic System - Working Wheels

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	910.515.0	Washer		4	4	30 X 50 X 4
2	332.745.0	Pin		2	2	Rd. 30 X 100
3	912.645.0	Roll Pin		4	4	6 X 45
4	900.637.0	Hex Head Bolt		2	2	M10 X 30
5	910.414.0	Washer		2	2	A10.5
6	908.758.0	Hex Nut		2	2	M10
7	251.172.1	Pin		1	1	Rd. 30 X 135
8	912.716.1	Roll Pin		2	2	10 X 50
9	251.033.0	Hydraulic Cylinder		1	1	
	918.728.0	Seal Kit		1	1	
10	921.046.1	Cutting Ring		8	6	L12
11	921.206.0	Union Nut		8	6	AL12
12	045.506.0	Hydraulic Pipe		4	3	12 X 1.5 - 1m Long
13	901.042.0	Hex Head Bolt		X	X	M8 X 35
14	925.134.0	Cover Plate		X	X	
15	925.105.0	Clamp		X	X	Bo. 12/12
16	903.477.1	Allen Screw		X	X	AM 6 X 20
17	925.107.1	Clamp		X	X	12 Bo.
18	921.001.0	High Pressure Hose		2	2	600mm Long
19	921.024.0	High Pressure Hose		1	1	600mm Long
20	251.032.0	Hydraulic Cylinder		1	1	
	918.729.0	Seal Kit		1	1	
21	920.901.0	Male Connector		1	1	L12
22	251.285.0	Pin		1	1	
23	924.007.0	Hose Clamp		1	1	
24	921.054.1	Connector		1		L12




448 441 1

Main Frame Hyd. System - Transport Wheels - AMT 4000

Main Frame Hydraulic System - Transport Wheels - AMT 4000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	921.258.1	High Pressure Hose		2		670mm Long
2	908.208.0	Hex Nut		4		M6
3	910.032.0	Spring Washer		4		B6
4	910.340.0	Washer		2		13 X 24 X 2.5
5	920.940.0	Ball Cock		2		
6	901.412.0	Hex Head Bolt		4		M6 X 50
7	920.941.0	Handle		1		
8	921.046.1	Cutting Ring		8		L12
9	921.206.0	Union Nut		8		AL12
10	045.506.0	Hydraulic Pipe		4		12 X 1.5 - 1m Long
11	921.079.1	Adjustable L Connector		2		L12
12	901.042.0	Hex Head Bolt		X		M8 X 35
13	925.134.0	Cover Plate		X		
14	925.105.0	Clamp		X		Bo. 12/12
15	910.514.1	Washer		6		26 X 44 X 4
16	153.088.0	Pin		1		25 X 104
17	912.670.0	Roll Pin		2		8 X 40
18	250.975.2	Hydraulic Cylinder		1		Dz 45/50 X 800/320 - Includes Items 21 & 22
	918.727.0	Seal Kit		1		
19	908.758.0	Hex Nut		X		M10
20	901.435.0	Hex Head Bolt		X		M10 X 60
21	921.234.0	Adjustable Restrictor		2		
22	920.890.0	Valve		2		
23	921.028.1	High Pressure Hose		2		1000mm Long
24	921.054.1	Connector		2		L12
26	920.972.0	High Pressure Hose		2		500mm Long
27	912.670.0	Roll Pin		4		8 X 40
28	274.066.3	Pin		2		25 X 80
30	918.413.0	Hydraulic Cylinder		1		Dz 35/55 X 600/860 - Includes Items 21 & 22
	918.745.0	Seal Kit		1		




448 423 1

Main Frame Hyd. System - Transport Wheels - AMT 5000

Main Frame Hydraulic System - Transport Wheels - AMT 5000


Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	921.258.1	High Pressure Hose		2		670mm Long
2	908.208.0	Hex Nut		4		M6
3	910.032.0	Spring Washer		4		B6
4	910.340.0	Washer		2		13 X 24 X 2.5
5	920.940.0	Ball Cock		2		
6	901.412.0	Hex Head Bolt		4		M6 X 50
7	920.941.0	Handle		1		
8	921.046.1	Cutting Ring		8		L12
9	921.206.0	Union Nut		8		AL12
10	045.506.0	Hydraulic Pipe		4		12 X 1.5 - 1m Long
11	921.054.1	Connector		4		L12
12	901.042.0	Hex Head Bolt		X		M8 X 35
13	925.134.0	Cover Plate		X		
14	925.105.0	Clamp		X		Bo. 12/12
15	910.514.1	Washer		6		26 X 44 X 4
16	153.088.0	Pin		1		25 X 104
17	912.670.0	Roll Pin		2		8 X 40
18	250.975.2	Hydraulic Cylinder		1		Dz 45/50 X 800/320 - Includes Items 21 & 22
	918.727.0	Seal Kit		1		
19	908.758.0	Hex Nut		X		M10
20	901.435.0	Hex Head Bolt		X		M10 X 60
21	920.890.0	Valve		2		
22	921.234.0	Adjustable Restrictor		2		
23	921.028.1	High Pressure Hose		2		1000mm Long
24	921.077.1	Hydraulic Tee		2		L12
26	920.972.0	High Pressure Hose		2		500mm Long
27	912.670.0	Roll Pin		4		8 X 40
28	274.066.3	Pin		2		25 X 80
30	918.413.0	Hydraulic Cylinder		1		Dz 35/55 X 600/860 - Includes Items 21 & 22
	918.745.0	Seal Kit		1		



Tool Box

Tool Box


Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	917.104.0	Spring Clip		1	1	4
2	922.650.0	Chain		1	1	
3	251.091.0	Tool Box		1	1	
4	144.615.2	Limit Chain w/Hooks		1	1	
5	910.515.0	Washer		1	1	30 X 50 X 4
6	912.745.2	Roll Pin		1	1	12 X 50



Lighting System

Lighting System

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	924.576.0	Plug		2	2	7 Pole
2	924.610.1	Extension Cable		1	1	2.8m Long
3	924.633.0	Intermediate Cable		1	1	6.25m Long
4	924.622.0	Intermediate Cable		1	1	3.1m Long
5	924.571.0	Socket		1	1	7 Pole
6	903.661.0	Allen Screw		2	2	AM 5 X 30
7	910.031.0	Spring Washer		2	2	B5
8	908.207.0	Hex Nut		10	10	M5
9	924.572.0	Plastic Guard		2	2	
10	924.697.0	Lamp R/H		1	1	
	924.699.0	Lens for Lamp		1	1	
11	924.623.0	Lens for Lamp		2	2	
12	924.611.0	Lamp		2	2	Includes Item 11
13	924.627.0	Cable		2	2	2 pole - 3100mm Long
14	924.698.0	Lamp L/H		1	1	
	924.699.0	Lens for Lamp		1	1	
15	922.671.0	Plastic Tie		X	X	4.8 X 178
16	924.535.1	Rear Reflector Red		2	2	
17	925.112.0	Cable Clip		X	X	
18	924.628.0	Cable		2	2	4 pole - 2600mm Long
19	924.634.0	Side Reflector Yellow		2	2	
25	251.029.0	Lighting System Complete		1	1	




50

448 443 0

Swing Gearbox Components

Swing Gearbox Components

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	955.536.0	Gearbox Housing		1	1	
2	955.537.0	Gearbox Housing		1	1	
3	955.538.0	Bearing Housing		2	2	
5	955.539.0	Bevel Gear		2	2	Z=23
6	955.540.0	Pinion Shaft		2	2	Z=17
8	955.541.0	Shaft		1	1	
9	909.553.0	Nut		2	2	M40 X 1.5
10	955.945.0	Adjusting Nut		1	1	M65 X 2
11	910.837.0	Shim		X	X	135 X 190 X .2
12	910.838.0	Shim		X	X	135 X 190 X .3
13	910.839.0	Shim		X	X	135 X 190 X .5
16	911.025.0	Shim		X	X	100 X 120 X .1
18	911.029.0	Shim		X	X	100 X 120 X 1.0
19	910.841.0	Shim		X	X	28 X 40 X .1
20	910.846.0	Shim		X	X	28 X 40 X .3
22	910.818.0	Shim		X	X	28 X 40 X 1.0
23	910.609.0	Washer		X	X	13 X 37 X 3
24	909.923.0	Cup Spring		X	X	40 X 20.4 X 1.5
25	930.325.0	Bearing		1	1	6311 RS C3
26	932.127.0	Tapered Roller Bearing		2	2	30310
27	932.176.0	Tapered Roller Bearing		2	2	32008 X
28	932.183.0	Tapered Roller Bearing		1	1	32016 X
29	932.180.0	Tapered Roller Bearing		1	1	32013
30	936.021.0	Radial Seal		2	2	35 X 80 X 12 B2
31	936.447.0	Radial Seal		1	1	80 X 110 X 10 B2
32	930.325.0	Bearing		1	1	6311 RS C3
33	911.694.0	Circlip		2	2	l120 X 4.0
34	911.549.0	Circlip		X	X	A45 X 1.75
35	906.007.0	Screw Plug		X	X	M16 X 1.5
36	937.721.0	Gasket Ring		X	X	16 X 22 X 1.5
37	955.542.0	Four Lobe Seal		1	1	
38	915.169.0	Flat Key		2	2	B12 X 8 X 56
39	955.543.0	Breather Screw		2	2	
40	900.656.0	Hex Head Bolt		X	X	M12 X 30
42	936.352.1	Radial Seal		1	1	B2 40 X 65 X 10
44	955.544.0	Cap		2	2	120 X 12
50	251.030.0	Swing Gearbox		1	1	




448 442 0

Angle Gearbox Components

Angle Gearbox Components

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	955.526.0	Gearbox Housing		1	1	
2	955.527.0	Gear Case Hub		1	1	
3	955.528.0	Shaft		1	1	
4	955.529.0	Shaft		1	1	
5	955.535.0	Bevel Gear Set		1	1	
6	955.530.0	Spacer Bushing		1	1	
7	955.531.0	Gasket		X	X	.19mm Thick
8	955.532.0	Gasket		X	X	.25mm Thick
9	955.533.0	Gasket		X	X	.35mm Thick
10	932.106.0	Tapered Roller Bearing		1	1	30207 A
11	932.152.0	Tapered Roller Bearing		1	1	32207 A
12	932.107.0	Tapered Roller Bearing		1	1	30208 A
13	932.137.0	Tapered Roller Bearing		1	1	30308 A
14	936.014.0	Radial Seal		1	1	35 X 72 X 10 B2
15	936.021.0	Radial Seal		1	1	35 X 80 X 12 B2
16	911.668.0	Circlip		2	2	172 X 2.5
18	910.833.0	Shim		X	X	62 X 72 X .1
19	910.834.0	Shim		X	X	62 X 72 X .3
21	910.915.0	Shim		X	X	56 X 72 X 2.0
22	910.885.0	Shim		X	X	40 X 50 X 2.0
23	910.891.0	Shim		X	X	40 X 50 X 1.0
24	908.560.0	Hex Nut		1	1	M35 X 1.5
25	906.007.0	Screw Plug		1	1	M16 X 1.5
26	900.656.0	Hex Head Bolt		X	X	M12 X 30
27	937.727.0	Gasket Ring		1	1	A18 X 24 X 1.5
28	955.534.0	Cap		1	1	72 X 9
30	251.031.0	Angle Gearbox Complete		1	1	
	926.101.0	Oil		2	2	1 Liter SAE 90




448 453 0

Main PTO Shaft

Main PTO Shaft

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	949.174.0	PTO Shaft Complete		1	1	W2500-SD25-560
4	949.230.0	Outer Guard Tube		1	1	
5	949.231.0	Inner Guard Tube		1	1	
11	949.442.0	Outer Yoke		2	2	1 3/8" 6 Spline
12	949.630.0	Locking Pin Complete		2	2	
21	949.447.0	Cross Assembly		2	2	
22	949.629.0	Grease Nipple		2	2	M8 X 1
23	949.499.0	Grooved Yoke		1	1	
24	912.724.0	Roll Pin		2	2	10 X 90
25	949.999.0	Inner Profile Tube		1	1	
26	949.247.0	Outer Profile Tube		1	1	
27	949.248.0	Grooved Yoke		1	1	
53	949.249.0	Ring		2	2	
54	949.861.0	Bearing Ring		2	2	
56	949.852.0	Chain		2	2	




448 454 0

Gearbox to Gearbox PTO Shaft

Gearbox to Gearbox PTO Shaft

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	949.176.0	PTO Shaft Complete		1	1	W2500-292
11	949.422.0	Outer Yoke		1	1	
12	949.630.0	Locking Pin Complete		1	1	
13	949.998.0	Outer Yoke		1	1	1 3/8" 6 Spline
21	949.447.0	Cross Assembly		2	2	
22	919.107.0	Grease Nipple		2	2	CM 8 X 1
23	949.248.0	Grooved Yoke		2	2	
24	912.724.0	Roll Pin		2	2	10 X 90
25	949.247.0	Profile Tube		1	1	




448 455 0

Intermediate PTO Shaft

Intermediate PTO Shaft

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	949.177.0	PTO Shaft Complete		1	1	W2400-SC25-710-FK96/4R
4	955.211.0	Outer Guard Tube		1	1	
5	955.255.0	Inner Guard Tube		1	1	
11	949.522.0	Outer Yoke		1	1	1 3/8" 6 Spline
12	949.630.0	Locking Pin Complete		1	1	
13	949.984.0	Friction Clutch		1	1	1380 NM
	949.261.0	Friction Disc		4	4	
21	949.521.0	Cross Assembly		2	2	
22	949.629.0	Grease Nipple		2	2	M8 X 1
23	949.233.0	Grooved Yoke		1	1	
24	912.722.0	Roll Pin		2	2	10 X 80
25	949.386.0	Inner Profile Tube		1	1	
26	955.256.0	Outer Profile Tube		1	1	
27	949.238.0	Grease Nipple		1	1	
28	949.272.0	Grooved Yoke		1	1	
53	949.861.0	Bearing Ring		2	2	
56	949.852.0	Chain		1	1	




448 456 0

Right Mower PTO Shaft - AMT 5000

Right Mower PTO Shaft - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	949.178.0	PTO Shaft Complete			1	W2300-SC25/1-1410-F5/1L
4	949.339.0	Outer Guard Tube			1	
5	949.340.0	Inner Guard Tube			1	
11	949.463.0	Outer Yoke			1	1 3/8"
12	949.630.0	Locking Pin Complete			1	
13	949.357.0	Over-running Clutch			1	1 3/8" 6 Spline
21	949.462.0	Cross Assembly			2	
22	919.107.0	Grease Nipple			2	CM 8 X 1
23	949.430.0	Grooved Yoke			1	
24	912.721.0	Roll Pin			2	10 X 75
25	949.345.0	Inner Profile Tube			1	
26	949.346.0	Outer Profile Tube			1	
27	949.436.0	Grooved Yoke			1	
53	949.861.0	Bearing Ring			2	
55	949.852.0	Chain			1	




448 457 0

Left Mower PTO Shaft - AMT 5000

Left Mower PTO Shaft - AMT 5000

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	949.179.0	PTO Shaft Complete			1	W2300-SC25/1-1410-K96
4	949.339.0	Outer Guard Tube			1	
5	949.340.0	Inner Guard Tube			1	
11	949.463.0	Outer Yoke			1	1 3/8"
12	949.630.0	Locking Pin Complete			1	
13	949.983.0	Friction Clutch			1	1300 NM
	949.261.0	Friction Disc			2	
21	949.462.0	Cross Assembly			2	
22	919.107.0	Grease Nipple			2	CM 8 X 1
23	949.430.0	Grooved Yoke			1	
24	912.721.0	Roll Pin			2	10 X 75
25	949.345.0	Inner Profile Tube			1	
26	949.346.0	Outer Profile Tube			1	
27	949.436.0	Grooved Yoke			1	
53	949.861.0	Bearing Ring			2	
55	949.852.0	Chain			1	



447 779 0

Drawbar U-Joint

Drawbar U-Joint

Item	Part Number	Description	Serial # Ranges	AMT 4000 CV	AMT 5000 CV	Notes
1	949.160.0	Universal Joint Complete		1	1	
11	949.380.0	Outer Yoke		2	2	1 3/8" 6 Spline
12	901.122.0	Hex Head Bolt		2	2	M12 X 70
13	908.711.1	Hex Nut		2	2	M12
21	949.521.0	Cross Assembly Complete		1	1	
22	949.629.0	Grease Nipple		1	1	M8 X 1