


## Table Of Contents

Headstock .....	2	Additional Depth Wheel .....	48
Jack Stand .....	4	Rotor Undercarriage - S/N 468000 & Later .....	50
Swing Gearbox .....	6	Depth Wheel - S/N 454700-467999 .....	52
Gearbox .....	8	Wheel with Swinging Axle .....	54
Main Frame .....	10	Windrow Curtain .....	56
Rear Frame Hydraulics .....	12	Rotor Safety Frames R/H .....	58
Rear Frame Hydraulics .....	14	Rotor Safety Frames L/H .....	60
Rear Wheels .....	16	Spring Compensation .....	62
Steering Rod .....	18	Pulling Support .....	64
Main Gearbox .....	20	Steering Hydraulics .....	66
Frame Reinforcement .....	22	Hydraulic Valve Block .....	68
Inner Rotor Arm .....	24	Rotor Arm Hydraulics .....	70
Gearbox Left Hand .....	26	Electric Rotor Height Adjustment .....	72
Gearbox Left Hand .....	28	Electronic Controls .....	74
Gearbox Right Hand .....	30	Lighting Bracket .....	76
Gearbox Right Hand .....	32	Lighting .....	78
Cam Track .....	34	PTO Shaft .....	80
Outer Rotor Arm .....	36	Double Universal Joint .....	82
Inner Tine Arm .....	38	Wide Angle Universal Joint "F" .....	84
Outer Tine Arm .....	40	Wide Angle Universal Joint "B" .....	86
Tine Savers .....	42	Universal Joint .....	88
Rotor Locking Mechanism .....	44	Warning Decals .....	90
Rotor Undercarriage - S/N 454700-467999 .....	46	General Information Decals .....	92




448 847 1

# Headstock

## Headstock


Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	908.716.1	Hex Nut		X	NM16
2	910.214.0	Spring Washer		X	C 16.5
3	155.220.3	Gearbox Support		X	
4	919.105.0	Grease Fitting		X	AM 8 X 1
5	155.295.0	Collar Bushing		X	Rd. 95/105/125 X 30
6	265.683.0	Headstock		X	
7	912.111.1	Cotter Pin		X	6.3 X 50
8	265.704.0	Pin		X	
9	265.699.0	Lower Link Rail		X	Includes Item 11
10	910.732.0	Washer		X	45 X 55 X 3.0
11	934.932.0	Bushing		X	BB 4526 DU
12	910.334.0	Washer		X	36 X 60 X 5
13	908.943.0	Castle Nut		X	M36 X 1.5
14	265.705.0	Guard		X	
15	910.413.0	Washer		X	A 8.4
16	900.612.0	Hex Head Bolt		X	M8 X 16
17	900.660.0	Hex Head Bolt		X	M16 X 40-10.9
18	265.701.0	Lower Link Pin		X	
19	265.778.0	Guard		X	
20	900.616.0	Hex Head Bolt		X	M8 X 25
21	909.908.0	Detent Edged Washer		X	SKM 8
22	908.706.0	Hex Nut		X	M8



# Jack Stand

## Jack Stand

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	955.219.0	PTO Guard		X	
2	924.007.0	Hose Clamp		X	
3	250.740.0	PTO Shaft Holder		X	
4	917.105.0	Spring Clip		X	5
5	155.339.0	Pin		X	
6	922.651.2	Chain		X	
7	155.435.0	Right Bracket		X	
8	908.721.0	Hex Nut		X	NM20
9	155.436.0	Left Bracket		X	
10	900.632.0	Hex Head Bolt		X	M10 X 16
11	909.912.0	Detent Edged Washer		X	SKM 16
12	900.335.1	Hex Head Bolt		X	M16 X 30
13	900.688.0	Hex Head Bolt		X	M20 X 50
14	265.707.0	Jack Stand		X	




447 955 3

# Swing Gearbox

## Swing Gearbox

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	151.703.0	Gearbox		X	
	926.101.0	Oil		X	.5 Liter SAE 90
2	936.339.0	Radial Seal		X	A 35 X 80 X 13
3	911.673.0	Circlip		X	I 80 X 2.5
4	910.741.0	Washer		X	S 63 X 80 X 3.0
5	911.022.0	Shim		X	70 X 80 X .1
	911.023.0	Shim		X	70 X 80 X .3
	911.024.0	Shim		X	70 X 80 X 1.0
6	932.177.0	Tapered Roller Bearing		X	32010
7	151.702.0	Bevel Gear		X	Z=19
8	151.839.0	Gearbox Shaft		X	Rd. 42 X 270
9	915.122.0	Flat Key		X	A 10 X 8 X 40
10	145.396.1	Gearbox Housing		X	
11	906.040.1	Screw Plug		X	
12	930.167.0	Bearing		X	6307
13	925.205.1	Core Plug		X	
14	911.541.0	Circlip		X	35 X 1.5
15	911.132.0	Shim		X	35 X 45 X .3
	911.133.0	Shim		X	35 X 45 X .5
	911.134.0	Shim		X	35 X 45 X 1.0
17	145.215.3	Gearbox Shaft		X	42 X 193
18	910.900.0	Shim		X	50 X 62 X .1
	910.902.0	Shim		X	50 X 62 X .3
	910.903.0	Shim		X	50 X 62 X .5
	910.904.0	Shim		X	50 X 62 X 1.0
19	932.155.0	Tapered Roller Bearing		X	32210 A
20	145.212.0	Gearbox Seal		X	
21	146.976.2	Gearbox Cover		X	
22	930.137.0	Bearing		X	6207
23	910.727.0	Washer		X	S 35 X 45 X 2.5
24	936.337.0	Radial Seal		X	A 35 X 72 X 12
25	900.655.0	Hex Head Bolt		X	M12 X 25
26	910.035.0	Spring Washer		X	B 12
27	925.901.0	Angle		X	
28	919.821.1	Breather		X	R 1/4"
29	920.931.0	Threaded Reducing Adapter		X	M18 X 1.5 - R 1/4"
30	151.701.0	Bevel Wheel		X	Z=23




# Gearbox

447 956 2

## Gearbox

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	265.780.0	Gearbox		X	.5 Liter SAE 90  I 80 X 2.5 S 63 X 80 X 3.0
	926.101.0	Oil		X	
2	925.205.1	Core Plug		X	
3	911.673.0	Circlip		X	
4	910.741.0	Washer		X	
5	911.022.0	Shim		X	70 X 80 X .1
	911.023.0	Shim		X	70 X 80 X .3
	911.024.0	Shim		X	70 X 80 X 1.0
6	930.167.0	Bearing		X	6307
7	155.236.1	Gearbox Housing		X	
8	911.541.0	Circlip		X	35 X 1.5
9	911.132.0	Shim		X	35 X 45 X .3
	911.133.0	Shim		X	35 X 45 X .5
	911.134.0	Shim		X	35 X 45 X 1.0
	911.130.0	Shim		X	35 X 45 X .1
10	145.213.1	Bevel Wheel		X	Z=22
11	915.122.0	Flat Key		X	A 10 X 8 X 40
12	145.215.3	Gearbox Shaft		X	42 X 193
13	910.900.0	Shim		X	50 X 62 X .1
	910.902.0	Shim		X	50 X 62 X .3
	910.903.0	Shim		X	50 X 62 X .5
	910.904.0	Shim		X	50 X 62 X 1.0
14	932.155.0	Tapered Roller Bearing		X	32210 A
15	936.337.0	Radial Seal		X	A 35 X 72 X 12
16	910.727.0	Washer		X	S 35 X 45 X 2.5
17	930.137.0	Bearing		X	6207
18	146.976.2	Gearbox Cover		X	
19	900.655.0	Hex Head Bolt		X	M12 X 25
20	909.910.0	Detent Edged Washer		X	SKM 12
21	145.212.0	Gearbox Seal		X	
22	145.213.1	Bevel Wheel		X	Z=22
23	906.040.1	Screw Plug		X	M18 X 1.5
24	146.974.0	Gearbox Shaft		X	42 X 270
25	936.339.0	Radial Seal		X	B2 35 X 80 X 13
26	932.177.0	Tapered Roller Bearing		X	32010
27	925.901.0	Angle		X	
28	919.821.1	Breather		X	R 1/4"
29	920.931.0	Threaded Reducing Adapter		X	M18 X 1.5 - R 1/4"




448 850 1

# Main Frame

## Main Frame


Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	910.214.0	Spring Washer		X	C 16.5
2	900.335.1	Hex Head Bolt		X	M16 X 30
3	265.680.0	Frame		X	
4	912.718.0	Roll Pin		X	10 X 60
5	155.383.1	Front Pin		X	
6	956.028.0	Universal Joint		X	1 3/8" - 6 Spline
7	155.237.0	Drive Shaft		X	Rd. 35 X 2395



# Rear Frame Hydraulics

## Rear Frame Hydraulics


Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	265.452.0	Support Arm Left	454700-489298	X	
	266.404.0	Support Arm Left	489299-	X	
2	900.675.0	Hex Head Bolt		X	M16 X 40
3	909.912.0	Detent Edged Washer		X	SKM 16
4	908.716.1	Hex Nut		X	NM 16
5	265.058.0	Strut		X	
6	900.637.0	Hex Head Bolt		X	M10 X 30
7	910.414.0	Washer		X	A 10.5
8	908.758.0	Hex Nut		X	M10
9	265.059.0	Support		X	
10	265.002.0	Under Carriage		X	
11	934.935.0	Bearing Bushing		X	4050 DU
12	265.086.0	Support Arm Right	454700-489298	X	Includes Items 13 & 14
	266.388.0	Support Arm Right	489299-	X	Includes Items 13 & 14
13	919.105.0	Grease Fitting		X	AM 8 X 1
14	934.901.0	Bearing Bushing		X	MB 3040 DU
15	265.017.0	Pin		X	
16	910.865.0	Shim		X	30 X 42 X 2.0
17	912.670.0	Roll Pin		X	8 X 40
18	265.049.0	Pin		X	Rd. 30 X 128
19	910.653.0	Washer		X	26 X 44 X 2
20	912.714.0	Roll Pin		X	10 X 40
21	921.067.1	Connector		X	L 12
22	921.083.1	Reducer		X	KOR 12/6-PL
23	920.978.0	High Pressure Hose		X	1800mm Long
24	921.077.1	T Connector		X	L 12
25	921.046.1	Cutting Ring		X	L 12
26	921.206.0	Union Nut		X	AL 12
27	919.603.0	Ball Cock		X	
28	925.105.0	Clamp		X	Bo. 12/12
29	925.134.0	Cover Plate		X	
30	910.413.0	Washer		X	A 8.4
31	900.617.0	Hex Head Bolt		X	M8 X 30
32	925.139.0	Locking Cap		X	Rd. 86/95
33	334.997.0	Hydraulic Cylinder		X	Dz 25/40 X 260/420
	918.755.0	Seal Kit		X	Dz 25/40
	911.804.0	Snap Ring		X	B 40 X 2.5
34	919.107.0	Grease Fitting		X	CM 8 X 1



# Rear Frame Hydraulics

## Rear Frame Hydraulics

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
35	155.383.1	Front Pin		X	
36	912.718.0	Roll Pin		X	10 X 60
37	332.014.2	Washer		X	Rd. 1.5 X 12 X 1
38	265.049.0	Pin	454700-489298	X	Rd. 30 X 128
	266.410.0	Pin	489299-	X	Rd. 30 X 154




448 875 3

# Rear Wheels

## Rear Wheels

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	938.625.0	Hex Protective Cap	454700-489298	X	SW 46
2	908.732.0	Hex Nut		X	NM 30 X 1.5
3	144.345.2	Washer		X	Ro. 54 X 8.8 X 15
4	952.618.0 951.387.0	Axle Body Axle Body		X X	BPW ADR
5	912.089.1	Cotter Pin		X	5 X 40
6	952.320.0	Push Ring		X	BPW
7	952.330.0 951.301.0	Labyrinth Seal Washer		X X	BPW ADR - Rd. 45/87
8	932.222.0	Tapered Roller Bearing		X	BPW - LM 501310/49
9	932.138.0 910.256.0 951.300.0	Tapered Roller Bearing Wheel Pin Wheel Pin		X X X	ADR - 30309 A BPW - M18 X 1.5 X 46 ADR - M18 X 1.5 X 54
10	910.225.0	Nut		X	BPW/ADR - A 18 X 1.5
11	938.976.0	Protecting Cap		X	SW 24
12	952.254.0	Hub		X	BPW
13	932.212.0 932.105.0	Tapered Roller Bearing Tapered Roller Bearing		X X	BPW - L 44610/49 ADR - 30206 A
14	908.927.0 908.931.0	Castle Nut Castle Nut		X X	BPW - M24 X 1.5 ADR - M27 X 1.5
15	952.310.1 938.834.0	Wheel Cap Wheel Cap		X X	BPW - Rd. 50.5 ADR - Rd. 62
16	950.481.1 950.481.1	Axle Journal Complete Axle Journal Complete		2 X	BPW ADR
17	953.108.0	Rim		X	9.00 X 15.3 6 Hole
18	953.308.1	Tube		X	10.0/75-15 / 11.5/80-15
19	953.210.0	Tire		X	10.0/75-15.3 IMPL 8 PR
20	953.010.0	Wheel		X	10.0/75-15.3 IMPL 8 PR




447 962 4

# Steering Rod

## Steering Rod


Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	912.716.1	Roll Pin		X	10 X 50
2	919.105.0	Grease Fitting		X	AM 8 X 1
3	155.244.1	Control Arm		X	Includes Items 2 & 4
4	934.905.0	Bushing		X	4026 DU
5	910.865.0	Shim		X	30 X 42 X 2.0
6	934.901.0	Bearing Bushing		X	MB 3040 DU
7	155.425.1	Front Steering Rod		X	Includes Item 6
8	901.485.1	Hex Head Bolt		X	M16 X 75
9	908.716.1	Hex Nut		X	NM 16
10	154.096.0	Rod		X	35 X 742
11	911.647.1	Circlip		X	I 48 X 1.75
12	910.729.1	Washer		X	S 37 X 47 X 2.5
13	934.906.0	Bushing		X	3526 DU
14	265.724.0	Rear Steering Rod		X	
15	155.116.0	Control Arm		X	
16	910.885.0	Shim		X	40 X 50 X 2.0



**Main Gearbox**

## Main Gearbox

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	932.177.0	Tapered Roller Bearing		X	32010
2	146.985.0	Bevel Wheel		X	Z=22
3	145.396.1	Gearbox Housing		X	
4	490.161.1	Oil Level Dipstick		X	
5	936.339.0	Radial Seal		X	A 35 X 80 X 13
6	911.673.0	Circlip		X	I 80 X 2.5
7	910.741.0	Washer		X	S 63 X 80 X 3.0
8	911.022.0	Shim		X	70 X 80 X .1
	911.023.0	Shim		X	70 X 80 X .3
	911.024.0	Shim		X	70 X 80 X 1.0
9	930.167.0	Bearing		X	6307
10	915.122.0	Flat Key		X	A 10 X 8 X 40
11	154.019.0	Gearbox Shaft		X	42 X 430
12	145.215.3	Gearbox Shaft		X	42 X 193
13	932.155.0	Tapered Roller Bearing		X	32210 A
14	910.900.0	Shim		X	50 X 62 X .1
	910.902.0	Shim		X	50 X 62 X .3
	910.903.0	Shim		X	50 X 62 X .5
	910.904.0	Shim		X	50 X 62 X 1.0
15	146.984.0	Bevel Wheel		X	Z=16
16	911.132.0	Shim		X	35 X 45 X .3
	911.133.0	Shim		X	35 X 45 X .5
	911.134.0	Shim		X	35 X 45 X 1.0
17	911.541.0	Circlip		X	35 X 1.5
18	906.040.1	Screw Plug		X	M18 X 1.5
19	915.122.0	Flat Key		X	A 10 X 8 X 40
20	936.337.0	Radial Seal		X	A 35 X 72 X 12
21	911.541.0	Circlip		X	35 X 1.5
22	910.727.0	Washer		X	S 35 X 45 X 2.5
23	930.137.0	Bearing		X	6207
24	900.655.0	Hex Head Bolt		X	M12 X 25
25	909.910.0	Detent Edged Washer		X	SKM 12
26	146.976.2	Gearbox Cover		X	
27	145.212.0	Gearbox Seal		X	
30	154.018.0	Main Gearbox Complete		X	
	926.101.0	Oil		X	.5 Liter SAE 90




448 854 0

# Frame Reinforcement

## Frame Reinforcement

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	900.676.0	Hex Head Bolt		X	M16 X 45
2	910.303.0	Washer		X	17 X 30 X 3
3	265.293.0	Frame Reinforcement		X	
4	908.716.1	Hex Nut		X	NM 16
5	900.335.1	Hex Head Bolt		X	M16 X 30
6	909.912.0	Detent Edged Washer		X	SKM 16




**Inner Rotor Arm**

449 257 3

## Inner Rotor Arm


Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	265.530.0	Outer Tube		X	
2	915.073.0	Flat Key		X	B8 X 7 X 32
3	910.865.0	Shim		X	30 X 42 X 2.0
4	934.612.0	Bearing		X	As 206 Llu Ntn
5	265.534.0	Bearing Flange		X	
6	949.390.0	Universal Joint Wide Angle		X	DG 2200 SA 2 Nm=700
7	902.402.0	Hex Head Bolt		X	BM 10 X 16
8	903.109.0	Allen Screw		X	M10 X 35
9	265.272.0	Rubber Plate		X	320 X 150 t=4
10	900.617.0	Hex Head Bolt		X	M8 X 30
11	265.273.0	Clamping Strap		X	
12	908.706.0	Hex Nut		X	M8
13	908.701.0	Hex Nut		X	M12
14	910.891.0	Shim		X	40 X 50 X 1.0
	910.885.0	Shim		X	40 X 50 X 2.0
15	934.935.0	Bearing Bushing		X	4050 DU
16	154.686.0	Bearing Flange		X	Includes Item 15
17	910.506.0	Washer		X	13 X 24 X 2.5
18	900.658.0	Hex Head Bolt		X	M12 X 40
19	919.105.0	Grease Fitting		X	AM 8 X 1
20	265.786.0	R/H Rotor Arm Inside		X	
	265.784.0	L/H Rotor Arm Inside		X	
21	265.269.0	Bearing Bushing		X	113 X 123 X 40
22	900.637.0	Hex Head Bolt		X	M10 X 30
23	265.474.0	Stop		X	
24	909.909.0	Detent Edged Washer		X	SKM 10
25	908.758.0	Hex Nut		X	M10
26	909.907.0	Detent Edged Washer		X	SKZ 10



**Gearbox Left Hand**

## Gearbox Left Hand


Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	265.027.0	Bolt		X	
2	910.346.0	Washer		X	31 X 56 X 1.6
3	265.029.0	Washer		X	34 X 68 X 4
4	265.480.0	Gearbox Housing		X	
5	265.278.3	Hollow Shaft		X	
6	911.166.0	Shim		X	90 X 100 X .3
	911.168.0	Shim		X	90 X 100 X 1.0
7	930.157.0	Bearing		X	6018 2RS
8	904.065.1	Countersunk Screw		X	M12 X 40-10.9
10	911.511.0	Circlip		X	A 15 X 1.0
11	910.804.0	Shim		X	15 X 21 X .3
	910.805.0	Shim		X	15 X 21 X .5
	910.806.0	Shim		X	15 X 21 X 1.0
	910.821.0	Shim		X	16 X 35 X .3
	910.822.0	Shim		X	16 X 35 X .5
12	935.106.0	Roller		X	Hk 2020
13	265.482.0	Pinion Shaft Housing		X	
15	908.701.0	Hex Nut		X	M12
16	911.166.0	Shim		X	90 X 100 X .3
	911.168.0	Shim		X	90 X 100 X 1.0
17	930.323.0	Bearing		X	6018 2RS
18	265.459.0	Gearbox Gasket		X	
19	265.481.0	Gearbox Cover		X	
20	909.909.0	Detent Edged Washer		X	SKM 10
21	900.636.0	Hex Head Bolt		X	M10 X 25
22	931.122.0	Bearing		X	3207 2 RS
23	910.912.0	Shim		X	56 X 72 X .3
	910.913.0	Shim		X	56 X 72 X .5
	910.914.0	Shim		X	56 X 72 X 1.0
	910.915.0	Shim		X	56 X 72 X 2.0
24	911.668.0	Circlip		X	I 72 X 2.5
25	936.337.0	Radial Seal		X	A 35 X 72 X 12
26	265.361.0	Bearing Flange		X	
27	909.910.0	Detent Edged Washer		X	SKM 12
28	900.657.0	Hex Head Bolt		X	M12 X 35
29	937.566.0	O-Ring		X	Or. 98 X 3
30	265.489.0	Gearbox Complete		X	Z=79-9
	926.000.0	Semi-Fluid Gear Lubricant		X	



**Gearbox Left Hand**

## Gearbox Left Hand


Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
31	265.842.0	Ring Gear / Pinion Set		X	Z=9 / Z=79 M 4.7
32	910.912.0	Shim		X	56 X 72 X .3
	910.913.0	Shim		X	56 X 72 X .5
	910.914.0	Shim		X	56 X 72 X 1.0
	910.915.0	Shim		X	56 X 72 X 2.0
33	911.541.0	Circlip		X	35 X 1.5
34	265.808.0	Hollow Shaft with Spindle		X	
35	919.803.0	Breather		X	M18 X 1.5
36	937.727.0	Gasket Ring		X	A 18 X 24 X 1.5



**Gearbox Right Hand**

## Gearbox Right Hand

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	265.027.0	Bolt		X	
2	910.346.0	Washer		X	31 X 56 X 1.6
3	265.029.0	Washer		X	34 X 68 X 4
4	265.480.0	Gearbox Housing		X	
5	265.278.3	Hollow Shaft		X	
6	911.023.0	Shim		X	70 X 80 X .3
	911.024.0	Shim		X	70 X 80 X 1.0
7	930.157.0	Bearing		X	6018 2RS
8	904.065.1	Countersunk Screw		X	M12 X 40-10.9
10	911.511.0	Circlip		X	A 15 X 1.0
11	910.804.0	Shim		X	15 X 21 X .3
	910.805.0	Shim		X	15 X 21 X .5
	910.806.0	Shim		X	15 X 21 X 1.0
	910.821.0	Shim		X	16 X 35 X .3
	910.822.0	Shim		X	16 X 35 X .5
12	935.106.0	Roller		X	Hk 2020
13	265.482.0	Pinion Shaft Housing		X	
15	908.701.0	Hex Nut		X	M12
16	911.166.0	Shim		X	90 X 100 X .3
	911.168.0	Shim		X	90 X 100 X 1.0
17	930.323.0	Bearing		X	6018 2RS
18	265.459.0	Gearbox Gasket		X	
19	265.481.0	Gearbox Cover		X	
20	909.909.0	Detent Edged Washer		X	SKM 10
21	900.636.0	Hex Head Bolt		X	M10 X 25
22	931.122.0	Bearing		X	3207 2 RS
23	910.912.0	Shim		X	56 X 72 X .3
	910.913.0	Shim		X	56 X 72 X .5
	910.914.0	Shim		X	56 X 72 X 1.0
	910.915.0	Shim		X	56 X 72 X 2.0
24	911.668.0	Circlip		X	I 72 X 2.5
25	936.337.0	Radial Seal		X	A 35 X 72 X 12
26	265.023.0	Bearing Flange		X	
27	909.910.0	Detent Edged Washer		X	SKM 12
28	900.657.0	Hex Head Bolt		X	M12 X 35
29	937.566.0	O-Ring		X	Or. 98 X 3



**Gearbox Right Hand**

## Gearbox Right Hand

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
30	265.490.0	Gearbox Complete		X	Z=83-12
	926.000.0	Semi-Fluid Gear Lubricant		X	
	926.017.0	All-Purpose Grease		X	
31	265.841.0	Ring Gear / Pinion Set		X	Z=12 / Z=83 M 4.5
32	910.912.0	Shim		X	56 X 72 X .3
	910.913.0	Shim		X	56 X 72 X .5
	910.914.0	Shim		X	56 X 72 X 1.0
	910.915.0	Shim		X	56 X 72 X 2.0
33	911.541.0	Circlip		X	35 X 1.5
34	265.808.0	Hollow Shaft with Spindle		X	
35	919.803.0	Breather		X	M18 X 1.5
36	937.727.0	Gasket Ring		X	A 18 X 24 X 1.5




## Cam Track

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	936.043.0	Radial Seal		X	A 75 X 115 X 12
2	930.283.0	Bearing		X	6015 2RS
3	910.868.0	Shim		X	75 X 95 X 1
	910.824.0	Shim		X	75 X 95 X .5
	910.861.0	Shim		X	75 X 95 X .3
4	910.835.0	Shim		X	95 X 115 X 1
	910.836.0	Shim		X	95 X 115 X .5
	910.875.0	Shim		X	95 X 115 X .3
5	911.570.0	Circlip		X	A 75 X 2.5
6	911.604.0	Circlip		X	I 115 X 4.0
7	909.910.0	Detent Edged Washer		X	SKM 12
9	265.350.0	Rotor		2	13 Arm
10	908.701.0	Hex Nut		X	M12
11	265.035.0	Rotor Hub		X	
12	265.039.0	Gasket		X	
13	930.156.0	Bearing		X	6012 2RS
14	265.050.0	Cam Track		2	
15	265.435.0	Hub		X	
16	900.657.0	Hex Head Bolt		X	M12 X 35
17	265.777.0	Adjuster		2	
18	910.741.0	Washer		X	S 63 X 80 X 3.0
20	911.562.0	Circlip		X	A 60 X 3.0
21	265.496.0	Hand Lever		X	
22	901.159.0	Hex Head Bolt		X	M6 X 120
23	910.411.1	Washer		X	A 6.4
24	908.704.1	Hex Nut		X	M6
25	917.009.0	Lynch Pin		X	8 X 42
26	915.245.0	Flat Key		X	B 18 X 11 X 20
27	265.433.0	Rotor L/H w/Hub		X	13 Arm
	926.000.0	Semi-Fluid Gear Lubricant		X	
28	937.727.0	Gasket Ring		X	A 18 X 24 X 1.5
29	906.010.0	Screw Plug		X	M18 X 1.5
30	938.609.0	Protecting Cap		X	SW 19
31	910.740.0	Washer		X	S 60 X 75 X 3.0
32	912.716.1	Roll Pin		1	10 X 50
	912.717.0	Roll Pin		1	10 X 55



## Outer Rotor Arm


Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
2	949.154.1	Universal Joint Wide Angle		X	Gr. 2
3	910.865.0	Shim		X	30 X 42 X 2.0
4	265.534.0	Bearing Flange		X	
5	934.612.0	Bearing		X	AS 206 LLU
6	902.402.0	Hex Head Bolt		X	BM 10 X 16
7	903.109.0	Allen Screw		X	M10 X 35
12	934.905.0	Bushing		X	4026 DU
13	155.492.0	Pin		X	Rd. 40 X 114
14	919.105.0	Grease Fitting		X	AM 8 X 1
15	912.773.1	Roll Pin		X	13 X 65
	912.719.0	Roll Pin		X	10 X 65
16	265.794.0	Rotor Arm Outer		X	Includes Item 12
17	265.270.0	Bearing Bushing		X	
18	265.531.0	Male Tube		X	
19	915.073.0	Flat Key		X	B 8 X 7 X 32
20	915.072.0	Flat Key		X	A 8 X 7 X 32
24	901.005.0	Hex Head Bolt		X	M6 X 80
25	910.411.1	Washer		X	A 6.4
26	908.704.1	Hex Nut		X	M6
27	909.907.0	Detent Edged Washer		X	SKZ 10



**Inner Tine Arm**

## Inner Tine Arm


Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	900.230.0	Hex Head Bolt		X	M10 X 35
2	909.909.0	Detent Edged Washer		X	SKM 10
3	265.038.0	Flange Plate		X	
4	937.501.0	O-Ring		X	Or. 70 X 3
5	935.300.0	Washer		X	45.5 X 66 X 5
6	936.024.0	Scraper		X	45 X 62 X 12
7	934.931.0	Bearing Bushing		X	4530 DU
8	911.802.0	Snap Ring		X	B 50 X 2.5
9	934.905.0	Bushing		X	4026 DU
10	265.199.0	Support with Bushing		26	
11	908.013.0	Hex Nut		X	M16 X 1.5
12	909.912.0	Detent Edged Washer		X	SKM 16
13	912.400.0	Roll Pin		X	14 X 55
14	265.048.0	Cam Lever		26	
15	933.201.0	Cam Roller		26	
18	265.592.0	Support with Shaft		26	
19	910.885.0	Shim		X	40 X 50 X 2.0
21	912.677.0	Roll Pin		X	8 X 55



# Outer Tine Arm

## Outer Tine Arm

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	265.061.0	Clip		104	
2	153.021.0	Shim		156	
3	908.701.0	Hex Nut		X	M12
4	265.012.0	Tine L/H		78	Rd. 10
5	265.013.0	Inside Tine L/H		26	Rd. 10
6	265.213.1	Tine Arm		26	
7	910.624.0	Washer		X	13.0 X 35 X 8
8	900.313.0	Hex Head Bolt		X	M12 X 85-10.9
9	265.596.0	Pin		26	
10	917.004.1	Lynch Pin		26	5 X 32
11	265.598.0	Plate Spring		26	
12	901.049.1	Hex Head Bolt		X	M8 X 70
13	910.413.0	Washer		X	A 8.4
14	908.706.0	Hex Nut		X	M8
15	910.506.0	Washer		X	13 X 24 X 2.5
16	908.758.0	Hex Nut		X	M10




448 476 2

# Tine Savers

## Tine Savers

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	908.704.1	Hex Nut		X	M6
2	910.351.1	Washer		X	6.4 X 18 X 1.6
4	904.804.0	Flat Round Bolt		X	M6 X 30
10	153.479.0	Tine Saver		104	




448 867 1

# Rotor Locking Mechanism

## Rotor Locking Mechanism


Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	912.670.0	Roll Pin		X	8 X 40
2	265.779.0	Rotor Lock Complete R/H		X	
3	910.514.1	Washer		X	26 X 44 X 4
4	910.845.0	Shim		X	25 X 35 X 2.0
5	281.099.0	Bushing		X	Ro. 38 X 7.1 X 7
6	265.442.0	Pin		X	
7	265.748.0	Locking Block		X	Includes Items 19-22
8	901.132.0	Hex Head Bolt		X	M16 X 55
9	910.362.0	Washer		X	17 X 40 X 6
10	909.912.0	Detent Edged Washer		X	SKM 16
11	908.716.1	Hex Nut		X	NM 16
12	917.603.0	Cable Clamp		X	6.5
13	917.506.0	Grommet Thimble		X	A 6
14	939.063.0	Handle		X	
15	925.113.0	Rope		X	
16	900.617.0	Hex Head Bolt		X	M8 X 30
17	910.413.0	Washer		X	A 8.4
18	908.706.0	Hex Nut		X	M8
19	919.107.0	Grease Fitting		X	CM 8 X 1
20	934.906.0	Bushing		X	3526 DU
21	910.729.1	Washer		X	S 37 X 47 X 2.5
22	911.647.1	Circlip		X	I 48 X 1.75
23	265.728.0	Shim		X	
24	900.637.0	Hex Head Bolt		X	M10 X 30
25	910.414.0	Washer		X	A 10.5
26	908.758.0	Hex Nut		X	M10
27	265.781.0	Rotor Lock Complete L/H			



**Rotor Undercarriage - Serial Number 454700-467999**

## Rotor Undercarriage - Serial Number 454700-467999

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	265.892.0	Chassis		X	
2	930.507.0	Bearing		X	6007 2RS
3	015.066.0	Spacer Ring		X	44.5 X 4.5 X 6
4	917.011.0	Lynch Pin		X	10 X 45
5	919.105.0	Grease Fitting		X	AM 8 X 1
6	901.122.0	Hex Head Bolt		X	M12 X 70
7	910.506.0	Washer		X	13 X 24 X 2.5
8	908.701.0	Hex Nut		X	M12
9	265.426.0	Limit Stop R/H Outside		X	
10	265.425.0	Limit Stop L/H Outside		X	
12	900.637.0	Hex Head Bolt		X	M10 X 30
13	900.239.1	Hex Head Bolt		X	M6 X 25
14	910.351.1	Washer		X	6.4 X 18 X 1.6
15	912.534.0	Roll Pin		X	12 X 12
16	265.891.0	Profile Cover		X	
17	910.414.0	Washer		X	A 10.5
18	909.909.0	Detent Edged Washer		X	SKM 10
19	908.758.0	Hex Nut		X	M10
20	908.704.1	Hex Nut		X	M6




449 503 0

# Additional Depth Wheel

## Additional Depth Wheel

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	901.097.1	Hex Head Bolt		X	M12 X 160
2	909.910.0	Detent Edged Washer		X	SKM 12
3	265.968.0	Clamping Piece		4	
4	908.701.0	Hex Nut		X	M12
5	265.967.0	Wheel Bracket		X	
6	265.969.0	Stop		X	
7	015.066.0	Spacer Ring		X	
8	930.507.0	Bearing		X	6007 2RS
9	901.122.0	Hex Head Bolt		X	M12 X 70
10	910.506.0	Washer		X	13 X 24 X 2.5
11	917.011.0	Lynch Pin		X	10 X 45




449 010 3

**Rotor Undercarriage - Serial Number 468000 & Later**

## Rotor Undercarriage - Serial Number 468000 & Later

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	265.892.0	Chassis		X	
2	930.507.0	Bearing		X	6007 2RS
3	015.066.0	Spacer Ring		X	44.5 X 4.5 X 6
4	919.105.0	Grease Fitting		X	AM 8 X 1
5	265.899.0	Limit Stop R/H		X	
6	917.011.0	Lynch Pin		X	10 X 45
7	265.895.0	Support Arm Right		X	
8	265.947.0	Limit Stop L/H		X	
9	265.894.0	Support Arm Left		X	
10	900.636.0	Hex Head Bolt		X	M10 X 25
12	900.637.0	Hex Head Bolt		X	M10 X 30
13	900.239.1	Hex Head Bolt		X	M6 X 25
14	910.351.1	Washer		X	6.4 X 18 X 1.6
15	912.534.0	Roll Pin		X	12 X 12
16	265.891.0	Profile Cover		X	
17	910.414.0	Washer		X	A 10.5
18	909.909.0	Detent Edged Washer		X	SKM 10
19	908.758.0	Hex Nut		X	M10
20	908.704.1	Hex Nut		X	M6
21	938.833.0	Wheel Cap		X	52
22	908.701.0	Hex Nut		X	M12
23	910.609.0	Washer		X	13 X 37 X 3
24	938.832.0	Gasket Ring		X	48/25 X 13.5
25	953.058.1	Wheel Complete		X	16 X 6.50-8 6 PR
26	953.249.1	Tire		X	16 X 6.50-8 6 Ply
27	953.328.0	Tube		X	16 X 6.50-8 TR 13
28	930.535.0	Bearing		X	6205 2RS
29	953.158.0	Rim		X	5.50 A-8
30	938.831.0	Distance Tube		X	30 X 1.5 X 34
31	153.206.0	Anti-Wrap Guard		X	
32	911.136.1	Shim		X	35 X 45 X 2.0




448 869 0

# Depth Wheel - Serial Number 454700-467999

## Depth Wheel - Serial Number 454700-467999

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	265.320.0	Spacer Bushing		X	
2	938.832.0	Gasket Ring		X	48/25 X 13.5
3	930.535.0	Bearing		X	6205 2RS
4	938.831.0	Distance Tube		X	30 X 1.5 X 34
5	953.158.0	Rim		X	5.50 A-8
6	953.328.0	Tube		X	16 X 6.50-8 TR 13
7	953.249.1	Tire		X	16 X 6.50-8 6 PR
10	953.058.1	Wheel Complete		X	16 X 6.50-8 6 PR
11	265.315.0	Depth Control Wheel Support		X	
12	265.319.0	Axle Pin		X	
13	910.514.1	Washer		X	26 X 44 X 4
14	910.353.0	Washer		X	R 11
15	909.909.0	Detent Edged Washer		X	SKM 10
16	900.634.0	Hex Head Bolt		X	M10 X 20




448 871 1

**Wheel with Swinging Axle**

## Wheel with Swinging Axle

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	953.249.1	Tire		X	16 X 6.50-8 6 PR
2	953.328.0	Tube		X	16 X 6.50-8 TR 13
3	910.609.0	Washer		X	13 X 37 X 3
4	908.701.0	Hex Nut		X	M12
5	938.833.0	Wheel Cap		X	52
6	953.158.0	Rim		X	5.50 A-8
7	938.831.0	Distance Tube		X	30 X 1.5 X 34
8	930.535.0	Bearing		X	6205 2RS
9	900.656.0	Hex Head Bolt		X	M12 X 30
10	909.910.0	Detent Edged Washer		X	SKM 12
11	910.642.0	Washer		X	13 X 70 X 6
12	153.700.0	Bogie Axle		X	
13	934.939.0	Bearing Bushing		X	5060 DU
14	912.716.1	Roll Pin		X	10 X 50
15	154.264.0	Pin		X	Includes Item 26
16	910.865.0	Shim		X	30 X 42 X 2.0
17	153.139.1	Clamp		X	
18	910.515.0	Washer		X	30 X 50 X 4
20	052.053.1	Pressure Spring		X	
21	901.455.0	Hex Head Bolt		X	M12 X 75
22	153.206.0	Anti-Wrap Guard		X	
23	938.832.0	Gasket Ring		X	48/25 X 13.5
25	934.938.0	Bearing Bushing		X	5040 DU
26	441.029.0	Bearing Bushing		2	30 X 36 X 30
27	919.105.0	Grease Fitting		X	AM 8 X 1
30	953.058.1	Wheel Complete		X	16 X 6.50-8 6 PR




449 297 0

# Windrow Curtain

## Windrow Curtain

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	265.333.0	Round Bar		X	Rd. 20 X 485
2	908.704.1	Hex Nut		X	M6
3	910.351.1	Washer		X	6.4 X 18 X 1.6
4	265.332.0	Flat Steel		X	3 X 40 X 430
5	908.758.0	Hex Nut		X	M10
6	900.284.0	Hex Head Bolt		X	M10 X 50
7	265.589.0	Windrow Curtain Support		X	
8	900.608.0	Hex Head Bolt		X	M6 X 20
9	151.610.0	Bushing		X	Rd. 30 X 40
10	269.068.0	Windrow Curtain		X	
11	153.277.0	Clamping Strap		X	2 X 30 X 1065
12	917.006.0	Lynch Pin		X	6 X 42




449 294 0

# Rotor Safety Frames R/H

## Rotor Safety Frames R/H

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	265.766.0	Guard Frame R/H		X	
2	908.701.0	Hex Nut		X	M12
3	909.910.0	Detent Edged Washer		X	SKM 12
4	917.004.1	Lynch Pin		X	5 X 32
5	910.506.0	Washer		X	13 X 24 X 2.5
6	901.122.0	Hex Head Bolt		X	M12 X 70
7	260.600.0	Safety Pin		X	
8	900.672.0	Hex Head Bolt		X	M16 X 20
9	909.912.0	Detent Edged Washer		X	SKM 16
11	900.658.0	Hex Head Bolt		X	M12 X 40
12	912.510.0	Roll Pin		X	16 X 32
14	265.600.0	Guard R/H		X	
15	265.579.0	Guard R/H		X	




449 284 2

# Rotor Safety Frames L/H

## Rotor Safety Frames L/H

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	265.580.0	Guard L/H		X	
2	912.510.0	Roll Pin		X	16 X 32
3	260.600.0	Safety Pin		X	
4	901.436.0	Hex Head Bolt		X	M10 X 65
5	917.004.1	Lynch Pin		X	5 X 32
6	909.910.0	Detent Edged Washer		X	SKM 12
7	908.701.0	Hex Nut		X	M12
8	900.658.0	Hex Head Bolt		X	M12 X 40
9	910.506.0	Washer		X	13 X 24 X 2.5
10	901.122.0	Hex Head Bolt		X	M12 X 70
11	265.810.0	Protective Arm Inside		X	
12	282.362.0	Tension Spring		X	Rd. 4 X 31 X 220
13	265.813.0	Protective Arm Outside		X	
14	265.549.0	Front Swivel Arm		X	
15	910.718.0	Washer		X	S 20 X 28 X 2.0
16	900.672.0	Hex Head Bolt		X	M16 X 20
17	909.912.0	Detent Edged Washer		X	SKM 16
18	153.383.0	Bolt		X	
19	909.520.0	Tapered Handle		X	
20	265.799.0	Telescoping Tube		X	40 X 40 X 1250
21	265.809.0	Lever		X	40 X 8 X 1500
22	265.795.1	Rear Swivel Arm		X	
23	265.905.0	Strut		X	
24	912.613.0	Roll Pin		X	5 X 30
25	143.482.1	Pin		X	Rd. 20 X 85
26	265.614.0	Guard L/H		X	
27	912.611.1	Roll Pin		X	5 X 26
28	462.125.0	Pin		X	Rd. 20 X 145
29	910.511.0	Washer		X	18
30	912.504.0	Roll Pin		X	12 X 50
31	908.758.0	Hex Nut		X	M10





449 192 0

# Spring Compensation

## Spring Compensation

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	910.514.1	Washer		X	26 X 44 X 4
2	250.398.0	Pin		X	25 X 119
3	912.670.0	Roll Pin		X	8 X 40
4	153.139.1	Clamp		X	
5	910.506.0	Washer		X	13 X 24 X 2.5
6	908.215.0	Hex Nut		X	M12
7	052.053.1	Pressure Spring		X	
8	901.455.0	Hex Head Bolt		X	M12 X 75
9	265.468.0	Drawbar		X	
10	265.465.0	Telescoping Tube Inside		X	
11	908.701.0	Hex Nut		X	M12
12	910.320.0	Washer		X	13 X 30 X 6
13	918.300.0	Eye Bolt		X	M12 X 95/65
14	344.771.1	Tension Spring		X	
15	910.609.0	Washer		X	13 X 37 X 3
16	265.461.0	Telescoping Tube Outside		X	




449 272 2

# Pulling Support

## Pulling Support

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	266.332.0	Spacer Bushing		X	Ro. 38 X 7.1 X 38  Rd. 20 X 150 M10 X 45-10.9
2	265.495.0	Cable Tensioning Spring		X	
3	265.408.0	Cylinder Bolt		X	
4	901.061.2	Hex Head Bolt		X	
5	909.502.0	Annular Nut		X	
6	265.709.0	Tension Spring		X	Rd. 20 X 150  1 B 21 4 X 30
10	265.409.0	Cylinder Bolt		X	
13	265.538.0	Pulling Support		1	
15	910.512.2	Washer		X	
16	912.584.0	Roll Pin		X	




449 205 2

# Steering Hydraulics

## Steering Hydraulics

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	925.102.1	Clamp		X	Bo.=18
2	903.057.0	Allen Screw		X	M6 X 75
3	921.145.0	Plug		X	M18 X 1.5
4	921.019.1	High Pressure Hose		X	2200mm Long
5	900.617.0	Hex Head Bolt		X	M8 X 30
6	910.603.0	Washer		X	A 8.4
7	925.105.0	Clamp		X	Bo. 12/12
8	920.901.0	Male Connector		X	L 12
9	908.706.0	Hex Nut		X	M8
10	921.208.0	Valve		X	
11	901.425.0	Hex Head Bolt		X	M8 X 60
12	920.901.0	Male Connector		X	L 12
13	921.079.1	Adjustable L Connection		X	L 12
14	921.067.1	Connector		X	L 12
15	921.046.1	Cutting Ring		X	L 12
16	921.206.0	Union Nut		X	AL 12
17	045.506.0	Hydraulic Pipe		X	12 X 1.5
18	921.028.1	High Pressure Hose		X	1000mm Long
19	912.714.0	Roll Pin		X	10 X 40
20	910.865.0	Shim		X	30 X 42 X 2.0
21	921.289.1	Hydraulic Cylinder		X	Dz 30/55 X 195/505
	918.735.0	Seal Kit		X	
	911.806.0	Snap Ring		X	B 55 X 3.2
22	908.540.0	Hex Nut		X	M30
23	921.002.0	High Pressure Hose		X	1200mm Long
24	155.588.0	Pin		X	
25	912.287.1	Cotter Pin		X	5 X 32
26	460.321.1	Hydraulic Cylinder		X	Dz 30/50 X 170/283
	921.448.0	Seal Kit		X	
	911.802.0	Snap Ring		X	B 50 X 2.5
27	921.171.0	Dust Cap		X	
28	900.616.0	Hex Head Bolt		X	M8 X 25
29	340.687.2	Washer		X	
30	910.718.0	Washer		X	S 20 X 28 X 2.0
31	938.581.0	Rubber Boot		X	
32	924.004.0	Hose Clamp		X	




448 808 2

# Hydraulic Valve Block

## Hydraulic Valve Block


Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	903.051.1	Allen Screw		X	M6 X 50
2	925.102.1	Clamp		X	Bo.=18
3	908.704.1	Hex Nut		X	M6
4	265.415.0	Line Support		X	
5	910.603.0	Washer		X	A 8.4
6	908.706.0	Hex Nut		X	M8
7	900.617.0	Hex Head Bolt		X	M8 X 30
8	900.612.0	Hex Head Bolt		X	M8 X 16
9	265.424.0	Guard		X	
11	900.614.0	Hex Head Bolt		X	M8 X 20
12	909.908.0	Detent Edged Washer		X	SKM 8
13	265.423.0	Support		X	
14	910.413.0	Washer		X	A 8.4
16	920.924.0	Universal Valve		X	4 Port
19	919.646.0	Solenoid Coil		X	12 V
20	919.647.0	Seal Kit		X	
21	921.145.0	Plug		X	M18 X 1.5
22	921.019.1	High Pressure Hose		X	2200mm Long
23	921.046.1	Cutting Ring		X	L 12
24	921.206.0	Union Nut		X	AL 12
25	924.208.0	Cable Bushing		X	14/20
26	045.506.0	Hydraulic Pipe		X	12 X 1.5
27	920.901.0	Male Connector		X	L 12
28	919.694.0	Housing		X	4 Port
29	921.263.0	Dust Cap		X	
30	925.105.0	Clamp		X	Bo. 12/12
31	910.411.1	Washer		X	A 6.4
32	921.054.1	Connector		X	L 12



# Rotor Arm Hydraulics

## Rotor Arm Hydraulics

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	265.412.0	Cylinder Support		X	
2	908.525.1	Hex Nut		X	M20
3	919.105.0	Grease Fitting		X	AM 8 X 1
4	281.099.0	Bushing		X	Ro. 38 X 7.1 X 7
5	908.620.0	Hex Nut		X	M16
6	265.348.0	Pin		X	
7	921.294.1	Hydraulic Cylinder		X	
	918.702.0	Seal Kit		X	
8	921.059.1	Male Connector		X	L 6
9	918.421.0	Hydraulic Cylinder		X	Zz 25/75 X 402/614
	918.736.0	Seal Kit		X	
	911.808.0	Snap Ring		X	
10	265.344.0	Tension Spring		X	
11	920.974.1	High Pressure Hose		X	1000mm Long
12	921.041.0	Throttle		X	M18 X 1.5
13	921.028.1	High Pressure Hose		X	1000mm Long
14	921.049.1	Connector		X	L 6
15	921.045.1	Cutting Ring		X	L 6
16	921.039.1	Union Nut		X	AL 6
17	045.505.0	Hydraulic Pipe		X	6 X 1
18	921.059.1	Male Connector		X	L 6
20	921.046.1	Cutting Ring		X	L 12
21	921.206.0	Union Nut		X	AL 12
22	045.506.0	Hydraulic Pipe		X	12 X 1.5
23	920.901.0	Male Connector		X	L 12
24	910.514.1	Washer		X	26 X 44 X 4
25	912.670.0	Roll Pin		X	8 X 40
26	905.745.0	Set Screw		X	M8 X 16
27	908.525.1	Hex Nut		X	M20
28	143.482.1	Pin		X	
29	910.512.2	Washer		X	B 21
30	912.673.0	Roll Pin		X	8 X 36
31	920.901.0	Male Connector		X	L 12
32	921.093.1	Male Connector		X	M18 X 1.5
33	265.495.0	Twine Tensioning Spring		X	
34	934.947.0	Bearing Bushing		X	PM 2530 DX



449 266 2

# Electric Rotor Height Adjustment


## Electric Rotor Height Adjustment

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	900.632.0	Hex Head Bolt		X	M10 X 16
2	265.800.0	Threaded Spindle		X	
3	933.504.0	Thrust Ball Bearing		X	511 04
4	910.715.0	Shim		X	S 18 X 25 X 1.5
5	154.453.1	Rotex Clutch		X	Bo.=18
6	938.928.0	Ring Gear		X	
7	154.454.1	Rotex Clutch		X	Bo.=10
8	915.600.0	Plate Spring		X	3 X 3.7
9	938.832.0	Gasket Ring		X	48/25 X 13.5
10	912.643.0	Roll Pin		X	6 X 36
11	906.948.0	Self-Tapping Screw		X	B 6.3 X 13
12	910.411.1	Washer		X	A 6.4
13	909.906.0	Detent Edged Washer		X	SKM 6
14	900.607.0	Hex Head Bolt		X	M6 X 16
15	154.496.0	Cover Plate		X	
16	908.706.0	Hex Nut		X	M8
17	265.805.0	Motor Support		X	BI 4 X 120 X 341
18	900.656.0	Hex Head Bolt		X	M12 X 30
19	909.910.0	Detent Edged Washer		X	SKM 12
20	910.506.0	Washer		X	13 X 24 X 2.5
21	938.989.0	Linear Motor with Worm Gear		X	
22	910.413.0	Washer		X	A 8.4
23	900.614.0	Hex Head Bolt		X	M8 X 20
24	154.457.1	Guard		X	
25	908.701.0	Hex Nut		X	M12
26	909.909.0	Detent Edged Washer		X	SKM 10
28	265.495.0	Cable Tensioning Spring		X	



## Electronic Controls

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	301.354.0	Signal Light with Socket Green		X	
2	301.338.0	Indicator Lamp		X	
3	301.204.0	Toggle Switch		X	ON-OFF-ON
4	301.201.0	Toggle Switch		X	ON-OFF
5	301.202.0	Toggle Switch		X	MOM-OFF-MOM
6	301.761.0	Fuse		X	25 A
7	900.616.0	Hex Head Bolt		X	M8 X 25
8	335.364.0	Holder		X	
9	301.293.0	Cable Guide		X	PG 16
10	301.781.0	Cable		X	12 X 1 qmm - 3000mm Long
11	301.587.0	Plug		X	10 Pole
12	301.745.1	Control Box Complete		X	
13	953.715.0	Holder		X	
14	301.782.0	Socket		X	10 Pole
15	301.369.0	Cable Union		X	PG 16
16	301.086.2	Cable		X	12 X 1 qmm
17	301.554.0	Reversing Relay		X	
18	301.200.0	Cable		X	3 X 4 qmm
19	301.022.0	Cable		X	2 X 1.0 qmm
20	301.058.0	Solenoid Valve Plug		X	3 Pole
21	301.186.0	Gasket		X	
22	301.602.0	Cable		X	3 X 4 qmm - 2200mm Long
23	924.580.0	Socket		X	3 Pole
24	924.579.0	Three Pin Plug		X	3 Pole
25	924.675.0	Plug		X	3 Pole DIN
26	301.209.0	Power Supply		X	
27	302.092.0	Connection Cable		X	5000mm Long
28	302.068.0	Power Supply		X	3 Pole
29	302.065.0	Connection Cable		X	5000mm Long
30	301.867.0	Cable		X	12 X 1 qmm - 3200mm Long
31	301.866.0	Extension Cable		X	
32	302.091.0	Pressure Compensating Element		X	
33	924.676.0	Socket		X	3 Pole









448 874 1

# Lighting Bracket

## Lighting Bracket


Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	925.014.0	Wheel Chock		X	
2	925.109.0	Holder for Chock		X	
3	908.207.0	Hex Nut		X	M5
4	904.345.1	Countersunk Screw		X	M5 X 16
5	265.770.0	Warning Panel L/H		X	
	265.771.0	Warning Panel R/H		X	
	924.569.0	Decal		X	423 X 423
6	900.637.0	Hex Head Bolt		X	M10 X 30
7	910.353.0	Washer		X	R 11
8	910.414.0	Washer		X	A 10.5
9	908.758.0	Hex Nut		X	M10
10	903.747.0	Allen Screw		X	AM 5 X 20
11	910.351.1	Washer		X	6.4 X 18 X 1.6
12	910.031.0	Spring Washer		X	B 5
13	908.207.0	Hex Nut		X	M5
14	265.340.0	Lighting Bracket		X	
17	265.931.0	Plate		X	



# Lighting

## Lighting

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	924.576.0	Plug		X	7 Pole
2	924.610.1	Extension Cable		X	Includes Item 1 - 2800mm Long
3	903.661.0	Allen Screw		X	AM 5 X 30
4	924.571.0	Socket		X	7 Pole
5	910.031.0	Spring Washer		X	B 5
6	908.207.0	Hex Nut		X	M5
7	924.680.0	Cable		X	6 Pole - 6400mm Long
8	924.642.0	Cable		X	4 Pole - 1800mm Long
9	924.643.0	Cable		X	4 Pole - 1800mm Long
10	924.646.0	Cable		X	4 Pole - 1100mm Long
11	924.644.0	Cable		X	2 Pole - 720mm Long
12	924.647.0	Cable		X	4 Pole - 1100mm Long
13	924.611.0	Side Light White		X	
14	924.623.0	Lens for Lamp		X	
15	924.699.0	Lens for Lamp		X	
16	924.697.0	Lamp R/H		X	
17	953.715.0	Holder		X	
18	924.536.0	Side Light Yellow		X	
19	924.535.1	Rear Reflector Red		X	
20	925.112.0	Bottom Pipe Retainer		X	
21	925.181.0	Cord Clips		X	Rd. 8
25	265.115.0	Lighting Complete		X	




447 710 0

# PTO Shaft

## PTO Shaft

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	956.033.0	PTO Shaft Complete		X	W 2200-SD15-610-F5/1R - Includes Items 4-55
4	949.378.0	Female Tube		X	
5	949.227.2	Male Tube		X	
11	949.403.0	Outer Yoke		X	
12	949.630.0	Locking Pin Complete		X	
13	949.399.0	Overrunning Clutch		X	
21	956.560.0	Cross Assembly Complete		X	M8 X 1
22	949.629.0	Grease Fitting		X	
23	949.410.0	Grooved Yoke		X	
24	912.719.0	Roll Pin		X	
25	949.663.0	Inner Tube		X	10 X 65
26	949.706.0	Outer Tube		X	
27	949.428.0	Grooved Yoke		X	
53	949.352.0	Ring		X	
54	949.863.0	Bearing Ring		X	
55	949.852.0	Chain		X	400mm Long




447 894 0

## Double Universal Joint

## Double Universal Joint

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	949.388.1	Double Universal Joint		X	
11	949.677.0	Outer Yoke		X	1 3/8" - 21 Spline
12	949.630.0	Locking Pin Complete		X	
13	949.678.0	Outer Yoke		X	1 3/8" - 6 Spline
21	949.723.0	Cross Assembly Complete		X	
23	949.395.0	Double Yoke		X	




**Wide Angle Universal Joint "F"**

447 833 1

## Wide Angle Universal Joint "F"

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	949.390.0	Wide Angle Universal Joint		X	DG 2200 SA 2 700NM
11	949.394.0	Outer Yoke		X	DG 2200, RD 30
12	949.367.1	Ratchet Clutch		X	1 3/8" - 700NM
21	949.368.0	Cross Assembly Complete		X	
22	919.203.0	Grease Fitting		X	
23	949.369.0	Double Yoke		X	DG 2200-78




449 468 0

**Wide Angle Universal Joint "B"**

## Wide Angle Universal Joint "B"

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	956.253.0	Outer Yoke		X	
2	956.145.0	Cross Assembly		X	Gr. 2
4	919.002.0	Grease Fitting		X	H1S M6
5	956.229.0	Double Yoke		X	
10	949.154.1	Wide Angle Universal Joint		X	Gr. 2




448 483 2


# Universal Joint

## Universal Joint

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	956.028.0	Universal Joint		X	1 3/8" - 6 Spline
11	949.403.0	Outer Yoke		X	
12	949.630.0	Locking Pin Complete		X	
21	956.560.0	Cross Assembly		X	
22	949.629.0	Grease Fitting		X	
					M8 X 1



1



2




3



4



5





6

449 306 0

# Warning Decals

## Warning Decals

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	939.471.1	Decal		X	
2	939.472.2	Decal		X	
3	939.574.0	Decal		X	
4	939.469.1	Decal		X	
5	939.100.0	Decal		X	
6	942.196.1	Decal		X	



449 305 2

# General Information Decals

## General Information Decals

Item	Part Number	Description	Serial # Ranges	KS-1401	Notes
1	942.212.0	Decal		X	775mm Long - Beige 600mm Long
2	942.301.0	Decal		X	
	942.320.0	Decal		X	
3	939.212.1	Decal		X	
4	942.107.1	Decal		X	1.5 Bar
	939.183.1	Decal		X	1.0 Bar
5	924.597.0	Decal		X	
6	924.598.0	Decal		X	
7	939.126.0	Decal		X	
8	942.105.0	Decal		X	
9	939.420.1	Decal		X	423 X 423 25 40
10	939.486.2	Decal		X	
11	924.569.0	Decal		X	
12	939.218.1	Decal		X	
	939.145.1	Decal		X	