


Table Of Contents


| | | | |
|--------------------------------|----|--|----|
| Headstock | 2 | Rotor Safety Frames | 38 |
| Frame | 4 | Spring Compensation | 40 |
| Rear Wheels | 6 | Pulling Support | 42 |
| Main Gearbox | 8 | Windrow Skirt | 44 |
| Frame Reinforcement..... | 10 | Hydraulic System - Mechanical Lift | 46 |
| Intermediate Power Shaft | 12 | Hydraulic System - Mechanical Lift | 48 |
| Rotor Arm Inner | 14 | Mechanical Lift | 50 |
| Rotor Arm Outer | 16 | Hydraulic System - Electrical Lift | 52 |
| Rotor Gearbox | 18 | Hydraulic System - Electrical Lift | 54 |
| Rotor Gearbox | 20 | Electrical Lift | 56 |
| Cam Track | 22 | Electrical Control | 58 |
| Inner Tine Arm | 24 | Lighting Bracket | 60 |
| Tine Arms | 26 | Lighting | 62 |
| Tine Savers | 28 | PTO Shaft | 64 |
| Rotor Chassis | 30 | Universal Joint | 66 |
| Depth Wheel..... | 32 | Wide Angle Universal Joint..... | 68 |
| Wheel with Swinging Axle | 34 | Warning Decals | 70 |
| Locking Mechanism | 36 | General Information Decals | 72 |



Headstock

Headstock


| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|---------------------|-----------------|--------|------------------|
| 1 | 260.470.0 | Jack Stand | | X | 4 NM 20 |
| 2 | 917.104.0 | Spring Clip | | X | |
| 3 | 340.104.2 | Tension Spring | | X | |
| 4 | 260.468.0 | Strap | | X | |
| 5 | 908.721.0 | Hex Nut | | X | |
| 6 | 912.130.1 | Cotter Pin | | X | 8 X 45 |
| 7 | 908.701.0 | Hex Nut | | X | M12 |
| 8 | 144.615.2 | Limit Chain w/Hooks | | X | |
| 9 | 910.515.0 | Washer | | X | 30 X 50 X 4 |
| 10 | 154.566.0 | PTO Shaft Holder | | X | |
| 11 | 912.745.2 | Roll Pin | | X | 12 X 50 |
| 12 | 909.922.0 | Cup Spring | | X | |
| 13 | 910.864.0 | Shim | | X | 30 X 42 X 1.0 |
| 14 | 900.688.0 | Hex Head Bolt | | X | M20 X 50 |
| 15 | 265.824.0 | Headstock | | X | |
| 16 | 910.659.0 | Washer | | X | 32 X 70 X 8 |
| 17 | 912.670.0 | Roll Pin | | X | 8 X 40 |
| 18 | 155.604.0 | Pin | | X | |
| 19 | 912.672.0 | Roll Pin | | X | 8 X 50 |
| 20 | 919.105.0 | Grease Fitting | | X | AM 8 X 1 |
| 21 | 910.661.0 | Washer | | X | 41 X 56 X 4.0 |
| 22 | 155.621.0 | Roller | | X | Includes Item 23 |
| 23 | 934.906.0 | Bushing | | X | 3526 DU |
| 24 | 911.134.0 | Shim | | X | 35 X 45 X 1.0 |
| 25 | 900.610.0 | Hex Head Bolt | | X | M8 X 10 |
| 26 | 155.622.0 | Guard | | X | |
| 27 | 925.009.0 | Plastic Guard | | X | |
| 28 | 922.650.0 | Chain | | X | |



Frame

Frame

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|---------------------|-----------------|--------|-----------------|
| 1 | 912.584.0 | Roll Pin | | X | 4 X 30 |
| 2 | 265.513.0 | Rear Steering Rod | | X | |
| 3 | 908.039.0 | Hex Nut | | X | M30 |
| 4 | 154.249.0 | Drawbar | | X | |
| 5 | 901.507.0 | Hex Head Bolt | | X | M20 X 80 |
| 6 | 908.721.0 | Hex Nut | | X | NM 20 |
| 7 | 916.056.1 | Pin | | X | 16 X 55/50 |
| 8 | 925.111.0 | Edge Protection | | X | |
| 9 | 934.935.0 | Bearing Bushing | | X | 4050 DU |
| 11 | 910.609.0 | Washer | | X | 13 X 37 X 3 |
| 13 | 265.517.0 | Cover | | X | |
| 14 | 154.096.0 | Rod | | X | 35 X 742 |
| 15 | 934.906.0 | Bushing | | X | 3526 DU |
| 16 | 910.729.1 | Washer | | X | S 37 X 47 X 2.5 |
| 17 | 911.647.1 | Circlip | | X | I 48 X 1.75 |
| 18 | 919.105.0 | Grease Fitting | | X | AM 8 X 1 |
| 19 | 265.512.0 | Front Steering Rod | | X | |
| 20 | 265.505.0 | Frame | | X | |
| 21 | 910.514.1 | Washer | | X | 26 X 44 X 4 |
| 22 | 912.670.0 | Roll Pin | | X | 8 X 40 |
| 23 | 153.088.0 | Pin | | X | 25 X 104 |
| 24 | 918.315.0 | Eye Screw | | X | M10 X 50/25 |
| 25 | 908.212.0 | Hex Nut | | X | M10 |
| 26 | 265.498.0 | Support | | X | |
| 27 | 900.634.0 | Hex Head Bolt | | X | M10 X 20 |
| 28 | 909.909.0 | Detent Edged Washer | | X | SKM 10 |
| 29 | 265.415.0 | Line Support | | X | |
| 30 | 924.919.2 | Rope Guide | | X | |
| 31 | 911.522.0 | Circlip | | X | A 20 X 1.2 |




448 884 0

Rear Wheels

Rear Wheels


| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|------------------------|-----------------|--------|-----------------------|
| 1 | 265.500.0 | Rear Frame | | X | |
| 2 | 908.732.0 | Hex Nut | | X | NM 30 X 1.5 |
| 3 | 953.108.0 | Rim | | X | 9.00 X 15.3 6 Hole |
| 4 | 953.308.1 | Tube | | X | 10.0/75-15 11.5/80-15 |
| 5 | 953.210.0 | Tire | | X | 10.0/75-15.3 8 Ply |
| 6 | 934.935.0 | Bearing Bushing | | X | 4050 DU |
| 7 | 952.618.0 | Axle Body | | X | |
| 8 | 910.256.0 | Wheel Pin | | X | M18 X 1.5 X 46 |
| 9 | 910.225.0 | Nut | | X | A 18 X 1.5 |
| 10 | 912.089.1 | Cotter Pin | | X | 5 X 40 |
| 11 | 952.320.0 | Push Ring | | X | |
| 12 | 952.330.0 | Seal | | X | |
| 13 | 932.222.0 | Tapered Roller Bearing | | X | LM 501310/49 |
| 14 | 952.254.0 | Hub | | X | Includes Items 8 & 9 |
| 15 | 932.212.0 | Tapered Roller Bearing | | X | L 44610/49 |
| 16 | 908.927.0 | Castle Nut | | X | M24 X 1.5 |
| 17 | 952.310.1 | Wheel Cap | | X | Rd. 50.5 |
| 18 | 154.688.0 | Pin | | X | |
| 19 | 912.718.0 | Roll Pin | | X | 10 X 60 |
| 20 | 919.105.0 | Grease Fitting | | X | AM 8 X 1 |
| 21 | 144.345.2 | Washer | | X | Ro. 54 X 8.8 X 15 |
| 22 | 938.976.0 | Protecting Cap | | X | SW 24 |
| 23 | 938.625.0 | Hex Cap | | X | SW 46 |
| 30 | 953.010.0 | Wheel | | X | 10.0/75-15.3 8 PR |
| 31 | 950.481.1 | Axle Journal Complete | | X | |



Main Gearbox

Main Gearbox

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|------------------------|-----------------|--------|-----------------|
| 1 | 932.177.0 | Tapered Roller Bearing | | X | 32010 X |
| 2 | 146.985.0 | Bevel Wheel | | X | Z=22 |
| 3 | 154.170.0 | Gearbox Housing | | X | |
| 4 | 490.161.1 | Oil Level Dipstick | | X | |
| 5 | 936.339.0 | Radial Seal | | X | B2 35 X 80 X 13 |
| 6 | 911.673.0 | Circlip | | X | I 80 X 2.5 |
| 7 | 910.741.0 | Washer | | X | S 63 X 80 X 3.0 |
| 8 | 911.022.0 | Shim | | X | 70 X 80 X .1 |
| | 911.023.0 | Shim | | X | 70 X 80 X .3 |
| | 911.024.0 | Shim | | X | 70 X 80 X 1.0 |
| 9 | 930.167.0 | Bearing | | X | 6307 |
| 10 | 915.122.0 | Flat Key | | X | A 10 X 8 X 40 |
| 11 | 154.019.0 | Gearbox Shaft | | X | 42 X 430 |
| 12 | 145.215.3 | Gearbox Shaft | | X | 42 X 193 |
| 13 | 932.155.0 | Tapered Roller Bearing | | X | 32210 A |
| 14 | 910.900.0 | Shim | | X | 50 X 62 X .1 |
| | 910.902.0 | Shim | | X | 50 X 62 X .3 |
| | 910.903.0 | Shim | | X | 50 X 62 X .5 |
| | 910.904.0 | Shim | | X | 50 X 62 X 1.0 |
| 15 | 146.984.0 | Bevel Wheel | | X | Z=16 |
| 16 | 911.132.0 | Shim | | X | 35 X 45 X .3 |
| | 911.133.0 | Shim | | X | 35 X 45 X .5 |
| | 911.134.0 | Shim | | X | 35 X 45 X 1.0 |
| 17 | 911.541.0 | Circlip | | X | A 35 X 1.5 |
| 18 | 906.040.1 | Screw Plug | | X | M18 X 1.5 |
| 19 | 915.122.0 | Flat Key | | X | A 10 X 8 X 40 |
| 20 | 936.337.0 | Radial Seal | | X | B2 35 X 72 X 12 |
| 21 | 911.541.0 | Circlip | | X | A 35 X 1.5 |
| 22 | 910.727.0 | Washer | | X | S 35 X 45 X 2.5 |
| 23 | 930.137.0 | Bearing | | X | 6207 |
| 24 | 900.655.0 | Hex Head Bolt | | X | M12 X 25 |
| 25 | 910.035.0 | Spring Washer | | X | B 12 |
| 26 | 146.976.2 | Gearbox Cover | | X | |
| 27 | 145.212.0 | Gearbox Seal | | X | |
| 30 | 154.160.0 | Main Gearbox | | X | |
| | 926.101.0 | Oil | | X | 1 Liter SAE 90 |




448 662 0

Frame Reinforcement - Main Gearbox Mounting

Frame Reinforcement - Main Gearbox Mounting

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|---------------------|-----------------|--------|-------------|
| 1 | 900.675.0 | Hex Head Bolt | | X | M16 X 40 |
| 2 | 910.303.0 | Washer | | X | 17 X 30 X 3 |
| 3 | 265.293.0 | Frame Reinforcement | | X | |
| 4 | 908.716.1 | Hex Nut | | X | NM 16 |
| 5 | 900.335.1 | Hex Head Bolt | | X | M16 X 30 |
| 6 | 909.912.0 | Detent Edged Washer | | X | SKM 16 |




448 887 0

Intermediate Power Shaft

Intermediate Power Shaft

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|---------------|-----------------|--------|-------------------|
| 1 | 144.891.2 | PTO Guard | | X | |
| 2 | 924.007.0 | Hose Clamp | | X | |
| 3 | 911.668.0 | Circlip | | X | 172 X 2.5 |
| 4 | 910.910.0 | Shim | | X | 56 X 72 X .1 |
| | 910.912.0 | Shim | | X | 56 X 72 X .3 |
| 5 | 910.913.0 | Shim | | X | 56 X 72 X .5 |
| | 910.914.0 | Shim | | X | 56 X 72 X 1.0 |
| | 910.915.0 | Shim | | X | 56 X 72 X 2.0 |
| 6 | 930.537.0 | Bearing | | X | 6207 2RS |
| | 154.241.0 | Bearing | | X | |
| 7 | 908.716.1 | Hex Nut | | X | NM 16 |
| 8 | 910.303.0 | Washer | | X | 17 X 30 X 3 |
| 9 | 900.675.0 | Hex Head Bolt | | X | M16 X 40 |
| 10 | 937.553.0 | O-Ring | | X | 78.5 X 6.0 |
| 13 | 265.518.0 | Shaft | | X | Rd. 35 X 1995 |
| 14 | 956.028.0 | U-Joint | | X | 1 3/8" - 6 Spline |
| 15 | 938.555.0 | Guard Tube | | X | Rd. 110 X 2050 |




449 396 1

Rotor Arm Inner

Rotor Arm Inner

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|------------------------|-----------------|--------|---------------------|
| 1 | 265.530.0 | Outer Tube | | X | |
| 2 | 915.073.0 | Flat Key | | X | B 8 X 7 X 32 |
| 3 | 910.865.0 | Shim | | X | 30 X 42 X 2.0 |
| 4 | 934.612.0 | Bearing | | X | AS 206 LLU |
| 5 | 265.534.0 | Bearing Flange | | X | |
| 6 | 949.390.0 | Wide Angle U-Joint | | X | DG 2200 SA 2 NM=700 |
| 7 | 902.402.0 | Hex Head Bolt | | X | BM 10 X 16 |
| 8 | 900.638.0 | Hex Head Bolt | | X | M10 X 35 |
| 9 | 265.272.0 | Rubber Plate | | X | 320 X 150 X 4 |
| 10 | 900.617.0 | Hex Head Bolt | | X | M8 X 30 |
| 11 | 265.273.0 | Clamping Strap | | X | |
| 12 | 908.706.0 | Hex Nut | | X | M8 |
| 13 | 908.701.0 | Hex Nut | | X | M12 |
| 14 | 910.891.0 | Shim | | X | 40 X 50 X 1.0 |
| | 910.885.0 | Shim | | X | 40 X 50 X 2.0 |
| 15 | 934.935.0 | Bearing Bushing | | X | 4050 DU |
| 16 | 154.686.0 | Bearing Flange | | X | Includes Item 15 |
| 17 | 910.506.0 | Washer | | X | 13 X 24 X 2.5 |
| 18 | 900.658.0 | Hex Head Bolt | | X | M12 X 40 |
| 19 | 919.105.0 | Grease Fitting | | X | AM 8 X 1 |
| 20 | 265.903.0 | Rotor Arm Inside Right | | X | |
| | 265.904.0 | Rotor Arm Inside Left | | X | |
| 21 | 265.269.0 | Bearing Bushing | | X | 113 X 123 X 40 |
| 22 | 900.637.0 | Hex Head Bolt | | X | M10 X 30 |
| 23 | 265.474.0 | Stop | | X | |
| 24 | 909.909.0 | Detent Edged Washer | | X | SKM 10 |
| 25 | 908.758.0 | Hex Nut | | X | M10 |




449 398 0

Rotor Arm Outer

Rotor Arm Outer


| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|--------------------|-----------------|--------|------------------|
| 2 | 949.154.0 | Wide Angle U-Joint | | X | Gr. 2 |
| 3 | 910.865.0 | Shim | | X | 30 X 42 X 2.0 |
| 4 | 265.534.0 | Bearing Flange | | X | |
| 5 | 934.612.0 | Bearing | | X | AS 206 LLU |
| 6 | 902.402.0 | Hex Head Bolt | | X | BM 10 X 16 |
| 7 | 900.638.0 | Hex Head Bolt | | X | M10 X 35 |
| 12 | 934.905.0 | Bushing | | X | 4026 DU |
| 13 | 155.492.0 | Pin | | X | Rd. 40 X 114 |
| 14 | 919.105.0 | Grease Fitting | | X | AM 8 X 1 |
| 15 | 912.773.1 | Roll Pin | | X | 13 X 65 |
| | 912.719.0 | Roll Pin | | X | 10 X 65 |
| 16 | 265.910.0 | Rotor Arm | | X | Includes Item 12 |
| 17 | 265.270.0 | Bearing Bushing | | X | |
| 18 | 265.531.0 | Male Tube | | X | |
| 19 | 915.073.0 | Flat Key | | X | B 8 X 7 X 32 |
| 20 | 915.072.0 | Flat Key | | X | A 8 X 7 X 32 |
| 24 | 901.005.0 | Hex Head Bolt | | X | M6 X 80 |
| 25 | 910.411.1 | Washer | | X | A 6.4 |
| 26 | 908.704.1 | Hex Nut | | X | M6 |



Rotor Gearbox

Rotor Gearbox

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|----------------------|-----------------|--------|-----------------|
| 1 | 265.027.0 | Bolt | | X | 55 X 45 |
| 2 | 910.346.0 | Washer | | X | 31 X 56 X 1.6 |
| 3 | 265.029.0 | Washer | | X | 34 X 68 X 4 |
| 4 | 265.480.0 | Gearbox Housing | | X | |
| 5 | 265.278.3 | Hollow Shaft | | X | |
| 6 | 911.023.0 | Shim | | X | 70 X 80 X .3 |
| | 911.024.0 | Shim | | X | 70 X 80 X 1.0 |
| 7 | 930.157.0 | Bearing | | X | 6014 2RS |
| 8 | 904.065.1 | Countersunk Screw | | X | M12 X 40 |
| 10 | 911.511.0 | Circlip | | X | A 15 X 1.0 |
| 11 | 910.804.0 | Shim | | X | 15 X 21 X .3 |
| | 910.805.0 | Shim | | X | 15 X 21 X .5 |
| | 910.806.0 | Shim | | X | 15 X 21 X 1.0 |
| | 910.821.0 | Shim | | X | 16 X 35 X .3 |
| | 910.822.0 | Shim | | X | 16 X 35 X .5 |
| 12 | 935.106.0 | Roller | | X | Hk 2020 |
| 13 | 265.482.0 | Pinion Shaft Housing | | X | |
| 15 | 908.701.0 | Hex Nut | | X | M12 |
| 16 | 911.166.0 | Shim | | X | 90 X 100 X .3 |
| | 911.168.0 | Shim | | X | 90 X 100 X 1.0 |
| 17 | 930.323.0 | Bearing | | X | 6018 2RS |
| 18 | 265.459.0 | Gearbox Gasket | | X | .5mm |
| 19 | 265.481.0 | Gearbox Cover | | X | |
| 20 | 909.909.0 | Detent Edged Washer | | X | SKM 10 |
| 21 | 900.636.0 | Hex Head Bolt | | X | M10 X 25 |
| 22 | 931.122.0 | Bearing | | X | 3207 2RS |
| 23 | 910.912.0 | Shim | | X | 56 X 72 X .3 |
| | 910.913.0 | Shim | | X | 56 X 72 X .5 |
| | 910.914.0 | Shim | | X | 56 X 72 X 1.0 |
| | 910.915.0 | Shim | | X | 56 X 72 X 2.0 |
| 24 | 911.668.0 | Circlip | | X | I 72 X 2.5 |
| 25 | 936.337.0 | Radial Seal | | X | B2 35 X 72 X 12 |
| 26 | 265.023.0 | Bearing Flange | | X | |
| 27 | 909.910.0 | Detent Edged Washer | | X | SKM 12 |
| 28 | 900.657.0 | Hex Head Bolt | | X | M12 X 35 |
| 29 | 937.566.0 | O-Ring | | X | Or 98 X 3 |




449 253 1

Rotor Gearbox

Rotor Gearbox

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------------------------------|--|-----------------|-------------|-----------------|
| 30 | 265.490.0 926.000.0 926.017.0 | Gearbox Complete All-Purpose Grease | | X X X | Z=83-12 1 Kg |
| 31 | 265.841.0 | Ring Gear & Pinion Shaft | | X | Z12, Z83, M4.5 |
| 32 | 910.912.0 | Shim | | X | 56 X 72 X .3 |
| 33 | 910.913.0 | Shim | | X | 56 X 72 X .5 |
| | 910.914.0 | Shim | | X | 56 X 72 X 1.0 |
| | 910.915.0 | Shim | | X | 56 X 72 X 2.0 |
| | 911.541.0 | Circlip | | X | A 35 X 1.5 |




448 888 2

Cam Track

Cam Track

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|------------------------|-----------------|--------|-----------------|
| 1 | 936.043.0 | Radial Seal | | X | A 75 X 115 X 12 |
| 2 | 930.283.0 | Bearing | | X | 6015 2RS |
| 3 | 910.820.0 | Shim | | X | 75 X 95 X 1 |
| | 910.824.0 | Shim | | X | 75 X 95 X .5 |
| | 910.861.0 | Shim | | X | 75 X 95 X .3 |
| 4 | 910.835.0 | Shim | | X | 95 X 115 X 1 |
| | 910.836.0 | Shim | | X | 95 X 115 X .5 |
| | 910.875.0 | Shim | | X | 95 X 115 X .3 |
| 5 | 911.570.0 | Circlip | | X | A 75 X 2.5 |
| 6 | 911.604.0 | Circlip | | X | I 115 X 4.0 |
| 7 | 909.910.0 | Detent Edged Washer | | X | SKM 12 |
| 9 | 265.350.0 | Rotor L/H | | X | 13 Arm |
| | 265.030.0 | Rotor R/H | | X | 13 Arm |
| 10 | 908.701.0 | Hex Nut | | X | M12 |
| 11 | 265.035.0 | Rotor Hub | | X | 13 Hole |
| 12 | 265.039.0 | Gasket | | X | 13 Hole |
| 13 | 930.156.0 | Bearing | | X | 6012 2RS |
| 14 | 265.050.0 | Cam Track | | X | |
| 15 | 265.435.0 | Hub | | X | |
| 16 | 900.657.0 | Hex Head Bolt | | X | M12 X 35 |
| 17 | 265.283.0 | Adjuster | | X | |
| 18 | 910.741.0 | Washer | | X | S 63 X 80 X 3.0 |
| 19 | 906.010.0 | Screw Plug | | X | M18 X 1.5 |
| 20 | 911.562.0 | Circlip | | X | A 60 X 3.0 |
| 21 | 265.806.0 | Hand Lever | | X | |
| 22 | 901.446.0 | Hex Head Bolt | | X | M10 X 130 |
| 23 | 910.414.0 | Washer | | X | A 10.5 |
| 24 | 908.758.0 | Hex Nut | | X | M10 |
| 25 | 917.009.0 | Lynch Pin | | X | 8 X 42 |
| 26 | 915.245.0 | Flat Key | | X | B 18 X 11 X 20 |
| 27 | 265.433.0 | 13 Arm Rotor w/Hub L/H | | X | |
| | 265.432.0 | 13 Arm Rotor w/Hub R/H | | X | |
| | 926.019.0 | | | X | |
| 28 | 937.727.0 | Gasket Ring | | X | A 18 X 24 X 1.5 |




448 863 3

Inner Tine Arm

Inner Tine Arm


| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|---------------------|-----------------|--------|---------------|
| 1 | 900.230.0 | Hex Head Bolt | | X | M10 X 35 |
| 2 | 909.909.0 | Detent Edged Washer | | X | SKM 10 |
| 3 | 265.038.0 | Flange Plate | | X | |
| 4 | 937.501.0 | O-Ring | | X | Or. 70 X 3 |
| 5 | 935.300.0 | Washer | | X | 45.5 X 66 X 5 |
| 6 | 936.024.0 | Scraper | | X | 45 X 62 X 12 |
| 7 | 934.931.0 | Bearing Bushing | | X | 4530 DU |
| 8 | 911.802.0 | Snap Ring | | X | B 50 X 2.5 |
| 9 | 934.905.0 | Bushing | | X | 4026 DU |
| 10 | 265.199.0 | Support w/Bushing | | X | |
| 11 | 908.013.0 | Hex Nut | | X | M16 X 1.5 |
| 12 | 909.912.0 | Detent Edged Washer | | X | SKM 16 |
| 13 | 912.400.0 | Roll Pin | | X | 14 X 55 |
| 14 | 265.048.0 | Cam Follower | | X | |
| 15 | 933.201.0 | Cam Roller | | X | |
| 18 | 265.592.0 | Inner Tine Arm | | 26 | |
| 19 | 910.885.0 | Shim | | X | 40 X 50 X 2.0 |
| 20 | 911.024.0 | Shim | | X | 70 X 80 X 1.0 |
| 21 | 912.677.0 | Roll Pin | | X | 8 X 55 |



Tine Arms

Tine Arms

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|----------------------------|-----------------|--------|---------------|
| 1 | 265.061.0 | Clip | | 104 | M12 |
| 2 | 153.021.0 | Shim | | 156 | |
| 3 | 908.701.0 | Hex Nut | | X | |
| 4 | 265.010.0 | Tine - R/H Delivery | | 39 | |
| 5 | 265.011.0 | Inside Tine - R/H Delivery | | 13 | |
| 6 | 265.213.1 | Tine Arm | | X | 850mm Long |
| 7 | 910.624.0 | Washer | | X | 13.0 X 35 X 8 |
| 8 | 901.457.0 | Hex Head Bolt | | X | M12 X 85 |
| 9 | 265.596.0 | Pin | | 26 | |
| 10 | 917.004.1 | Lynch Pin | | 26 | 5 X 32 |
| 11 | 265.598.0 | Plate Spring Complete | | 26 | |
| 12 | 901.049.1 | Hex Head Bolt | | 26 | M8 X 70 |
| 13 | 910.413.0 | Washer | | X | A 8.4 |
| 14 | 908.706.0 | Hex Nut | | X | M8 |
| 15 | 910.506.0 | Washer | | X | 13 X 24 X 2.5 |
| 16 | 265.013.0 | Inside Tine - L/H Delivery | | 13 | Rd. 10 |
| 17 | 265.012.0 | Tine - L/H Delivery | | 39 | Rd. 10 |
| 18 | 908.758.0 | Hex Nut | | X | M10 |




448 476 1

Tine Savers

Tine Savers

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|-----------------|-----------------|--------|----------------|
| 1 | 908.704.1 | Hex Nut | | X | M6 |
| 2 | 910.351.1 | Washer | | X | 6.4 X 18 X 1.6 |
| 3 | 153.861.0 | Cord | | X | |
| 4 | 904.804.0 | Flat Round Bolt | | X | M6 X 30 |
| 5 | 153.860.0 | Clamping Piece | | X | |
| 10 | 153.479.0 | Tine Saver | | 104 | |




449 010 1

Rotor Chassis

Rotor Chassis

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|------------------------|-----------------|--------|----------------|
| 1 | 265.892.0 | Chassis | | X | |
| 2 | 930.507.0 | Bearing | | X | 6007 2RS |
| 3 | 015.066.0 | Spacer Ring | | X | 44.5 X 4.5 X 6 |
| 4 | 917.011.0 | Lynch Pin | | X | 10 X 45 |
| 5 | 919.105.0 | Grease Fitting | | X | AM 8 X 1 |
| 6 | 901.122.0 | Hex Head Bolt | | X | M12 X 70 |
| 7 | 910.506.0 | Washer | | X | 13 X 24 X 2.5 |
| 8 | 908.701.0 | Hex Nut | | X | M12 |
| 9 | 265.426.0 | Limit Stop Outside R/H | | X | |
| 10 | 265.425.0 | Limit Stop Outside L/H | | X | |
| 12 | 900.637.0 | Hex Head Bolt | | X | M10 X 30 |
| 13 | 900.239.1 | Hex Head Bolt | | X | M6 X 25 |
| 14 | 910.351.1 | Washer | | X | 6.4 X 18 X 1.6 |
| 15 | 912.534.0 | Roll Pin | | X | 12 X 12 |
| 16 | 265.891.0 | Profile Cover | | X | |
| 17 | 910.414.0 | Washer | | X | A 10.5 |
| 18 | 909.909.0 | Detent Edged Washer | | X | SKM 10 |
| 19 | 908.758.0 | Hex Nut | | X | M10 |
| 20 | 908.704.1 | Hex Nut | | X | M6 |




448 869 1

Depth Wheel

Depth Wheel

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|-----------------------------|-----------------|--------|-------------------|
| 1 | 265.320.0 | Spacer Bushing | | X | |
| 2 | 938.832.0 | Gasket Ring | | X | 48/25 X 13.5 |
| 3 | 930.535.0 | Bearing | | X | 6205 2 RS |
| 4 | 938.831.0 | Distance Tube | | X | 30 X 1.5 X 34 |
| 5 | 953.158.0 | Rim | | X | 5.50 A-8 |
| 6 | 953.328.0 | Tube | | X | 16 X 6.50-8 TR 13 |
| 7 | 953.249.1 | Tire | | X | 16 X 6.50-8 6 Ply |
| 8 | 903.150.0 | Allen Screw | | X | M12 X 100 |
| 9 | 332.232.0 | Distance Tube | | X | |
| 10 | 953.058.1 | Wheel Complete | | X | 16 X 6.50-8 6 Pr |
| 11 | 265.315.0 | Depth Control Wheel Support | | X | |
| 12 | 265.319.0 | Axle Pin | | X | |
| 13 | 910.514.1 | Washer | | X | 26 X 44 X 4 |
| 14 | 910.353.0 | Washer | | X | R 11 |
| 15 | 909.909.0 | Detent Edged Washer | | X | SKM 10 |
| 16 | 900.634.0 | Hex Head Bolt | | X | M10 X 20 |
| 17 | 910.506.0 | Washer | | X | 13 X 24 X 2.5 |
| 18 | 908.701.0 | Hex Nut | | X | M12 |




448 871 0

Wheel with Swinging Axle

Wheel with Swinging Axle

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|---------------------|-----------------|--------|-------------------|
| 1 | 953.249.1 | Tire | | X | 16 X 6.50-8 6 Ply |
| 2 | 953.328.0 | Tube | | X | 16 X 6.50-8 TR 13 |
| 3 | 910.609.0 | Washer | | X | 13 X 37 X 3 |
| 4 | 908.701.0 | Hex Nut | | X | M12 |
| 5 | 938.833.0 | Wheel Cap | | X | 52 |
| 6 | 953.158.0 | Rim | | X | 5.50 A-8 |
| 7 | 938.831.0 | Distance Tube | | X | 30 X 1.5 X 34 |
| 8 | 930.535.0 | Bearing | | X | 6205 2RS |
| 9 | 900.656.0 | Hex Head Bolt | | X | M12 X 30 |
| 10 | 909.910.0 | Detent Edged Washer | | X | SKM 12 |
| 11 | 910.642.0 | Washer | | X | 13 X 70 X 6 |
| 12 | 153.700.0 | Bogie Axle | | X | |
| 13 | 934.939.0 | Bearing Bushing | | X | 5060 DU |
| 14 | 912.716.1 | Roll Pin | | X | 10 X 50 |
| 15 | 154.264.0 | Pin | | X | Includes Item 26 |
| 16 | 910.865.0 | Shim | | X | 30 X 42 X 2.0 |
| 17 | 153.139.1 | Clamp | | X | |
| 18 | 910.515.0 | Washer | | X | 30 X 50 X 4 |
| 20 | 052.053.1 | Pressure Spring | | X | |
| 21 | 901.455.0 | Hex Head Bolt | | X | M12 X 75 |
| 22 | 153.206.0 | Anti-Wrap Guard | | X | |
| 23 | 938.832.0 | Gasket Ring | | X | 48/25 X 13.5 |
| 25 | 934.938.0 | Bearing Bushing | | X | 5040 DU |
| 26 | 153.305.3 | Bushing | | X | 70 X 8.8 X 100 |
| 27 | 919.105.0 | Grease Fitting | | X | AM 8 X 1 |
| 30 | 953.058.1 | Wheel Complete | | X | 16 X 6.50-8 6 Pr |




448 691 2

Locking Mechanism

Locking Mechanism

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|---------------------|-----------------|--------|------------------|
| 1 | 912.670.0 | Roll Pin | | X | 8 X 40 |
| 2 | 265.802.0 | Lock R/H | | X | |
| 3 | 910.514.1 | Washer | | X | 26 X 44 X 4 |
| 4 | 910.845.0 | Shim | | X | 25 X 35 X 2.0 |
| 5 | 281.099.0 | Bushing | | X | Ro. 38 X 7.1 X 7 |
| 6 | 265.442.0 | Pin | | X | |
| 7 | 265.286.0 | Locking Block | | X | |
| 8 | 901.132.0 | Hex Head Bolt | | X | M16 X 55 |
| 9 | 910.303.0 | Washer | | X | 17 X 30 X 3 |
| 10 | 909.912.0 | Detent Edged Washer | | X | SKM 16 |
| 11 | 908.716.1 | Hex Nut | | X | NM 16 |
| 12 | 917.603.0 | Clamp | | X | 6.5 |
| 13 | 917.506.0 | Grommet Thimble | | X | A 6 |
| 14 | 939.063.0 | Handle | | X | |
| 15 | 925.113.0 | Rope | | X | |
| 16 | 900.617.0 | Hex Head Bolt | | X | M8 X 30 |
| 17 | 910.413.0 | Washer | | X | A 8.4 |
| 18 | 908.706.0 | Hex Nut | | X | M8 |
| 19 | 265.728.0 | Shim | | X | |
| 20 | 265.803.0 | Lock L/H | | X | |
| 21 | 900.637.0 | Hex Head Bolt | | X | M10 X 30 |
| 22 | 910.414.0 | Washer | | X | A 10.5 |
| 23 | 908.758.0 | Hex Nut | | X | M10 |




449 262 1

Rotor Safety Frames

Rotor Safety Frames

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|---------------------|-----------------|--------|---------------|
| 1 | 265.520.0 | Guard Frame R/H | | X | |
| | 265.521.0 | Guard Frame L/H | | X | |
| 2 | 908.701.0 | Hex Nut | | X | M12 |
| 3 | 909.910.0 | Detent Edged Washer | | X | SKM 12 |
| 4 | 917.004.1 | Lynch Pin | | X | 5 X 32 |
| 5 | 910.506.0 | Washer | | X | 13 X 24 X 2.5 |
| 6 | 901.122.0 | Hex Head Bolt | | X | M12 X 70 |
| 7 | 260.600.0 | Safety Pin | | X | |
| 8 | 900.672.0 | Hex Head Bolt | | X | M16 X 20 |
| 9 | 909.912.0 | Detent Edged Washer | | X | SKM 16 |
| 11 | 900.658.0 | Hex Head Bolt | | X | M12 X 40 |
| 12 | 912.510.0 | Roll Pin | | X | 16 X 32 |
| 14 | 265.600.0 | Guard R/H | | X | |
| | 265.601.1 | Guard L/H | | X | |
| 15 | 265.579.0 | Guard R/H | | X | |
| | 265.580.0 | Guard L/H | | X | |
| 16 | 463.427.0 | Stopper | | 2 | 50 X 30 X 3 |




449 192 0

Spring Compensation

Spring Compensation

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|--------------------------|-----------------|--------|---------------|
| 1 | 910.514.1 | Washer | | X | 26 X 44 X 4 |
| 2 | 250.398.0 | Pin | | X | 25 X 119 |
| 3 | 912.670.0 | Roll Pin | | X | 8 X 40 |
| 4 | 153.139.1 | Clamp | | X | |
| 5 | 910.506.0 | Washer | | X | 13 X 24 X 2.5 |
| 6 | 908.215.0 | Hex Nut | | X | M12 |
| 7 | 052.053.1 | Pressure Spring | | X | |
| 8 | 901.455.0 | Hex Head Bolt | | X | M12 X 75 |
| 9 | 265.468.0 | Drawbar | | X | |
| 10 | 265.465.0 | Telescoping Tube Inside | | X | |
| 11 | 908.701.0 | Hex Nut | | X | M12 |
| 12 | 910.320.0 | Washer | | X | 13 X 30 X 6 |
| 13 | 918.300.0 | Eye Bolt | | X | M12 X 95/65 |
| 14 | 344.771.1 | Tension Spring | | X | |
| 15 | 910.609.0 | Washer | | X | 13 X 37 X 3 |
| 16 | 265.461.0 | Telescoping Tube Outside | | X | |




449 401 0

Pulling Support

Pulling Support

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|-------------------------|-----------------|--------|--------------|
| 1 | 901.061.2 | Hex Head Bolt | | X | M10 X 45 |
| 2 | 909.502.0 | Annular Nut | | X | |
| 3 | 265.709.0 | Tension Spring | | X | |
| 4 | 265.408.0 | Cylinder Bolt | | X | Rd. 20 X 150 |
| 5 | 912.584.0 | Roll Pin | | X | 4 X 30 |
| 6 | 910.512.2 | Washer | | X | B 21 |
| 7 | 265.409.0 | Cylinder Bolt | | X | Rd. 20 X 150 |
| 8 | 265.538.0 | Pulling Support | | X | |
| 9 | 910.512.2 | Washer | | X | B 21 |
| 10 | 916.087.0 | Pin | | X | |
| 11 | 912.615.0 | Roll Pin | | X | 5 X 36 |
| 12 | 265.914.0 | Pulling Support | | X | |
| 13 | 910.609.0 | Washer | | X | 13 X 37 X 3 |
| 14 | 917.004.1 | Lynch Pin | | X | 5 X 32 |
| 15 | 265.917.0 | Safety Pin | | X | Rd. 20 X 95 |
| 16 | 919.510.0 | Ball Head | | X | C 40 X M12 |
| 17 | 265.495.0 | Cable Tensioning Spring | | X | |




448 894 1

Windrow Skirt

Windrow Skirt

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|----------------------------|-----------------|--------|----------------|
| 1 | 265.333.0 | Round Bar | | X | |
| 2 | 900.284.0 | Hex Head Bolt | | X | M10 X 50 |
| 3 | 908.758.0 | Hex Nut | | X | M10 |
| 4 | 900.239.1 | Hex Head Bolt | | X | M6 X 25 |
| 5 | 154.077.1 | Bearing | | X | |
| 6 | 901.095.0 | Hex Head Bolt | | X | M12 X 140 |
| 7 | 153.021.0 | Shim | | X | |
| 9 | 154.172.0 | Tube | | X | |
| 10 | 154.612.0 | Swathing Deflector Support | | X | |
| 11 | 265.332.0 | Flat Steel | | X | |
| 12 | 900.657.0 | Hex Head Bolt | | X | M12 X 35 |
| 13 | 910.506.0 | Washer | | X | 13 X 24 X 2.5 |
| 14 | 908.701.0 | Hex Nut | | X | M12 |
| 15 | 265.331.0 | Swathing Deflector | | X | |
| 16 | 938.557.0 | Cover | | X | |
| 17 | 153.277.0 | Clamping Strap | | 2 | |
| 18 | 910.351.1 | Washer | | X | 6.4 X 18 X 1.6 |
| 19 | 908.704.1 | Hex Nut | | X | M6 |
| 20 | 908.515.0 | Hex Nut | | X | M12 |
| 21 | 265.335.0 | Swathing Deflector Support | | X | |




449 400 1

Hydraulic System - Mechanical Lift

Hydraulic System - Mechanical Lift

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|--------------------|-----------------|--------|--------------------|
| 1 | 045.506.0 | Hydraulic Pipe | | X | 12 X 1.5 |
| 2 | 921.206.0 | Union Nut | | X | AL 12 |
| 3 | 921.046.1 | Cutting Ring | | X | L 12 |
| 4 | 921.028.1 | High Pressure Hose | | X | 1000mm Long |
| 5 | 920.974.1 | High Pressure Hose | | X | 1000mm Long |
| 6 | 921.071.1 | T Connector | | X | L 12 |
| 7 | 921.059.1 | Male Connector | | X | L 6 |
| 8 | 905.745.0 | Set Screw | | X | M8 X 16 |
| 9 | 908.210.0 | Hex Nut | | X | M8 |
| 10 | 918.428.0 | Hydraulic Cylinder | | X | EZ 25 X 400/570 |
| 11 | 910.514.1 | Washer | | X | 26 X 44 X 4 |
| 12 | 910.845.0 | Shim | | X | 25 X 35 X 2.0 |
| 13 | 912.670.0 | Roll Pin | | X | 8 X 40 |
| 14 | 265.442.0 | Pin | | X | |
| 15 | 908.706.0 | Hex Nut | | X | M8 |
| 16 | 910.413.0 | Washer | | X | A 8.4 |
| 17 | 900.617.0 | Hex Head Bolt | | X | M8 X 30 |
| 18 | 918.421.0 | Hydraulic Cylinder | | X | Zz 25/75 X 402/614 |
| | 918.702.0 | Seal Kit | | X | |
| | 911.808.0 | Snap Ring | | X | |
| 19 | 265.344.0 | Tension Spring | | X | |
| 20 | 265.348.4 | Pin | | X | |
| 21 | 908.620.0 | Hex Nut | | X | M16 |
| 22 | 919.105.0 | Grease Fitting | | X | AM 8 X 1 |
| 23 | 281.099.0 | Bushing | | X | Ro. 38 X 7.1 X 7 |
| 24 | 912.673.0 | Roll Pin | | X | 8 X 36 |
| 25 | 910.512.2 | Washer | | X | B 21 |
| 26 | 265.412.0 | Cylinder Support | | X | |
| 27 | 143.482.1 | Pin | | X | |
| 28 | 908.525.1 | Hex Nut | | X | M20 |
| 29 | 332.014.2 | Washer | | X | 1.5 X 12 X 1 |
| 30 | 910.514.1 | Washer | | X | 26 X 44 X 4 |
| 31 | 912.670.0 | Roll Pin | | X | 8 X 40 |
| 32 | 924.208.0 | Cable Bushing | | X | 14/20 |
| 33 | 900.617.0 | Hex Head Bolt | | X | M8 X 30 |
| 34 | 910.603.0 | Washer | | X | A 8.4 |
| 35 | 925.105.0 | Clamp | | X | Bo. 12/12 |
| 36 | 903.747.0 | Allen Screw | | X | AM 5 X 20 |




449 400 1

Hydraulic System - Mechanical Lift

Hydraulic System - Mechanical Lift

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|-----------------|-----------------|--------|-----------------|
| 37 | 924.010.0 | Tube Clamp | | X | Rd. 12 |
| 38 | 910.351.1 | Washer | | X | 6.4 X 18 X 1.6 |
| 39 | 908.207.0 | Hex Nut | | X | M5 |
| 40 | 921.083.1 | Reducer | | X | KOR 12/6-PL |
| 41 | 920.973.0 | Hydraulic Hose | | X | 2000mm Long |
| 42 | 921.122.0 | Ball Cock | | X | M18 X 1.5 |
| 43 | 921.030.1 | Hydraulic Hose | | X | 1600mm Long |
| 44 | 921.145.0 | Plug | | X | M18 X 1.5 |
| 45 | 921.171.0 | Dust Cap | | X | |
| 46 | 906.010.0 | Screw Plug | | X | M18 X 1.5 |
| 47 | 937.727.0 | Gasket Ring | | X | A 18 X 24 X 1.5 |
| 48 | 921.093.1 | Male Connector | | X | M18 X 1.5 |
| 49 | 260.467.0 | Distributor | | X | |
| 50 | 908.758.0 | Hex Nut | | X | M10 |
| 51 | 339.698.1 | Strap | | X | |
| 52 | 925.111.0 | Edge Protection | | X | |
| 53 | 920.901.0 | Male Connector | | X | L 12 |
| 54 | 921.067.1 | Connector | | X | L 12 |
| 55 | 934.947.0 | Bearing Bushing | | X | Pm 2530 Dx |
| 56 | 925.107.1 | Clamp | | X | Bo.=12 |
| 57 | 925.136.0 | Cover Plate | | X | |
| 58 | 901.159.0 | Hex Head Bolt | | X | M6 X 120 |
| 59 | 908.704.1 | Hex Nut | | X | M6 |




449 399 1

Mechanical Lift

Mechanical Lift

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|---------------------|-----------------|--------|-----------------|
| 1 | 265.918.0 | Holder Right | | X | |
| | 265.919.0 | Holder Left | | X | |
| 2 | 909.910.0 | Detent Edged Washer | | X | SKM 12 |
| 3 | 908.701.0 | Hex Nut | | X | M12 |
| 4 | 139.621.1 | Gear | | X | Z=5 |
| 5 | 910.727.0 | Washer | | X | S 35 X 45 X 2.5 |
| 6 | 265.162.0 | Gear | | X | |
| 7 | 912.643.0 | Roll Pin | | X | 6 X 36 |
| 8 | 910.512.2 | Washer | | X | B 21 |
| 9 | 912.714.0 | Roll Pin | | X | 10 X 40 |
| 10 | 900.658.0 | Hex Head Bolt | | X | M12 X 40 |
| 11 | 265.924.0 | Crank | | X | |
| 12 | 265.922.0 | R/H Support Outside | | X | |
| | 265.923.0 | L/H Support Outside | | X | |
| 13 | 900.632.0 | Hex Head Bolt | | X | M10 X 16 |
| 14 | 910.506.0 | Washer | | X | 13 X 24 X 2.5 |
| 16 | 900.638.0 | Hex Head Bolt | | X | M10 X 35 |
| 17 | 265.837.0 | Threaded Spindle | | X | |
| 18 | 933.504.0 | Thrust Ball Bearing | | X | 511 04 |
| 19 | 925.007.0 | Handle | | X | |
| 20 | 909.909.0 | Detent Edged Washer | | X | SKM 10 |
| 21 | 908.758.0 | Hex Nut | | X | M10 |
| 22 | 910.609.0 | Washer | | X | 13 X 37 X 3 |
| 23 | 910.350.0 | Washer | | X | 28 X 50 X 4.0 |
| 24 | 266.588.0 | Support | | X | |
| 25 | 265.386.0 | Cover Plate | | X | |




Hydraulic System - Electrical Lift

Hydraulic System - Electrical Lift

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|---------------------|-----------------|--------|--------------------|
| 1 | 921.145.0 | Plug | | X | M18 X 1.5 |
| 2 | 921.171.0 | Dust Cap | | X | |
| 3 | 921.030.1 | Hydraulic Hose | | X | 1600mm Long |
| 4 | 921.046.1 | Cutting Ring | | X | L 12 |
| 5 | 921.206.0 | Union Nut | | X | AL 12 |
| 6 | 924.208.0 | Cable Bushing | | X | 14/20 |
| | 924.207.0 | Cable Bushing | | X | 13/17 |
| 7 | 045.506.0 | Hydraulic Pipe | | X | 12 X 1.5 |
| 8 | 920.901.0 | Male Connector | | X | L 12 |
| 9 | 920.924.0 | Universal Valve | | X | 4 Port |
| 10 | 919.694.0 | Housing | | X | 4 Port |
| 11 | 919.647.0 | Sealing Set | | X | |
| 12 | 919.646.0 | Solenoid Coil | | X | 12 V |
| 13 | 265.423.0 | Support | | X | |
| 14 | 900.614.0 | Hex Head Bolt | | X | M8 X 20 |
| 15 | 909.908.0 | Detent Edged Washer | | X | SKM 8 |
| 16 | 900.617.0 | Hex Head Bolt | | X | M8 X 30 |
| 17 | 910.603.0 | Washer | | X | A 8.4 |
| 18 | 908.706.0 | Hex Nut | | X | M8 |
| 19 | 265.424.0 | Guard | | X | |
| 20 | 900.612.0 | Hex Head Bolt | | X | M8 X 16 |
| 21 | 921.045.1 | Cutting Ring | | X | L 6 |
| 22 | 921.059.1 | Male Connector | | X | L 6 |
| 23 | 921.039.1 | Union Nut | | X | AL 6 |
| 24 | 045.505.0 | Hydraulic Pipe | | X | 6 X 1 |
| 25 | 921.049.1 | Connector | | X | L 6 |
| 26 | 920.974.1 | High Pressure Hose | | X | 1000mm Long |
| 27 | 912.673.0 | Roll Pin | | X | 8 X 36 |
| 28 | 265.412.0 | Cylinder Support | | X | |
| 29 | 143.482.1 | Pin | | X | |
| 30 | 921.294.1 | Hydraulic Cylinder | | X | |
| | 918.702.0 | Seal Kit | | X | |
| 31 | 920.901.0 | Male Connector | | X | L 12 |
| 32 | 921.028.1 | High Pressure Hose | | X | 1000mm Long |
| 33 | 332.014.2 | Washer | | X | 1.5 X 12 X 1 |
| 34 | 918.421.0 | Hydraulic Cylinder | | X | Zz 25/75 X 402/614 |
| | 918.736.0 | Seal Kit | | X | |
| | 911.808.0 | Snap Ring | | X | |

Hydraulic System - Electrical Lift


| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|-------------------------|-----------------|--------|------------------|
| 35 | 919.105.0 | Grease Fitting | | X | AM 8 X 1 |
| 36 | 265.344.0 | Tension Spring | | X | |
| 37 | 265.348.4 | Pin | | X | |
| 38 | 934.947.0 | Bearing Bushing | | X | Pm 2530 Dx |
| 39 | 281.099.0 | Bushing | | X | Ro. 38 X 7.1 X 7 |
| 40 | 910.514.1 | Washer | | X | 26 X 44 X 4 |
| 41 | 912.670.0 | Roll Pin | | X | 8 X 40 |
| 42 | 265.442.0 | Pin | | X | |
| 43 | 910.845.0 | Shim | | X | 25 X 35 X 2.0 |
| 44 | 912.670.0 | Roll Pin | | X | 8 X 40 |
| 45 | 900.617.0 | Hex Head Bolt | | X | M8 X 30 |
| 46 | 910.413.0 | Washer | | X | A 8.4 |
| 47 | 908.706.0 | Hex Nut | | X | M8 |
| 48 | 905.745.0 | Set Screw | | X | M8 X 16 |
| 49 | 908.525.1 | Hex Nut | | X | M20 |
| 50 | 910.512.2 | Washer | | X | B 21 |
| 51 | 908.525.1 | Hex Nut | | X | M20 |
| 52 | 910.413.0 | Washer | | X | A 8.4 |
| 53 | 265.495.0 | Twine Tensioning Spring | | X | |
| 54 | 903.481.1 | Allen Screw | | X | AM 6 X 30 |
| 55 | 925.122.0 | Clamp | | X | 12/6 Bo. |
| 56 | 908.704.1 | Hex Nut | | X | M6 |
| 57 | 925.105.0 | Clamp | | X | Bo. 12/12 |
| 58 | 903.075.0 | Allen Screw | | X | M8 X 20 |
| 59 | 925.146.0 | Clamp | | X | 15/12 Bo. |



Electrical Lift

Electrical Lift

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|--------------------------|-----------------|--------|------------------|
| 1 | 900.632.0 | Hex Head Bolt | | X | M10 X 16 |
| 2 | 265.800.0 | Threaded Spindle | | X | |
| 3 | 933.504.0 | Thrust Ball Bearing | | X | 511 04 |
| 4 | 910.719.0 | Washer | | X | S 28 X 40 X 2.0 |
| 5 | 154.453.1 | Rotex Clutch | | X | Bo.=18 |
| 6 | 938.928.0 | Ring Gear | | X | |
| 7 | 154.454.1 | Rotex Clutch | | X | Bo.=10 |
| 8 | 915.600.0 | Plate Spring | | X | 3 X 3.7 |
| 9 | 938.832.0 | Gasket Ring | | X | 48/25 X 13.5 |
| 10 | 912.643.0 | Roll Pin | | X | 6 X 36 |
| 11 | 906.948.0 | Self-Tapping Screw | | X | B 6.3 X 13 |
| 12 | 910.411.1 | Washer | | X | A 6.4 |
| 13 | 910.032.0 | Spring Washer | | X | B 6 |
| 14 | 900.607.0 | Hex Head Bolt | | X | M6 X 16 |
| 15 | 154.496.0 | Cover Plate | | X | |
| 16 | 908.706.0 | Hex Nut | | X | M8 |
| 17 | 265.805.0 | Motor Support | | X | BI 4 X 120 X 341 |
| 18 | 900.656.0 | Hex Head Bolt | | X | M12 X 30 |
| 19 | 909.910.0 | Detent Edged Washer | | X | SKM 12 |
| 20 | 910.506.0 | Washer | | X | 13 X 24 X 2.5 |
| 21 | 938.989.0 | Linear Motor w/Worm Gear | | X | |
| 22 | 910.413.0 | Washer | | X | A 8.4 |
| 23 | 900.614.0 | Hex Head Bolt | | X | M8 X 20 |
| 24 | 154.457.1 | Guard | | X | |
| 25 | 908.701.0 | Hex Nut | | X | M12 |
| 26 | 909.909.0 | Detent Edged Washer | | X | SKM 10 |
| 27 | 910.702.0 | Washer | | X | S 30 X 42 X 2.5 |
| 28 | 910.351.1 | Washer | | X | 6.4 X 18 X 1.6 |
| 29 | 909.906.0 | Detent Edged Washer | | X | SKM 6 |




447 985 3

Electrical Control

Electrical Control

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|-------------------------------|-----------------|--------|----------------------|
| 1 | 301.354.0 | Signal Light w/Socket - Green | | X | |
| 2 | 301.338.0 | Indicator Lamp | | X | |
| 3 | 301.204.0 | Toggle Switch | | X | ON-OFF-ON |
| 4 | 301.201.0 | Toggle Switch | | X | ON-OFF |
| 5 | 301.202.0 | Toggle Switch | | X | Mom-OFF-Mom |
| 6 | 301.761.0 | Fuse | | X | 25 A |
| 7 | 900.616.0 | Hex Head Bolt | | X | M8 X 25 |
| 8 | 335.364.0 | Holder | | X | |
| 9 | 301.293.0 | Cable Guide | | X | PG 16 |
| 10 | 301.781.0 | Cable | | X | 12 X 1 qmm 3 m Long |
| 11 | 301.587.0 | Plug | | X | 10 Pole |
| 12 | 301.745.1 | Control Box | | X | |
| 13 | 953.715.0 | Control Box Holder | | X | |
| 14 | 301.782.0 | Socket | | X | 10 Pole |
| 15 | 301.369.0 | Cable Union | | X | PG 16 |
| 16 | 301.086.2 | Cable | | X | 12 X 1 qmm |
| 17 | 301.554.0 | Reversing Relay | | X | |
| 18 | 301.200.0 | Cable | | X | 3 X 4 qmm |
| 19 | 301.022.0 | Cable | | X | 2 X 1.0 qmm |
| 20 | 301.058.0 | Solenoid Valve Plug | | X | 3 Pole |
| 21 | 301.186.0 | Gasket | | X | |
| 22 | 301.780.1 | Cable | | X | 12 X 1 qmm 4.1m Long |
| 23 | 924.580.0 | Socket | | X | 3 Pole |
| 24 | 924.579.0 | Three Pin Plug | | X | 3 Pole |
| 25 | 924.675.0 | Plug | | X | 3 Pole |
| 26 | 301.209.0 | Power Supply | | X | |
| 27 | 302.092.0 | Connection Cable | | X | |
| 28 | 302.068.0 | Power Supply | | X | 3 Pole |
| 29 | 302.065.0 | Connection Cable | | X | 5000mm Long |
| 30 | 301.867.0 | Cable | | X | 12 X 1 qmm 3.2m Long |
| 31 | 301.866.0 | Extension Cable | | X | |
| 32 | 302.091.0 | Pressure Compensation Element | | X | |
| 33 | 924.676.0 | Socket | | X | 3 Pole |
| 34 | 301.586.0 | Diode | | X | 1 N 5402 |




448 874 1

Lighting Bracket

Lighting Bracket


| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|------------------------|-----------------|--------|----------------|
| 1 | 925.014.0 | Wheel Chock | | X | |
| 2 | 925.109.0 | Holder for Wheel Chock | | X | |
| 3 | 908.207.0 | Hex Nut | | X | M5 |
| 4 | 904.345.1 | Countersunk Screw | | X | M5 X 16 |
| 5 | 265.770.0 | Warning Panel L/H | | X | |
| | 265.771.0 | Warning Panel R/H | | X | |
| | 924.569.0 | Decal | | X | 423 X 423 |
| 6 | 900.637.0 | Hex Head Bolt | | X | M10 X 30 |
| 7 | 910.353.0 | Washer | | X | R 11 |
| 8 | 910.414.0 | Washer | | X | A 10.5 |
| 9 | 908.758.0 | Hex Nut | | X | M10 |
| 10 | 903.747.0 | Allen Screw | | X | AM 5 X 20 |
| 11 | 910.351.1 | Washer | | X | 6.4 X 18 X 1.6 |
| 12 | 910.031.0 | Spring Washer | | X | B 5 |
| 13 | 908.207.0 | Hex Nut | | X | M5 |
| 14 | 265.340.0 | Lighting Bracket | | X | |
| 17 | 265.931.0 | Plate | | X | |



Lighting

Lighting

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|----------------------|-----------------|--------|-----------------------------|
| 1 | 924.576.0 | Plug | | X | 7 Pole |
| 2 | 924.610.1 | Extension Cable | | X | 2.8m Long - Includes Item 1 |
| 3 | 903.661.0 | Allen Screw | | X | AM 5 X 30 |
| 4 | 924.571.0 | Socket | | X | 7 Pole |
| 5 | 910.031.0 | Spring Washer | | X | B 5 |
| 6 | 908.207.0 | Hex Nut | | X | M5 |
| 7 | 924.624.0 | Cable | | X | 6 Pole - 4900mm Long |
| 8 | 924.642.0 | Cable R/H | | X | 4 Pole - 1800mm Long |
| 9 | 924.643.0 | Cable L/H | | X | 4 Pole - 1800mm Long |
| 10 | 924.646.0 | Cable L/H | | X | 4 Pole - 1100mm Long |
| 11 | 924.644.0 | Cable | | X | 2 Pole - 600mm Long |
| 12 | 924.647.0 | Cable R/H | | X | 4 Pole - 1100mm Long |
| 13 | 924.611.0 | Side Light White | | X | |
| 14 | 924.623.0 | Lens for Lamp | | X | |
| 15 | 924.699.0 | Lens for Lamp | | X | |
| 16 | 924.697.0 | Lamp | | X | |
| 17 | 953.715.0 | Bracket | | X | |
| 18 | 924.536.0 | Side Light Yellow | | X | |
| 19 | 924.535.1 | Rear Reflector Red | | X | |
| 20 | 925.112.0 | Bottom Pipe Retainer | | X | |
| 21 | 925.181.0 | Cable Clips | | X | Rd. 8 |
| 22 | 922.670.0 | Cable Clamp | | X | |
| 23 | 924.517.0 | Socket Base | | X | |
| 25 | 265.115.0 | Lighting Complete | | X | |




448 694 0

PTO Shaft

PTO Shaft

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|-----------------------------|-----------------|--------|---------------|
| 1 | 956.037.0 | PTO Shaft Complete | | X | WWE 2280-SD15 |
| 4 | 949.945.0 | Outer Guard Tube | | X | |
| 5 | 955.273.0 | Male Tube | | X | |
| 11 | 949.403.0 | Outer Yoke | | X | |
| 12 | 949.630.0 | Locking Pin Complete | | X | |
| 13 | 955.274.0 | Key-Type Overrunning Clutch | | X | |
| 21 | 956.560.0 | Cross Assembly Complete | | X | |
| 22 | 949.629.0 | Grease Fitting | | X | M8 X 1 |
| 23 | 949.465.0 | Grooved Yoke | | X | |
| 24 | 912.719.0 | Roll Pin | | X | 10 X 65 |
| 25 | 949.693.0 | Inner Tube | | X | 1000mm Long |
| 26 | 949.735.0 | Outer Tube | | X | 1000mm Long |
| 27 | 949.372.0 | Yoke | | X | |
| 28 | 949.373.0 | Cross Assembly | | X | |
| 29 | 955.275.0 | Disc | | X | |
| 30 | 949.374.0 | Double Yoke Complete | | X | |
| 31 | 919.003.0 | Grease Fitting | | X | H1/S M8 X 1 |
| 53 | 949.352.0 | Guard Ring | | X | |
| 54 | 949.863.0 | Bearing Ring | | X | |
| 56 | 955.276.0 | Bearing Ring | | X | |
| 57 | 949.376.0 | PTO Guard | | X | |
| 58 | 949.852.0 | Chain | | X | 400mm Long |
| 59 | 949.283.0 | Chain | | X | 600mm Long |




448 483 2

Universal Joint

Universal Joint

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|----------------------|-----------------|--------|-------------------|
| 1 | 956.028.0 | Universal Joint | | X | 1 3/8" - 6 Spline |
| 11 | 949.403.0 | Outer Yoke | | X | |
| 12 | 949.630.0 | Locking Pin Complete | | X | |
| 21 | 956.560.0 | Cross Assembly | | X | |
| 22 | 949.629.0 | Grease Fitting | | X | |
| | | | | | M8 X 1 |




449 468 0


Wide Angle Universal Joint

Wide Angle Universal Joint

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|----------------------------|-----------------|--------|--------|
| 1 | 956.253.0 | Outer Yoke | | X | |
| 2 | 956.561.0 | Cross Assembly | | X | |
| 4 | 919.002.0 | Grease Fitting | | X | H1S M6 |
| 5 | 956.229.0 | Double Yoke | | X | |
| 10 | 949.154.0 | Wide Angle Universal Joint | | X | Gr. 2 |



1




2




3



4



5










6

448 904 1

Warning Decals

Warning Decals

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|-------------|-----------------|--------|-------|
| 1 | 939.471.1 | Decal | | X | |
| 2 | 939.472.2 | Decal | | X | |
| 3 | 939.574.0 | Decal | | X | |
| 4 | 939.469.1 | Decal | | X | |
| 5 | 939.100.0 | Decal | | X | |
| 6 | 939.529.0 | Decal | | X | |



448 973 2

General Information Decals

General Information Decals

| Item | Part Number | Description | Serial # Ranges | KS-761 | Notes |
|------|-------------|-------------|-----------------|--------|------------|
| 1 | 942.265.1 | Decal | | X | |
| 2 | 939.306.1 | Decal | | X | 120mm Tall |
| | 939.108.1 | Decal | | X | 45mm Tall |
| 3 | 939.212.1 | Decal | | X | |
| 4 | 942.107.1 | Decal | | X | 1.5 Bar |
| | 939.183.1 | Decal | | X | 1.0 Bar |
| 5 | 924.597.0 | Decal | | X | |
| 6 | 924.598.0 | Decal | | X | |
| 7 | 939.126.0 | Decal | | X | |
| 8 | 942.105.0 | Decal | | X | |
| 9 | 939.420.1 | Decal | | X | |
| 10 | 939.486.2 | Decal | | X | |
| 11 | 939.218.1 | Decal | | X | 25 |
| | 939.145.1 | Decal | | X | 40 |